A-A-55605
26 JANUARY 1995
SUPERSEDING
MS35492
MS35494

COMMERCIAL ITEM DESCRIPTION

SCREWS, WOOD, 82° FLAT HEAD, STEEL AND BRASS SLOTTED AND CROSS-RECESSED

THE GENERAL SERVICES ADMINISTRATION HAS AUTHORIZED THIS COMMERCIAL ITEM DESCRIPTION FOR ALL FEDERAL AGENCIES

1. SCOPE: THIS COMMERCIAL ITEM DESCRIPTION (CID) DEPICTS THE REQUIREMENTS FOR STEEL AND BRASS, SLOTTED AND CROSS-RECESS, 82° FLAT HEAD WOOD SCREW.

2. SALIENT CHARACTERISTICS.

2.1. FOR THE DIMENSIONS OF FLAT HEAD WOOD SCREWS WITH SLOTTED RECESS FOR EACH NOMINAL SIZE, REFER TO TABLE 2 OF ANSI B18.6.1.

2.2. FOR THE DIMENSIONS OF FLAT HEAD WOOD SCREWS WITH TYPE I CROSS RECESS FOR EACH NOMINAL SIZE, REFER TO TABLE 3 OF ANSI B18.6.1

2.3. MATERIAL: a. CARBON STEEL SHALL BE GRADES 1010 (UNS G10100) THRU 1022 (UNS G10220) OR GRADES 1108 (UNS G11080) THRU 1118 (UNS G11180).

b. BRASS SHALL BE ALLOY NUMBER 260 (UNS C26000), 268 (UNS C26800), OR 270 (UNS C27000).

2.4. PROTECTIVE COATING: a. CARBON STEEL WOOD SCREWS SHALL BE ELECTRODEPOSITED ZINC COATED IN ACCORDANCE WITH CARBON ASTM B633, FeZn5, TYPE II OR MECHANICALLY DEPOSITED ZINC COATED IN ACCORDANCE WITH MIL-C-81562, TYPE II, CLASS 3.

b. BRASS WOOD SCREWS SHALL BE PLAIN, UNCOATED.

2.5. THREADS: MAXIMUM PERMISSIBLE VARIATION IN NUMBER OF THREADS PER INCH SHALL BE ±10%. THREADS SHALL BE CUT THREAD TYPE. FOR DIMENSIONS OF THREADS REFER TO TABLE 1 OF ANSI B18.6.1.

BENEFICIAL COMMENTS, RECOMMENDATIONS, ADDITIONS, DELETIONS, CLARIFICATIONS, ETC., AND DATA WHICH MAY IMPROVE THIS DOCUMENT SHOULD BE SENT TO: DEFENSE INDUSTRIAL SUPPLY CENTER. ATTN: DISC-EED, 700 ROBBINS AVENUE, PHILADELPHIA, PA 19111-5096.

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

3. QUALITY CONFORMANCE PROVISIONS:


3.1. THE SUPPLIERS SHALL BE RESPONSIBLE FOR THOSE IN PROCESS CONTROLS AND INSPECTIONS NECESSARY TO SUPPLY A PRODUCT CONSISTENTLY CONFORMING TO THE REQUIREMENTS OF THIS DOCUMENT.

3.2. UPON REQUEST, THE SUPPLIER WILL CERTIFY WITH DOCUMENTED TEST/INSPECTION EVIDENCE, THAT THE PART SUPPLIED MEET THE REQUIREMENTS OF THIS DOCUMENT.

4. NOTES:

4.1. PART NUMBER: THE PART NUMBER SHALL CONSIST OF THE BASIC CID NUMBER FOLLOWED BY A DASH NUMBER FROM TABLE II.

EXAMPLE: AA55605 - 222



AA55605-222 INDICATES SCREW, WOOD, FLAT HEAD, CARBON STEEL, ZINC PLATING, CROSS-RECESS, #4-22 NOMINAL SIZE, 3/8 INCH LONG.

MILITARY INTERESTS

CUSTODIANS

NAVY - YD
ARMY - AR
AIR FORCE - 99

REVIEWER:

ARMY - AT, AV, EA, MI
GSA- NS

PREPARING ACTIVITY

DLA-IS

(PROJECT: 5305-2050)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

TABLE I. PART NUMBERS

NOMINAL SIZE		2				4				6				8				10				12				14				16				18			
THREADS PER INCH		26				22				18				15				13				11				10				9				8			
MATERIAL		STEEL		BRASS		STEEL		BRASS		STEEL		BRASS		STEEL		BRASS		STEEL		BRASS		STEEL		BRASS		STEEL		BRASS		STEEL		BRASS		STEEL		BRASS	
DRIVE		SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS	SLOTTED	XRECESS
LENGTH	TOL	DASH NO.				DASH NO.				DASH NO.				DASH NO.				DASH NO.				DASH NO.				DASH NO.				DASH NO.				DASH NO.			
.25		1	201	401	601	21	221	421	621																												
.38	+.00	2	202	402	602	22	222	422	622	42	242	442	642		262																						
.50	−.03	3	203	403	603	23	223	423	623	43	243	443	643	63	263	463	663		283																		
.62		4	204	404	604	24	224	424	624	44	244	444	644	64	264	464	664		284	484	684		304														
.75		5	205	405	605	25	225	425	625	45	245	445	645	65	265	465	665	85	285	485	685	105	305	505	705		325										
.88	+.00					26	226	426	626	46	246	446	646	66	266	466	666	86	286	486	686	106	306	506	706		326										
1.00	−.05					27	227	427	627	47	247	447	647	67	267	467	667	87	287	487	687	107	307	507	707	127	327	527	727		347								
1.25						28	228			48	248	448	648	68	268	468	668	88	288	488	688	108	308	508	708	128	328	528	728	148	348						
1.50						29	229			49	249	449	649	69	269	469	669	89	289	489	689	109	309	509	709	129	329	529	729	149	349			169			
1.75										50	250			70	270	470	670	90	290	490	690	110	310	510	710	130	330	530	730	150	350						
2.00	+.00									51	251			71	271	471	671	91	291	491	691	111	311	511	711	131	331	531	731	151	351	551		171			
2.25	−.06									52	252			72	272			92	292	492	692	112	312	512	712	132	332			152	352						
2.50										53	253			73	273			93	293	493	693	113	313	513	713	133	333	533	733	153	353	553		173			
2.75														74	274			94	294			114	314			134	334			154	354						
3.00														75	275			95	295			115	315	515	715	135	335	535	735	155	355	555		175			
3.50	+.00																	96	296			116	316	516	716	136	336			156	356			176			
4.00	−.09																					117	317			137	337			157	357			177			
4.50																										138	338			158	358						
5.00																										139	339			159	359						

A-A-55605

3

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

TABLE II. SUPERSESSION TABLE

MILITARY P/N MS35492	REPLACEMENT CID P/N AA55605	MILITARY P/N MS35492	REPLACEMENT CID P/N AA55605	MILITARY P/N MS35492	REPLACEMENT CID P/N AA55605
-901	-201	-94		-251	-665
-902	-202	-95	-309	-252	-666
-903	-203	-96	-310	-253	-667
-904	-204	-97	-311	-254	-668
-905	-205	-98	-312	-255	-669
-8	-221	-99	-313	-256	-670
-9	-222	-100	-314	-257	-671
-10	-223	-101	-315	-271	-684
-11	-224	-102	-316	-272	-685
-12	-225	-103	-317	-273	-686
-13	-226	-104	-325	-274	-687
-14	-227	-105	-326	-275	-688
-15	-228	-106	-327	-276	-689
-16	-229	-107	-328	-277	-690
-27	-242	-108	-329	-278	-691
-28	-243	-109	-330	-279	-692
-29	-244	-110	-331	-280	-693
-30	-245	-111	-332	-283	-705
-31	-246	-112	-333	-284	-706
-32	-247	-113	-334	-285	-707
-33	-248	-114	-335	-286	-708
-34	-249	-115	-336	-287	-709
-35	-250	-116	-337	-288	-710
-36	-251	-911	-338	-289	-711
-37	-252	-117	-339	-290	-712
-38	-253	-118	-347	-291	-713
-49	-262	-119	-348	-293	-715
-50	-263	-120	-349	-294	-716
-51	-264	-121	-350	-295	-727
-52	-265	-122	-351	-296	-728
-53	-266	-123	-352	-297	-729
-54	-267	-124	-353	-298	-730
-55	-268	-125	-354	-299	-731
-56	-269	-126	-355	-301	-733
-57	-270	-127	-356	-303	-735
-58	-271	-128	-357		
-59	-272	-129	-358		
-60	-273	-920	-359		
-61	-274	-921	-601		
-910	-275	-922	-602		
-74	-283	-923	-603		
-75	-284	-924	-604		
-76	-285	-208	-605		
-77	-286	-209	-621		
-78	-287	-210	-622		
-79	-288	-211	-623		
-80	-289	-212	-624		
-81	-290	-213	-625		
-82	-291	-214	-626		
-83	-292	-227	-627		
-84	-293	-228	-642		
-85	-294	-229	-643		
-86	-295	-230	-644		
-87	-296	-231	-645		
-89	-304	-232	-646		
-90	-305	-233	-647		
-91	-306	-234	-648		
-92	-307	-249	-649		
-93	-308	-250	-663		
			-664		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

TABLE II. SUPERSESSION TABLE (CONTINUED)

MILITARY P/N MS35494	REPLACEMENT CID P/N AA55605	MILITARY P/N MS35494	REPLACEMENT CID P/N AA55605	MILITARY P/N MS35494	REPLACEMENT CID P/N AA55605
-1	-1	-106	-113	-254	-464
-2	-2	-107	-114	-255	-465
-3	-3	-108	-115	-256	-466
-4	-4	-109	-116	-257	-467
-5	-5	-110	-117	-258	-468
-8	-21	-113	-127	-259	-469
-9	-22	-114	-128	-260	-470
-10	-23	-115	-129	-261	-471
-11	-24	-116	-130	-275	-484
-12	-25	-117	-131	-276	-485
-13	-26	-118	-132	-277	-486
-14	-27	-119	-133	-278	-487
-15	-28	-120	-134	-279	-488
-16	-29	-121	-135	-280	-489
-31	-42	-122	-136	-281	-490
-32	-43	-123	-137	-282	-491
-33	-44	-124	-138	-283	-492
-34	-45	-125	-139	-284	-493
-35	-46	-129	-148	-289	-505
-36	-47	-130	-149	-290	-506
-37	-48	-131	-150	-291	-507
-38	-49	-132	-151	-292	-508
-39	-50	-133	-152	-293	-509
-40	-51	-134	-153	-294	-510
-41	-52	-135	-154	-295	-511
-42	-53	-136	-155	-296	-512
-56	-63	-137	-156	-297	-513
-57	-64	-138	-157	-299	-515
-58	-65	-139	-158	-300	-516
-59	-66	-140	-159	-305	-527
-60	-67	-142	-169	-306	-528
-61	-68	-144	-171	-307	-529
-62	-69	-146	-173	-308	-530
-63	-70	-148	-175	-309	-531
-64	-71	-149	-176	-311	-533
-65	-72	-150	-177	-313	-535
-66	-73	-201	-401	-318	-551
-67	-74	-202	-402	-320	-553
-68	-75	-203	-403	-322	-555
-83	-85	-204	-404		
-84	-86	-205	-405		
-85	-87	-208	-421		
-86	-88	-209	-422		
-87	-89	-210	-423		
-88	-90	-211	-424		
-89	-91	-212	-425		
-90	-92	-213	-426		
-91	-93	-214	-427		
-92	-94	-230	-442		
-93	-95	-231	-443		
-94	-96	-232	-444		
-98	-105	-233	-445		
-99	-106	-234	-446		
-100	-107	-235	-447		
-101	-108	-236	-448		
-102	-109	-237	-449		
-103	-110	-253	-463		
-104	-111				
-105	-112				

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.