LLL-S-720A
May 9, 1974
SUPERSEDING
Int. Fed. Spec. LLL-S-00720(GSA-FSS)
October 26, 1964

FEDERAL SPECIFICATION

STIRRING STICK, BEVERAGE, (WOOD)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE

1.1 This specification covers one type and size of wood beverage stirrer.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

PPP-B-566 - Boxes, Folding, Paperboard.
PPP-B-585 - Boxes, Wood, Wirebound.
PPP-B-591 - Boxes, Chipping, Fiberboard, Wood-Cleated.
PPP-B-601 - Boxes, Wood, Cleated-Plywood.
PPP-B-621 - Boxes, Wood, Nailed and Lock-Corner.
PPP-B-636 - Boxes, Shipping, Fiberboard.
PPP-B-640 - Boxes, Fiberboard, Corrugated, Triple Wall.
PPP-B-665 - Boxes, Paperboard, Metal Edged and Components.
PPP-B-676 - Boxes, Setup.

Federal Standard:

Fed. Std. No. 123 - Marking for Domestic Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

FSC 7340

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:47Z
Check the source to verify that this is the current version before use.

Than 8 square inches

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

U.S. Department of Health, Education and Welfare (HEW):

Federal Food, Drug, and Cosmetic Act.

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

National Motor Freight Traffic Association, Inc., Agent:

National Motor Freight Classification.

(Application for copies should be addressed to the American Trucking Association, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, DC 20036.)

Uniform Classification Committee, Agent:

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

(Technical socity and technical association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

3. REQUIREMENTS

3.1 Material. The stirrer shall be made from either gumwood, white birch, or rock maple at the manufacturer's option. The wood used for the stirrers shall conform to the Federal Food, Drug, and Cosmetic Act and Regulations promulgated thereunder.

3.2 Dimensions. The dimensions of the stirrer shall be as specified below:

Length	- 5-1/2 ± 1/8 inches
Width	- 1/4 ± 1/32 inch
Thickness	- 1/16 ± 1/64 inch

3.3 Construction. The stirrer shall be made with the grain of the wood running in the same direction as the long axis of the stirrer. The ends of the stirrer shall be rounded.

3.4 Odor and taste. The stirrer shall have no objectionable odor or taste when tested in accordance with 4.4.2.

3.5 Finish. The finished stirrer shall have a smooth natural wood finish and shall be uniform in color.

3.6 Workmanship. The stirrers shall be clean, free from surface checks, splinters, rough edges and any other defects which may affect appearance or serviceability.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:47Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Sampling.

4.2.1 Lot. Unless otherwise specified (see 6.2), a lot shall consist of all stirrers submitted for inspection at the same time.

4.2.2 Visual examination of end item. Sampling for this examination shall be according to level S-3 in MIL-STD-105.

4.2.3 Sampling for tests. Samples for all other tests shall be according to level S-2 in MIL-STD-105.

4.3 Inspection.

4.3.1 End item. Stirrers shall be examined for defects listed in table I. The Acceptable Quality Levels (AQL's) for defects listed in table I shall be 2.5 percent defective for major defects and 4.0 percent defective for minor defects.

TABLE I. Classification of defects, end item

Defect	Major	Minor
Material not as specified	X	
Dimensions not as specified	X	
Grain of wood not running in same direction as long axis	X	
Not clean	X	
Finish not smooth	X	
Rough edges (not splintered)		X
Defects or damage not affecting function or serviceability		X

4.3.2 Inspection of preparation for delivery requirements. An inspection shall be made to determine that packaging, packing and marking requirements comply with Section 5 of this specification. Defects shall be scored in accordance with table II. For examination of contents the sample unit shall be one shipping container fully prepared for delivery, selected just prior to the closing operations. Sampling shall be in accordance with MIL-STD-105. Defects of closure listed shall be examined on shipping containers fully prepared for delivery. The lot size shall be the number of shipping containers in the end tem inspection lot. The inspection level shall be S-2 and the AQL shall be 4.0 defects per hundred units.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:47Z
Check the source to verify that this is the current version before use.

TABLE II. Classification of preparation for delivery defects

Examine	Defects
Markings (exterior and interior)	Omitted; incorrect; illegible; or improper size, location, sequence, or method of application.
Materials	Any component missing, or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, loose banding, inadequate sealing. Bulging or distortion of container.

4.4 Tests.

4.4.1 Acceptance. The AQL's for tests shall be 6.5 on the basis of percent defective.

4.4.2 Odor and taste. Immerse toothpicks in distilled water at 180° + 5°F. for 15 minutes, then compare the sample water with that of freshly distilled water at the same temperature and contained for the same length of time (see 3.4).

5. PREPARATION FOR DELIVERY

5.1 Packaging. Packaging shall be level A, B, or C as specified (see 6.2).

5.1.1 Level A. One thousand sticks shall be packaged in a box conforming to PPP-B-566, PPP-B-665, or PPP-B-676.

5.1.2 Level B. The sticks shall be packaged as specified in 5.1.1.

5.1.3 Level C. The sticks shall be packaged to afford adequate protection against damage during shipment and storage from the supply source to the receiving activity. The supplier may use his standard practice when it meets this requirement.

5.2 Packing. Packing shall be level A, B, or C as specified (see 6.2).

5.2.1 Level A. Ten packages of sticks shall be packed in a box conforming to PPP-B-636, W5c. The box shall be waterproof sealed and strapped in accordance with the appendix to the box specification.

5.2.1.1 Additional packing. When specified (see 6.2), the boxes shall be overpacked in boxes conforming to PPP-B-585, class 3; PPP-B-591, class II; PPP-B-601, overseas type; PPP-B-621, class 2; or PPP-B-640, class 2. The boxes shall be closed and strapped in accordance with the applicable specification or appendix thereto. The gross weight shall not exceed 200 pounds. Strapping of the fiberboard boxes (5.2.1) shall not be required when they are overpacked.

5.2.2 Level B. Ten packages of sticks shall be packed in a box conforming to PPP-B-636, class domestic. The box shall be closed in accordance with the appendix to the box specification.

5.2.3 Level C. The sticks shall be packed to insure carrier acceptance and safe delivery to destination in containers complying with the National Motor Freight Classification rules or the Uniform Freight Classification rules, as applicable.

5.3 Marking. In addition to markings required by the contract or order, the packages and shipping containers shall be marked in accordance with Fed. Std. No. 123 or MIL-STD-129, as applicable.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:47Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Intended use. Wood stirring sticks are intended to be used, in lieu of a spoon, for mixing hot or cold drinks.

6.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Size of lot, if different from 4.2.1.
(c) Level of packaging and packing required (see 5.1 and 5.2).

MILITARY INTEREST:

Custodian:

Army - GL

Preparing activity:

GSA-FSS

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA-FSS
VA-DMS

Orders for this publication are to be placed with the General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 10 cents each.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:47Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:47Z
Check the source to verify that this is the current version before use.