MILITARY SPECIFICATION

STAKE, GUY AND OTHER HARDWARE FOR ANTENNA MASTS

This specification has been approved by the Department of Defense and is mandatory for use by the Departments of the Army, the Navy, and the Air Force.

1. SCOPE

1.1 This specification covers guy stakes and other hardware for antenna masts, including but not restricted to the following:

Clevis, Mast, Holder.

Holder, Mast (Mast Base AB-154/U).

Pin, Straight, Headless.

Stake, Guy, Antenna (Stake GP-2).

Stake, Guy, Antenna (Stake GP-101/U).

Stake, Guy, Antenna (Guy Stake GP-108/U).

Stake, Guy, Antenna (Guy Stake GP-111/G).

Stake, Wood, Antenna.

Stake, Guy Antenna.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bid, form a part of this specification:

SPECIFICATIONS

FEDERAL

PPP-B-585 — Boxes; Wood, Wirebound.

PPP-B-591 — Boxes; Fiberboard, Wood-Cleated.

PPP-B-601 — Boxes; Wood, Cleated-Plywood.

PPP-B-621 — Boxes; Wood, Nailed and Lock-Corner.

MILITARY

MIL-P-116 — Preservation, Methods of.

STANDARDS

MIL-STD-105 — Sampling Procedures and Tables for Inspection by Attributes.

MIL-TD-129 — Marking for Shipment and Storage.

FSC 5975

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:22Z
Check the source to verify that this is the current version before use.

(For applicable MS Standards for items covered by this specification, see Supplement 1 to this specification.)

(Copies of specifications and standards required by the contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officers. Both the title and identifying number or symbol should be stipulated when requesting copies.)

2.2 Other publications. The following documents form a part of this specification. Unless otherwise indicated, the issue in effect on date of invitation for bids shall apply.

AMERICAN TRUCKING ASSOCIATION, INC.

National Motor Freight Classification.

(Application for copies should be addressed to the National Motor Freight Classification Board, 1424 16th Street, N.W., Washington 6, D. C.)

CONSOLIDATED CLASSIFICATION COMMITTEE

Uniform Freight Classification

Consolidated Freight Classification.

(Application for copies should be addressed to the Association of American Railroads, 202 Chicago Union Station, Chicago 6, Ill.)

3. REQUIREMENTS

3.1 Materials. The materials for each part shall be as specified by the applicable military standard listed herein.

3.2 Design and construction. Guy stakes and other hardware for antenna masts shall be of the design and construction specified by the applicable Military Standards.

3.2.1 *Dimensions.* Guy stakes and other hardware for antenna masts shall be of the dimensions specified in the applicable MS Standards.

3.2.2 *Finish.* Guy stakes and other hardware for antenna masts shall be finished as specified by the applicable military standard.

3.2.3 *Name plate or product marking.* Guy stakes and other hardware for antenna mast shall be marked as specified by the applicable Military Standard.

3.3 Military Standards for individual guy stakes and other hardware for antenna masts. All requirements specified herein are applicable to all items covered by applicable Military Standards. Detail requirements or exceptions applicable to individual guy stakes or other harware for antenna masts will be specified on the individual Military Standard listed in the supplement to this specification. In the event of any conflict between requirements of this specification and the requirements of the Military Standards, the latter shall govern.

3.4 Workmanship. The guy stakes and other hardware for antenna masts shall be free from imperfections and defects which may affect its appearance, durability, and serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Unless otherwise specified herein the supplier is responsible for the performance of all inspection requirements prior to submission for Government inspection and acceptance. Except as otherwise specified the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. Inspection records of the examinations and tests shall be kept complete and available to the Government as specified in the contract or order.

4.2 Classification of inspection. Inspection shall be classified as follows:

(a) Procurement inspection (procurement inspection shall be the inspection performed by the contractor and by the Government, as specified by 4.3 and 4.6).

(1) Procurement inspection of items before preparation for delivery (see 4.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:22Z
Check the source to verify that this is the current version before use.

(2) Procurement inspection of preparation for delivery (see 4.6 and sec. 5).

4.3 **Procurement inspection of items before preparation for delivery.** The contractor shall perform the inspection specified by (a) and (b) below, to demonstrate compliance with specified requirements. However, this does not relieve the contractor of his responsibility for performing any additional inspection which is necessary to control the quality of the product and to assure compliance with all specification requirements. The Government will review and evaluate the contractor's inspection procedures and examine the contractor's inspection records. In addition the Government—at its discretion—may perform all or any part of the inspection specified in (a), to verify the contractor's compliance with specified requirements. (The amount of such verification inspection will depend on the extent to which the contractor's inspection procedures and records insure that the equipment on contracts meet the specified procurement inspection).

(a) Procurement inspection shall consist of group A only.

(b) When Standard MIL-STD-105 specifies actions by the Government, the Government may authorize the contractor to perform any of such actions except that responsibility for acceptance rests with the Government.

4.3.1 *Group A inspection.* This inspection (including sampling) shall conform to table I and Standard MIL-STD-105. Unless otherwise specified, normal inspection shall be used at the start of the contract. Group A inspection shall be performed in any order which is satisfactory to the Government.

TABLE I. *Group A inspection.*

Inspection	Requirement paragraph	Inspection paragraph	AQL
Visual and mechanical:			
Design and construction	3.2	4.5	
Dimensions	3.2.1	4.5	1.0% major
Finish	3.2.2	4.5	4.0% major
Name plate or product marking	3.2.3	4.5	for combined group.
Workmanship	3.4	4.5	

4.3.2 *Procurement inspection lot.* An inspection lot shall consist of guy stakes and other hardware for antenna masts made of the same materials and produced under essentially the same manufacturing conditions and presented for inspection at the same time.

4.4 **Disposition of nonconforming product.** Disposition of lots and sample units rejected during group A inspection shall be in accordance with Standard MIL-STD-105. The following shall be suitably tagged or identified by equivalent means to indicate the cause of failure and means employed to correct the fault:

Sample units found defective during group A inspection.

Inspection lots rejected during group A inspection.

The required information shall be presented to the Government when the product is submitted.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:22Z
Check the source to verify that this is the current version before use.

4.5 Visual and mechanical inspection. The guy stakes and other hardware for antenna masts shall be inspected to verify that the design and construction, dimensions, finish, name plate or product marking, and workmanship are in accordance with paragraphs 3.2 and 3.4.

4.6 Procurement inspection of preparation for delivery.

4.6.1 *Preservation and packaging.* Inspection of preservation and packaging shall be as specified in Specification MIL–P–116. Classification of defects shall conform to tables II and III.

TABLE II. *Classification of defects for preservation, Packaging and marking.*

Major defects

1. Stock number omitted, incorrect, or illegible.
2. Nomenclature omitted, incorrect, or illegible.
3. Marking of quantity of items in package omitted, incorrect, or illegible.
4. Different stock numbered items in the same unit package.

Minor defects

1. Any item of marking information other than 1 thru 4 omitted, incorrect or illegible.

TABLE III. *Classification of defects for packing and marking*

Major defects

1. Use of improper or defective material.
2. Gross weight in excess of specified amount.
3. Box closure not as specified.
4. Type, grade, class, and style of the shipping container not as specified.
5. Strapping omitted.
6. Strapping inadequate or incorrectly applied.
7. Items not adequately blocked, braced, or cushioned with the shipping container to prevent movement or damage.
8. Shipping documents or packing list omitted.
9. Stock number omitted, incorrect, or illegible.
10. Nomenclature omitted, incorrect, or illegible.
11. Marking of quantity of items in pack omitted, incorrect, or illegible.
12. Destination marking omitted, incorrect, or illegible.
13. Service designation (color marking) omitted.
14. Specified special marking and labeling such as MDAP labels, shipment digit markings, etc., omitted, incorrect, or illegible.
15. Overseas code marking omitted, incorrect, or illegible.

Minor defects

1. Any box defect which may be considered minor by definition of Standard MIL–STD– 105.
2. Any item of required marking information other than 9 thru 15 listed under major defects omitted, incorrect, or illegible.

4.6.2 *Packing and marking of exterior containers.* Packing and marking of exterior containers shall be given visual inspection for defects listed in tables II and III and to determine conformance with the approved process sheet furnished by the contractor as required by the contract. This inspection shall conform to the Appendix to Standard MIL–STD–105. Inspection level L–8 shall be used for normal inspection and L–6 for reduced inspection. Unless otherwise specified herein, normal inspection shall be used at the start of the contract. The reduced inspection procedure shall be R–1. The AQL for major defects shall be 4 percent and the AQL for minor defects shall be 10%.

4.6.3 *Pack inspection lot.* A lot for visual inspection of the pack shall be all completed packs which are identical and are submitted for inspection at one time.

4.6.3.1 *Procedure in case of failure.* If an inspection lot is rejected the contractor shall immediately investigate the cause of failure and shall report to the Government inspector the results thereof and details of the corrective action taken. If the contractor and Government inspector cannot agree on the effectiveness of the corrective action, the matter shall be referred to the Contracting Officer for resolution.

4.6.3.2 *Disposition of nonconforming product.* Disposition of rejected lots and defec-

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:22Z
Check the source to verify that this is the current version before use.

tive sample units shall be in accordance with Standard MIL-STD-105. When resubmitted for acceptance, such products shall be suitably tagged or identified by equivalent means to indicate the cause of failure and means employed to correct the fault. The required information shall be presented to the Government when the product is resubmitted.

4.7 **Rough handling.** Completed packs (as prepared for shipment) shall be subjected to the rough handling tests specified in Specification MIL-P-116. Packs shall be opened after testing and the packages and the items therein examined for damage. These items shall then meet the inspection of paragraph 4.3.

5. PREPARATION FOR DELIVERY

5.1 Preservation and packaging.

5.1.1 *Level A.* Guy stakes and other hardware for antenna masts shall be preserved, packaged and tested in accordance with the procedures specified for the designated methods as prescribed in Specification MIL-P-116 and as described herein.

5.1.1.1 *Unit packaging.*

5.1.1.1.1 *Stakes, Guy antenna GP-2; GP-101/U; GP-108/U; GP-111/G; Stake, Wood Antenna; Stake, Guy Antenna.* Each item shall be packaged Method III to provide physical and mechanical protection.

5.1.2 *Level C.* Stakes, Guy Antenna GP-2, GP-101/U, GP-108/U; Stake, Guy Antenna GP-111/G; Stake, Wood Antenna; Stake, Guy Antenna, shall be packaged in accordance with commercial practice, and in a manner that will afford protection against corrosion deterioration and physical damage during direct shipment to the first receiving activity.

5.2 Packing.

5.2.1 *Level A.* Guy stakes and other hardware for antenna masts shall be packed for shipment as follows: Place a quantity of items bearing like stock number together within wire bound wood boxes conforming to Specification PPP-B-585, wood cleated fiberboard boxes conforming to Specification PPP-B-591, wood cleated plywood boxes, conforming to Specification PPP-B-601, or nailed wood boxes conforming to Specification PPP-B-621. Boxes shall be fabricated to fit the contents snugly and shall be overseas type, class or style. The weight of any one box with contents shall not exceed 200 pounds. Box closure shall be in conformance with the appendix of the applicable box specification.

5.2.1.1 *Metal strapping.* Shipping containers shall be strapped with flat metal strapping in conformance with the requirements of the appendix of the applicable container specification.

5.2.2 *Level B.* Guy stakes and other hardware for antenna masts shall be packed for shipment as specified in paragraph 5.2.1 except shipping containers shall be of domestic type or class.

5.2.3 *Level C.* Guy stakes and other hardware for antenna masts shall be packed for shipment in a manner conforming to the requirements of Uniform Freight Classification for rail shipment, National Motor Freight Classification for truck shipment, Parcel Post Regulations and the regulations of other carriers as applicable to the mode of transportation employed at lowest transportation rates.

5.3 **Marking.** Unit packaged items and exterior shipping containers shall be marked in accordance with the applicable provisions of Standard MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:22Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Intended use. The guy stakes and other hardware for antenna masts covered by this specification are intended for use in erecting antenna masts.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification and any amendments thereto.

(b) Title, number, and date of applicable Military Standard and the "MS" part number (see par. 3.3).

(c) Level of packaging and level of packing required for shipment (level A, level B, or level C).

(d) The specific paragraphs of section 5 which are applicable to the particular procurement.

(e) Place of final inspection.

Notice. When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Custodians:
Navy—*MC*
Army—SigC
Air Force

Preparing activity:
Army—SigC

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:22Z
Check the source to verify that this is the current version before use.