MIL-T-82291B
12 September 1979
SUPERSEDING
MIL-T-82291A
17 December 1973

MILITARY SPECIFICATION

TABLECLOTH: NAPKIN, TABLE, TEXTILE AND DOILY, TEXTILE - MOMIE CLOTH

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope This specification covers the requirements for tablecloth, napkin, and doily of momie cloth.

*1.2 Classification The tablecloth, napkin and doily covered by this specification shall each be one type only and in the following widths and lengths (see 6.2).

	Width inches	Length inches
Tablecloths	54	54
	54	72
	54	90
	72	72
	72	90
Napkin	21	21
Doily	8	8

2. APPLICABLE DOCUMENTS

*2.1 Issue of documents The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: Navy Clothing and Textile Research Facility, 21 Strathmore Road, Natick, MA 01760 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this doucment or by letter.

FSC 7210

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.

SPECIFICATION

FEDERAL

V-T-276	- Thread, Cotton
DDD-L-20	- Label: for Clothing, Equipage, and Tentage (General Use)

MILITARY

MIL-B-17757	- Boxes, Shipping Fiberboard (Modular Sizes)
MIL-T-43548	- Thread, Polyester, Cotton-Covered
MIL-C-82287	- Cloth, Momie

STANDARDS

FEDERAL

FED-STD-751	- Stitches, Seams, and Stitchings

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	- Marking for Shipment and Storage

(Copies of specifications, standards, drawings, and publications required by the contractor in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer).

LAWS AND REGULATIONS

US POSTAL SERVICE MANUAL

(Copies of this manual may be obtained from the Superintendent of Documents, US Government Printing Office, Washington, DC 20402).

2.2 Other publications The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issues in effect on the date of invitation for bids or request for proposal shall apply:

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATIONS, INC., AGENT

National Motor Freight Classification

(Applications for copies should be addressed to American Trucking Associations, ATTN: Traffic Department, 1616 P Street, NW, Washington, DC 20036).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 Riverside Plaza, Chicago, ILL 60606).

3. REQUIREMENTS

3.1 Guide sample Samples, when furnished are solely for guidance and information to the contractor (see 6.3). Variation from this specification may appear in the sample, in which case the specification shall govern.

*3.2 First article When specified, the contractor shall furnish sample unit(s) for first article inspection and approval (see 4.3 and 6.2).

3.3 Materials

3.3.1 Cloth, momie The cloth shall conform to the requirements of MIL-C-82287.

*3.3.2 Thread The thread shall be cotton conforming to type IC1, ticket no. 36, 2 ply of V-T-276, or polyester, cotton-covered conforming to ticket no. 70, 2 or 3 plies of MIL-T-43548. The color shall approximate the base fabric.

*3.4 Hems All cut edges of the tablecloths, napkins, and doilies shall have finished hems. The hems for the tablecloths and napkins shall be 3/16 to 5/16 inch wide, and the hems for the doilies shall be 7/16 to 9/16 inch wide.

3.5 Construction The tablecloths, napkins and doilies shall be fabricated in one piece with all corners finished square. Sides may be hemmed or have selvage edges except that one side hemmed and the opposite side with a selvage edge is not permitted.

*3.5.1 Stitch and stitching Stitch and stitching types shall conform to FED-STD-751. The stitch shall be type 301 with 8 to 12 stitches per inch. The hem shall be type EFb-1 but when selvage edges are hem, type EFa-1 may be used.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.

3.5.2 Thread breaks and ends of stitching Ends of all stitching shall be backtacked no less than 1/2 inch Thread breaks shall be secured by stitching back of the break no less than 1/2 inch. All thread ends shall be trimmed and removed.

3.6 Dimensions

*3.6.1 Tablecloths The finished tablecloths shall conform to the measurements specified in Table I.

Table I - Finished dimensions of tablecloths

Width 1/ inches	Length 1/ inches
54	54
54	72
54	90
72	72
72	90

1/ Width and length tolerances + 3/4, - 1/2.

*3.6.2 Napkins The finished napkins shall measure 20 3/4 to 21 1/2 inches in length and width.

*3.6.3 Doilies The finished doilies shall measure 7 3/4 to 8 1/2 inches in length and width.

3.7 Label Each tablecloth, napkin, and doily shall have a cloth label sewn on one edge at one of the corner seams. The printing on the label shall be indelible ink, 1/16 to 1/8 inch in height and shall bear the following inscription:

NAME OF ITEM: Tablecloth (100% Cotton) (EXAMPLE)
STOCK NO: 7210-00-000-0000 (EXAMPLE)
CONTRACT NO: DLA-100-00-0-0000 (EXAMPLE)
NAME OF CONTRACTOR:

3.8 Workmanship The finished tablecloth, napkin, or doily shall conform to the quality established by this specification. The occurrence of defects shall not exceed the acceptable quality levels.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for Inspection Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to the prescribed requirements.

4.1.1 Certificate of compliance Where certificates of compliance are submitted, the Government reserve the right to check test such items to determine the validity of the certification.

*4.2 Classification of Inspection The inspection requirements specified herein are classified as follows:

1. First article inspection (see 4.3).
2. Quality conformance inspection (see 4.4).

4.3 First article inspection When required, the first article submitted in accordance with 3.2 shall be inspected for compliance with design, construction, workmanship, appearance, and dimensional requirements.

*4.4 Quality conformance inspection Inspection shall be performed in accordance with the provisions set forth in MIL-STD-105, except where otherwise indicated herein.

4.4.1 Component and material inspection In accordance with 4.1, components and materials shall be inspected and tested in accordance with all the requirements of referenced specification, drawings, and standards unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.

4.4.2 Examination of the end item The defects found during the examination of the end item shall be classified in accordance with 4.4.2.1, 4.4.2.2, 4.4.2.3, and 4.4.2.4. The sample units shall be one completely finished tablecloth, napkin, or doily. The lot size shall be expressed in units of one tablecloth, napkin or doily.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.

4.4.2.1 Visual examination The required number of tablecloths, napkins or doilies shall be inspected for visual defects. The defects found shall be counted regardless of their proximity to each other, except where two or more defects represent a single local condition of the tablecloth, napkin or doily in which case only the more serious defect shall be counted.

Visual Defects

Defect	Classification Major	Minor
MATERIAL		
a. Any cut, hole, tear or needle chew	X	
b. Any weakening defect such as: smash, float, broken or missing yarn	X	
HEMS		
a. Any required hem omitted	X	
b. Any hem twisted, puckered, badly pleated or not uniform in width		X
STITCHES AND STITCHING		
a. Stitch or stitching type not as specified	X	
b. Loose stitch tension resulting in loosely secured hem		X
c. Tight stitch tension (stitches break when normal strain is applied to hem)	X	
d. Raw edge exposed more than 1/4 inch	X	
e. Raw edge exposed 1/4 inch or less		X
f. 13 or more stitches per inch		X
g. 7 or less stitches per inch	X	
h. Ends of stitching backtacked less than 1/2 inch		X
i. Discontinuous stitching resulting from broken stitches, skipped stitches, or runoffs:		
1/2 inch or less in length		X
CLEANNESS		
a. Spot, stain or streak over 1/2 inch in length	X	
b. Spot, stain or streak 1/2 inch or less in length		X

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.

Visual Defects (cont'd)

Defect	Classification Major	Minor
WORKMANSHIP		
a. Any repair on body of item	X	
b. Thread ends not trimmed		X
c. Tablecloth, napkin or doily not finished square by 1/2 inch or more		X
MARKING		
Omitted, incomplete, illegible, incorrect, or misplaced		X

4.4.2.2 Item quality inspection Lots designated as first or second quality shall be inspected separately using the applicable criteria in accordance with 4.4.2.2.1 through 4.4.2.3.

4.4.2.2.1 Definition of first quality item First quality item shall be defined as containing no major defect and not more than two minor defects from list of visual defects of 4.4.2.1.

4.4.2.2.2 Definition of second quality item Second quality item shall be defined as an item that does not meet the provisions of first quality item (see 4.4.2.2.1), but contain no more than three major defects or seven total defects major 1/ or minor from the list of visual defects of 4.4.2.1.

1/ Items which have hole, cut, tear or smash will not be acceptable to the Government.

4.4.2.3 Inspection level and acceptable quality level (AQL)

4.4.2.3.1 For first quality items The inspection level shall be level I of MIL-STD-105 and the AQL shall be 4.0 percent defective. Any item in the sample that does not meet first quality item criteria shall be cause for rejection of the lot.

4.4.2.3.2 For second quality items The inspection level shall be level I of MIL-STD-105 and the AQL shall be 4.0 percent defective. Any item in the sample that does not meet second quality item criteria shall be cause for rejection of the lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.

4.4.2.4 Dimensional examination The tablecloths, napkins, and doilies shall be examined for dimensional defects (see 3.6.1, 3.6.2, and 3.6.3). Any measurement deviating from the dimensions and tolerances specified shall be scored as a defect. The sample size shall be in accordance with level S-3. The AQL shall be 2.5 defects per hundred units.

4.4.3 Examination of packaging requirements An examination shall be made to determine that packaging,packing, and marking comply with Section 5 requirements of this specification. Defects shall be scored in accordance with the list below. The sample units shall be one shipping container fully prepared for delivery with the exception that it need not be closed. Defects of closure listed below shall be examined on shipping containers in the end item inspection lot. The inspection level shall be S-2 and the AQL shall be 2.5 defects per one hundred units.

Examine	Defect
Marking (exterior and interior)	Omitted, incorrect, illegible, of improper size, location, sequence, or method of application.
Material	Any component missing, damaged or not as specified.
Workmanship	Inadequate application of components, such as: incomplete closure of container flaps, loose strapping, improper taping, inadequate stapling; bulges or distorted container. Incorrectly fabricated polyethylene bags. Heat sealed seams open and or non continuous.
Contents	The quantity per polyethylene bag and the number of packages is more or less than specified. 1/

1/ For this defect, two polyethylene bags shall be examined from each shipping container.

5. PACKAGING

5.1 Preservation-packaging Packaging shall be level A or C (see 6.2).

5.1.1 Level A

*5.1.1.1 Tablecloths Individual tablecloths shall be folded to measure approximately the size specified in table II. Each folded tablecloth shall be inserted in a clear polyethylene bag fabricated from film sheeting or tubing of not less than 0.0012 inch ± (20 percent) in thickness. If sheeting, the heat seal seams shall be continuous and parallel to each other. The finish heat seal closure of the open end shall be as close as practical to the content of the package. A 1/4 inch maximum diameter hole shall be in one corner to allow excess air to escape. For polyethylene bag fabricated with the tuck in overlap feature, heat seal closure and corner holes are not required.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.

*5.1.1.2 Napkins Individual napkins shall be folded to measure approximately 7 1/2 X 15 inch rectangle. Twelve (12) folded napkins shall be inserted in a clear polyethylene bag fabricated from film sheeting, or tubing of not less than 0.00125 inch ± (20 percent) in thickness. If sheeting, the heat seal seams shall be continous and parallel to each other. The finish heat seal closure of the open end shall be as close as practical to the content of the package. A 1/4 inch maximum diameter hole shall be in one corner to allow excess air to escape. For polyethylene bag fabricated with the tuck in overlap feature, heat seal closure and corner hole are not required.

*5.1.1.3 Doilies Twelve (12) neatly stacked doilies shall be folded in half with each end tied with cloth or twine to form a bundle. Five bundles (60 doilies) with each bundle reversed, shall be inserted in a clear polyethylene bag fabricated from sheeting or tubing of not less than 0.00125 inch ± (20 percent) in thickness. If sheeting, the heat seal seams shall be continuous and parallel to each other. The finish heat seal closure of the open end shall be as close as practical to the content of the package. A 1/4 inch maximum diameter hole shall be in one corner to allow excess air to escape. For polyethylene bag fabricated with the tuck-in overlap feature, heat seal closure and corner hole are not required.

5.1.2 Level C (Commercial packaging) Tablecloths, napkins and doilies shall be packaged to afford adequate protection against physical damage during shipment from the supply source to the first receiving activity. The contractor may use his standard practice when it meets this requirement. The package and the quantity per package shall be the same as that normally used by the contractor for retail distribution.

5.2 Packing Packing shall be level A, B or C as specified (see 6.2).

5.2.1 Level A

* 5.2.1.1 Tablecloths Tablecloths of one size only, packaged as specified in 5.1.1.1 shall be placed in tiers and packed flat in a fiberboard shipping container arranged as specified in table II for each tablecloth size. The length of each package shall be parallel to the side panels of the container. The fiberboard shipping container shall be assembled, reinforced and closed, conforming to class weather-resistant, grade V2s, size 2A of MIL-B-17757. The fiberboard liner shall conform to type CF, class weather-resistant, variety DW, grade V15c of MIL-B-17757.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.

Table II - Tablecloth packaging and packing arrangement

Size of tablecloth inches	Folded measurement of tablecloth	No. of packages per tier	No. of tiers per container	No. of packages per container
54X54	7 1/2 X 15	12	3	36
54X72	7 1/2 X 15	8	3	24
54X90	7 1/2 X 23	11	2	22
72X72	7 1/2 X 23	11	2	22
72X90	7 1/2 X 23	9	2	18

5.2.1.2 Napkins Two hundred and sixteen (216) napkins (18 packages), packaged as specified in 5.1.1.2, shall be packed flat in a fiberboard shipping container, 6 packages per tier and 3 tiers per container. The length of each package shall be parallel to the end panels of the container. The fiberboard shipping container shall be assembled, reinforced and closed, conforming to class weather-resistant, grade V2s, size 2A of MIL-B-17757. The fiberboard liner shall conform to type CF, class weather-resistant, variety DW, grade V15c of MIL-B-17757.

5.2.1.3 Doilies Three hundred and sixty (360) doilies (6 packages) packed as specified in 5.1.1.3 shall be packed in a fiberboard shipping container in 2 layers as follows: Place 2 packages, side by side, flat in the container with the length of the packages parallel to the side panels. Place 1 package flat in the space remaining with the length of the package parallel to the end panel to form the bottom layer. Repeat the above with the layout reversed to form the top layer. The fiberboard shipping container shall be assembled, reinforced and closed conforming to class weather-resistant, grade V2s, size 1A of MIL-B-17757. The fiberboard for the liner shall conform to type CF, class weather-resistant, variety SW, grade W5c of MIL-B-17757.

5.2.2 Level B

5.2.2.1 Tablecloths Tablecloths, of one size only, packaged as specified in 5.1.1.1 shall be placed in tiers and packed flat in a fiberboard shipping container arranged as specified in table II for each tablecloth size. The length of each package shall be parallel to the side panels of the container. The fiberboard shipping container shall be assembled and closed conforming to class domestic, grade 275, size 2A of MIL-B-17757. The fiberboard liner shall conform to type CF, class domestic, variety DW, grade 275 of MIL-B-17757.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.

*5.2.2.2 Napkins Two hundred and sixteen (216) napkins (18 packages), packaged as specified in 5.1.1.2, shall be packed in a fiberboard shipping container, 6 packages per tier and 3 tiers per container. The length of each package shall be parallel to the end of the container. The fiberboard shipping container shall be assembled and closed conforming to class domestic, grade 275, size 2A of MIL-B-17757. The fiberboard liner shall conform to type CF, class domestic, variety DW, grade 275 of MIL-B-17757.

*5.2.2.3 Doilies Three hundred and sixty (360) doilies (6 packages) packaged as specified in 5.1.1.3, shall be packed in a fiberboard shipping container in 2 layers as follows: Place 2 packages, side by side, flat in the container with the length of the packages parallel to the side panels. Place 1 package flat in the space remaining with the length of the package parallel to the end panel to form the bottom layer. Repeat the above with the layout reversed to form the top layer. The fiberboard shipping container shall be assembled and closed conforming to class domestic, grade 275, size 1A of MIL-B-17757. The fiberboard liner shall conform to type CF, class domestic, variety SW, grade 200 of MIL-B-17757.

*5.2.3 When specified (see 6.2), the shipping container shall be a grade V3c, W5c or W6c fiberboard box fabricated in accordance with MIL-B-17757 and closed in accordance with the appendix of the box specification.

*5.2.4 Level C (Commercial packing) Tablecloths, napkins, and doilies, packaged as specified in 5.1 shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. The quantity per shipping container shall be the same as that normally used by the contractor for retail distribution. Containers shall comply with the US Postal Service Manual, Uniform Freight Classification Rules or National Motor Freight Classification Rules as applicable.

5.3 Marking In addition to any special marking required by the contract or order, interior packages and shipping containers shall be marked in accordance with MIL-STD-129.

*5.3.1 Polyethylene bagged packages Polyethylene bagged packages shall have identification information legibly printed or stamped in black directly on the bag across the center face or on a white paper label inserted within the bag so as to permit ready identification. The bag or label shall indicated the following information, as applicable:

STOCK NUMBER:
NOMENCLATURE:
SIZE:
QUANTITY:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Intended use The tablecloths, napkins, and doilies covered by this specification are intended for use at military mess facilities.

*6.2 Ordering data Procurement document should specify the following:

a. Title, number and date of this specification.
b. When first article sample is required (see 3.2).
c. Width and length of tablecloth required (see 1.2).
d. Selection of applicable levels of packaging and packing (see 5.1).
e. When weather-resistant grade fiberboard shipping containers are required for level B packing (see 5.2.4).

6.3 Samples For access to samples, address the procuring office issuing the invitation for bids.

*6.4 Changes from previous issue The margins of this specification are marked with an asterisk (*) to indicate where changes (additions, modifications, corrections, deletions) from previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Army - GL
Navy - SA
Air Force - 99

Review activity.
Army - MD
DLA - CT

User activity:
Navy - MC

Preparing activity:
Navy - SA

Project No. 7210-0219

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE. This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

OFFICER IN CHARGE
NAVY CLOTHING & TEXTILE RSCH FACILITY
21 STRATHMORE ROAD
NATICK, MA 01760

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS FORM CUT ALONG THIS LINE.)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER (Specify): _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording.

b. Recommended Wording.

c. Reason/Rationale for Recommendation.

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:59Z
Check the source to verify that this is the current version before use.