MILITARY SPECIFICATION SHEET

CIRCUIT CARD ASSEMBLY, 9290651
(MAGAZINE LOGIC "B"; LEFT, RIGHT)

This specification is approved for use by the US Army Armament Research and Devlopment Command and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the circuit card assembly described herein shall consist of this document and the latest issue of specification MIL-C-63371(AR).

Electrical Requirements

1. All frequencies and pulse widths shall be within plus or minus 5.0%, unless otherwise specified.

2. All input and output levels shall be consistent with IC operating levels and power supply regulation and shall be within plus or minus 1.0% of the indicated nominal values, unless otherwise specified.

FSC: 1095

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

BOARD POWER

NOTE: Maintain the following throughout all tests.

Pin No.	Voltage
2	14
37	14
35	0
70	0

MAGAZINE LOGIC "B"

Test 1A

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
53	0		
54	0		
54	14V pulse for 1 sec	66	Figure 6
45	Figure 1	64	Figure 6
46	Figure 1	44	14
52	1 MHZ, 14V	67	24
43	Figure 4		
40	Figure 4		
38	Figure 4		
61	Figure 4		
39	14V		
41	Figure 5		

Test 1B

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
54	0		
53	0		
53	14V pulse for 1 sec	66	14
45	Figure 1	64	0
46	Figure 1	44	14
52	0		
43	Figure 4		
40	Figure 4		
38	Figure 4		
61	Figure 4		
39	14		
41	Figure 5		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

Test 1C

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
54	0		
53	0		
54	14V pulse for 1 sec	67	24
45	Figure 1	66	1 MHZ Sq Wave
46	Figure 1	64	0
52	1 MHZ, 14V		
39	0		
41	Figure 5		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.




FIGURE 1




FIGURE 2




FIGURE 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.




FIGURE 4

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.





FIGURE 5



*NOTE: 1 MHZ ± 15%

FIGURE 6

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

Test 1B

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
53	0	67	0
54	0		
54	14V pulse for 1 sec	44	14
45	Figure 2	66	1 MHZ Sq. Wave
46	Figure 2		
39	14		
52	1 MHZ, 14V	64	0
43	OV		

Test 2B

INPUT		OUTPUT	
Pin No.	Voltage	Pin No.	Voltage
54	0	44	14
53	0		
53	14V pulse for 1 sec	67	0
45	Figure 3		
46	Figure 3		
39	14		

Custodian:
Army-AR

Preparing Activity:
Army-AR

Project No: 1095-A-124/6

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-C-63371/6A Circuit Card Assembly, 9290651

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:44Z
Check the source to verify that this is the current version before use.