MIL-F-50913A (PA)
4 FEBRUARY 1976
SUPERSEDING
MIL-F-50913 (MU)
23 MARCH 1971

MILITARY SPECIFICATION

Fuze, GM, Training, Lance, M816

Metal Parts, Assembling and Packing

This Specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers metal parts, assembling and packing for one type of fuze designated as Fuze, Guided Missle, Training, M816

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids, or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-A-48078 - Ammunition, Standard Quality Assurance Provisions, General Specification For

DRAWINGS

PICATINNY ARSENAL

Product and Package Drawings

9206336 - Fuze, Guided Missle, Training, M816
9220693 - Drum, Metal, Shipping, For Fuze, Guided Missile ET M811: TNG M816: Prac M819E1: Packing and Marking

FSC: 1336

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:44Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material.-Materials shall be in accordance with the applicable drawings and specifications.

3.2 Components and Assemblies.-The components and assemblies shall comply with all requirements specified on drawing 9206336 and associated drawings and with all requirements specified in applicable specifications and standards.

3.3 First Article Inspection.-This specification contains technical provisions for first article inspection. Requirements for the submission of first article samples by the contractor shall be as specified in the contract.

3.4 Workmanship.-All parts and assemblies shall be fabricated, finished, and assembled in a thorough workmanlike manner. They shall be free of burrs, chips, sharp edges, cracks, unblended radii, surface defects, dirt, grease, rust, corrosion products, and other foreign matter. The cleaning method used shall not be injurious to any parts, nor shall the parts be contaminated by the cleaning agents. Exterior surface coating shall be continuous except for a few light scratches not exposing base material. All required marking and stamping shall be neat and sharply defined.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for Inspection and Standard Quality Assurance Provisions.-Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

4.2 Classification of Inspections.-The following types of inspection shall be conducted on this item:

a. First Article Inspection

b. Quality Conformance Inspection

4.3 First Article Inspection

4.3.1 Submission.-The contractor shall submit a first article sample as designated by the Contracting Officer for evaluation in accordance with provisions of 4.3.2. The first article shall consist of the following items in sample quantities as indicated.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:44Z
Check the source to verify that this is the current version before use.

Part Description	Drawings	Quantity
Housing	9242188	2
Fuze, GM, Training M816	9206336	2

4.3.2 Inspections to be Performed.-The First Article parts submitted in accordance with paragraph 4.3.1 will be subjected by the Government to any or all the requirements of the applicable drawings and to the inspections of Table I. All inspections listed in Table I shall be classified Major unless otherwise specified.

4.3.3 Rejection.-See MIL-A-48078(PA).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:44Z
Check the source to verify that this is the current version before use.

TABLE 1 - First Article Inspection

CLASSIFICATION OF DEFECTS & TESTS MIL-F-50913A(PA)

3M, Training, M816		SHEET 01 OF 01		DRAWING NUMBER See Below NEXT HIGHER ASSEMBLY -
EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
ɟ (Dwg. 9242188) ation for Defects	2	-	3.2	4.4.2.1
3M, Training, M816 9206336) ation for Defects	2	-	3.2	4.4.2.2

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:44Z
Check the source to verify that this is the current version before use.

4.4 Quality Conformance Inspection

4.4.1 Inspection Lot Formation.-Inspection lots shall comply with the lot formation provisions of MIL-A-48078.

4.4.2 Examinations.-See MIL-A-48078.

a. Sampling Plans.-Unless otherwise specified in the Classification of Defects and Test tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:44Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

ing		SHEET 01 OF 01		DRAWING NUMBER 9242188 / NEXT HIGHER ASSEMBLY 9206336
EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
lefined.				
.on of fuze mounting holes (4)		0.40		Gage
:er of fuze mounting holes		1.5		Gage
.ce of poor workmanship		1.5		Visual

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:44Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

uided Missile, Training M816		SHEET 01 OF 01		DRAWING NUMBER 9206336 NEXT HIGHER ASSEMBLY
EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
fined.				
Outer - Freedom of Motion and Action		100		Manual
elector - Freedom of Rotation ent Action		100		Manual
of Screws incorrect		0.65		Gage
. missing		0.65		Visual
ed S&A base flush with base of using or below flush		1.50		Visual
ndication thru window missing		0.65		Visual
fication plate missing		1.50		Visual
j improper or defective		1.50		Visual
ce of poor workmanship		1.50		Visual

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:44Z
Check the source to verify that this is the current version before use.

4.4.3 Inspection Equipment.-The inspection equipment required to perform the examinations and tests prescribed herein is described in the "Paragraph Reference/Inspection Method" column in the tables starting with paragraph 4.4.2.1. The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-48078.

5. PREPARATION FOR DELIVERY

5.1 Level A

5.1.1 Packaging.-Packaging shall be as specified on dwg. 9220693.

5.1.2 Packing and Marking.-Packing and marking shall be as specified on dwg. 9920693.

5.2 Level C.-The fuze shall be preserved and packaged and marked in accordance with MIL-STD-1169.

6. NOTES

6.1 Intended Use.-The components covered by this specification for use as a training device for the M811 Lance fuze.

6.2 Ordering Data.-See MIL-A-48078(PA).

6.3 Submission of Designs for Approval.-See 6.2.3 of MIL-A-48078. Submit equipment designs, as required, to Commander, Picatinny Arsenal, ATTN: SARPA-QA-T-T, Dover, New Jersey 07801.

Custodian:
Army-PA

Preparing Activity:
Army-PA

Project Number: 1336-A263

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:44Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:44Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

COMMANDER
Picatinny Arsenal
ATTN: SARPA-QA-A
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:44Z
Check the source to verify that this is the current version before use.