MIL-F-52594A(ME)
7 February 1975
SUPERSEDING
MIL-F-52594(ME)
30 October 1967

MILITARY SPECIFICATION

FLOODLIGHT SET, ELECTRIC, PACKAGING OF

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers the requirements for the preservation, packaging, packing, and marking of Floodlight Set, Electric, SC 6230-97-CL-E03 (NSN 6230-00-299-5642 or 6230-00-915-5603 for MAP).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-T-97	- Tape, Pressure-Sensitive Adhesive, Filament Reinforced.

Military

MIL-P-116	- Preservation-Packaging, Methods of.
MIL-G-28554	- Generator Sets, Mobile Electric Power; Packaging of.

FSC 6230

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:26Z
Check the source to verify that this is the current version before use.

STANDARDS

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, ATTN: Tariff Publishing Officer, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification.

(Application for copies should be addressed to the American Trucking Associations, Inc., ATTN: Tariff Order Section, 1616 P Street, NW, Washington, DC 20036.)

3. REQUIREMENTS

3.1 Preproduction pack. The supplier shall furnish a preproduction pack for examination within the time frame specified (see 6.2) to prove prior to starting production packaging that the applied preservation, packaging, packing, and marking comply with the requirements of this specification. Examination shall be as specified in Section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:26Z
Check the source to verify that this is the current version before use.

3.2 Material. Materials shall be as specified herein and in applicable referenced specifications. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification.

3.3 Preservation and packaging. Preservation and packaging shall be Level A or C as specified (see 6.2).

3.3.1 Level A.

3.3.1.1 Cable assemblies. Each cable assembly shall be coiled, as required, to fit within the chest provided, in accordance with the chest loading plan. The minimum coil dimension shall not be less than 10 times the cable diameter. Each coil shall be secured with cotton tape or twine.

3.3.1.2 Floodlights. The pigtail of each floodlight shall be secured to the mounting bracket with tape conforming to PPP-T-97, Type IV.

3.3.1.3 Incandescent lamps. Six of the lamps provided shall be installed in the floodlights. The remaining spare lamps shall not require packaging.

3.3.1.4 Telescopic masts. Working surfaces of the telescopic masts shall be coated with Type P-7 preservative conforming to the applicable specification listed in MIL-P-116 and shall be applied in accordance with MIL-P-116. The mast sections shall be retracted to the fully collapsed position. The crank shall be secured to the mast with tape conforming to PPP-T-97, Type IV.

3.3.1.5 Mounting masts. Unprotected threaded surfaces requiring a preservative shall be coated with Type P-7 preservative as specified in 3.3.1.4 for telescopic masts.

3.3.1.6 Generator set (MAP). The generator set shall be preserved and packaged in accordance with MIL-G-28554, Level A.

3.3.1.7 Consolidated packaging. The components comprising a complete floodlight set, excluding the generator set, furnished for MAP use, shall be consolidated packaged in the chests provided in accordance with the chests loading plan.

3.3.2 Level C. The components of each floodlight set shall be preserved and packaged to provide adequate protection against deterioration and damage during shipment and handling from the supplier to the initial destination for immediate use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:26Z
Check the source to verify that this is the current version before use.

3.4 Packing. Packing shall be Level A, B, or C as specified (see 6.2).

3.4.1 Level A.

3.4.1.1 Consolidated packaged components. The chests containing the consolidated packaged components for each complete floodlight set shall be packed in a close-fitting box conforming to PPP-B-601, Overseas Type, style optional, Grade B.

3.4.1.2 Generator set (MAP). The generator set shall be packed in accordance with MIL-G-28554, Level A.

Note: The generator set furnished for MAP use shall be shipped separate but at the same time as the floodlight set components.

3.4.2 Level B.

3.4.2.1 Consolidated packaged components. The chests containing the consolidated packaged components for each complete floodlights set shall be packed in a close-fitting box conforming to PPP-B-601, Domestic Type, style optional. Strapping shall be in accordance with the appendix to the box specification.

3.4.2.2 Generator set (MAP). The generator set shall be packed and shipped as specified in 3.4.1.2 for Level A.

3.4.3 Level C. Each complete floodlight set shall be packed to assure carrier acceptance and safe delivery to destination at lowest rating in compliance with Uniform Freight Classification rules or National Motor Freight Classification rules.

3.5 Marking. Marking shall be in accordance with MIL-STD-129.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:26Z
Check the source to verify that this is the current version before use.

4.1.1 Material inspection. The supplier is responsible for insuring that materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspections. Inspections shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects specified in 4.4.3. Presence of one or more defects shall be cause for rejection.

4.4 Quality conformance inspection.

4.4.1 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

4.4.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.3 Examination. Samples selected in accordance with 4.4.2 shall be examined for the following defects. AQL shall be 2.5 percent defective.

101. Materials or containers not as specified. Each incorrect material or container shall constitute one defect.
102. Cable assemblies not coiled and secured as specified.
103. Floodlight pigtails not secured as specified.
104. Working surfaces of the telescopic mast not coated with preservative as specified.
105. Threaded surfaces of the mounting mast requiring a preservative not coated as specified.
106. Consolidated packaging not as specified.
107. Marking illegible, incomplete, incorrect, or missing.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:26Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

(Not applicable to this specification).

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or orders for the preservation, packaging, packing, and marking of a floodlight set conforming to SC 6230-97-CL-E03 (NSN 6230-00-299-5642 or 6230-00-915-5603 for MAP).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1).
(c) Level of preservation and packaging and level of packing required (see 3.3 and 3.4).

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack, and mark the floodlight sets in accordance with this specification.

Custodian:

Army - ME

Review activity:

Army - SM

Preparing activity:

Army - ME

Project No. 6230-A214

Source: https://assist.dla.mil ~ Downloaded: 2026-10-22T21:26Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-F-52594A(ME) Floodlight Set, Electric, Packaging of

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:26Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research and
Development Center
ATTN: STSFB-DS
Fort Belvoir, Virginia 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:26Z
Check the source to verify that this is the current version before use.