C-E-230C
November 16, 1970
SUPERSEDING
Int. Fed. Spec. C-E-00230B(AGR-C&MS)
August 28, 1962 and
Fed. Spec. C-E-230A
November 17, 1960
(See 6.3)

FEDERAL SPECIFICATION

EGG AND EGG PRODUCTS, FROZEN

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers frozen whole eggs, egg white, egg yolks, sugar yolks, and salt yolks.

1.2 Classification.

1.2.1 Types, kinds, and classes. The product shall be of the following types, kinds, and classes, as specified (see 6.1):

Types:

I - The storage time prior to delivery shall not exceed 365 days from date of production.
II - Shall be produced subsequent to award of contract.

Kinds:

a - Frozen whole egg, table grade (type II, class 1 only).
b - Frozen whole eggs.
c - Frozen egg white.
d - Frozen egg yolk.
e - Frozen sugared yolk.
f - Frozen salted yolk.

Classes:

1 - Shall meet the requirements of 3.3.
2 - Shall be wholesome and shall possess a clean and bland odor as determined by organoleptic examination (not applicable for Military procurement).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

QQ-T-181 - Terne Plates (For Manufacturing Purposes).
TT-C-495 - Coatings, Exterior, for Tinned Food Cans.
PPP-B-636 - Box, Fiberboard.
PPP-C-29 - Canned Subsistence Items, Packaging and Packing Of.
PPP-C-96 - Cans, Metal, 28 Gage and Lighter.

Federal Standard:

Fed. Test Method Std. No. 101 - Preservation, Packaging, and Packing Materials: Test Procedures.

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers, at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City., Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Wash.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

FSC 8910

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:04Z
Check the source to verify that this is the current version before use.

Military Specification:

MIL-L-1497 - Labeling of Metal Cans for Subsistence Items.

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.
MIL-STD-668 - Sanitary Standards for Food Plants.

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal, shall apply:

Governmental:

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Superintendent of Documents, U. S. Government Printing Office, Washington, DC 20402.)

Regulations Governing the Grading of Shell Eggs and United States Standards, Grades and Weight Classes for Shell Eggs.
Regulations Governing the Grading and Inspection of Egg Products.
USDA Laboratory Methods for Egg and Egg Products, Consumer and Marketing Service.
United States Standards for Condition of Food Containers.

(Application for copies should be addressed to the Poultry Division, Consumer and Marketing Service, U. S. Department of Agriculture, Washington, DC 20250.)

Nongovernmental:

National Motor Freight Traffic Association, Incorporated, Agent:

National Motor Freight Classification.

(Application for copies shall be addressed to the National Motor Freight Traffic Association, Inc., Agent, 1616 P Street, N.W., Washington, DC 20036.)

Uniform Classification Committee, Agent:

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, Tariff Publishing Officer, Room 202, Union Station, 516 W. Jackson Blvd., Chicago, Illinois 60606.)

Official Methods of Analysis of the Association of Official Agricultural Chemists.

(Application for copies should be addressed to the Association of Official Analytical Chemists, P. O. Box 540, Benjamin Franklin Station, Washington, DC 20044.)

Recommended Methods for the Microbiological Examination of Foods.

(Application for copies should be addressed to the American Public Health Association, 1790 Broadway, New York, New York 10019.)

3. REQUIREMENTS

3.1 Materials. The materials shall conform to the requirements of table I.

TABLE I. Material requirements

Item	Requirement
1	All products covered in this specification shall be produced from chicken eggs of current production. In addition, for kind (a) the eggs shall meet the quality requirements for U. S. Grade A or better interior quality as described in the USDA Regulations Governing the Grading of Shell Eggs and United States Standards, Grades, and Weight Classes for Shell Eggs (7 CFR Part 56).
2	For kind (a), type II, table grade eggs, prior to pasteurization, the raw material shall have a total aerobic plate count not to exceed 250,000 per gram.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:04Z
Check the source to verify that this is the current version before use.

TABLE I. Material requirements (con.)

Item	Requirement
3	Sugar shall be white, refined, granulated cane or beet sugar.
4	Salt shall be white, refined, granulated or flake-type sodium chloride. Iodized salt shall not be used.

3.2 Processing. Processing shall be in accordance with table II.

TABLE II. Processing requirements

Item	Requirement
1	The eggs shall be handled and processed in compliance with the requirements described in the USDA Regulations Governing the Grading and Inspection of Egg Products (7 CFR Part 55).
2	The finished products shall comply with the physical, analytical, and microbiological requirements specified in 3.3.
3	Sugar and salt, as applicable, shall be added prior to pasteurization.

3.3 End item requirements. The egg and egg products shall meet the physical, analytical and microbiological requirements of 3.3.1 and 3.3.2.

3.3.1 The products shall meet the physical requirements of table III.

TABLE III. Physical requirements

Item	Requirement
1	The products shall be free from blood spots, meat spots, shell particles, paper and packaging materials, and other extraneous foreign material.
2	There shall be no off odors such as sour, musty, metallic, putrid, or other objectionable odors.
3	There shall be no visible egg yolk in kind (c).
4	The temperature of all the frozen egg products when delivered to their destination shall not be more than 10° F. and there shall be no evidence of thawing and refreezing.

3.3.2 The products shall meet the analytical and microbiological requirements of table IV.

TABLE IV. Analytical and microbiological requirements

Item	Test	Frozen table grade whole eggs	Frozen whole eggs	Frozen white	Frozen yolk	Frozen sugar yolk	Frozen salt yolk
1	Egg solids, not less than, percent	24.7	24.7	11.5	43.0	38.7 1/	38.7 1/
2	Total solids, not less than percent	24.7	24.7	11.5	43.0	48.5	48.5
3	Sugar, percent	---	---	---	---	10.0 2/	---
4	Salt, percent	---	---	---	---	---	10.0 2/
5	Total plate count, not more than, per gram 3/	20,000	50,000	50,000	50,000	50,000	50,000
6	Yeast and mold count, not more than, per gram 3/	50	50	50	50	50	50
7	Salmonellae test 3/	4/	4/	4/	4/	4/	4/

1/ Forty-three percent on a sugar-free or salt-free basis, as applicable.
2/ Tolerance: Plue or minus 0.2 percent.
3/ Samples for microbiological examination shall arrive at the Government laboratory in a solidly frozen condition and held in such condition until tested.
4/ Shall be negative.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:04Z
Check the source to verify that this is the current version before use.

3.4 Plant qualification. The product shall originate, be processed, marked, and handled in plants which are operated under the Regulations Governing the Grading and Inspection of Egg Products of the U. S. Department of Agriculture.

3.5 Deliveries. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and the Regulations Promulgated Thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Sampling. Samples of finished products covered by this specification and samples of materials, components, or constituents entering into the preparation of the finished products may be taken at any time by the Government inspector to determine compliance with the requirements.

4.2 Inspection.

4.2.1 General. Inspection shall be made by the purchasing agency or its duly authorized representative at the time and place designated by the purchasing agency. The passing as satisfactory of any detail or processing or materials shall not relieve the supplier of responsibility for faulty workmanship or materials which may be discovered at any time prior to final acceptance.

4.2.2 Final inspection. Unless otherwise specified, final inspection shall be made after delivery to the point of destination (see 6.4).

4.2.3 Condition inspection of containers. When inspection of the product for quality and condition is performed by the U. S. Department of Agriculture, the United States Standards for Condition of Food Containers shall apply. (For applicable criteria governing inspection of containers for the Military see 4.2.8.)

4.2.4 Responsibility for inspection. The supplier is responsible for meeting all the provisions of the specification prior to submission of supplies to the Government for acceptance. Unless otherwise specified in the contract or order, the supplier is required to furnish an official egg products certificate issued by the U.S. Department of Agriculture, certifying that the product meets the requirements of the contract or order.

4.2.4.1 Inspection records. Inspection records of the examination and tests shall be complete and made available to the Government as specified in the contract or order. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2.5 Plant qualification conditions. The product furnished under this document shall be unacceptable if not produced and stored in plant (s) which currently meet the qualification conditions of 3.4.

4.2.6 Sampling for inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except as otherwise indicated herein:

4.2.6.1 Component and material inspection. In accordance with 4.2.4 above, components and materials shall be inspected in accordance with all the requirements of referenced specifications, drawings, and standards, unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.

4.2.6.1.1 Examination of sugar and salt. Examination shall be made of labels, invoices, or other valid documents to determine conformance to the identity requirements specified in items 3 and 4, table I. Nonconformance to one or more identity requirements shall be cause for rejection of the involved component lot or finished product made therefrom, as applicable.

4.2.6.1.2 Examination of eggs. Examination of eggs for compliance with "current production" requirements of table I (1) shall be ascertained by labels or other valid documents. For table grade, type II, kind (a), each lot offered by the supplier for breaking shall be examined to determine compliance with U.S. Grade A interior quality requirements. Minimum sample size for number of cases of shell eggs in each lot to be inspected for determination of quality shall be as specified in the USDA publication referenced in 3.1.

4.2.6.1.3 Testing of components. Testing of components described in this specification shall be as shown in table V. Results shall apply to the lot average. Nonconformance to one or more test requirements shall be cause for rejection of the lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:04Z
Check the source to verify that this is the current version before use.

TABLE V. Testing of components 1/

Component	Sample unit	Lot size expressed in	Inspection level	Characteristics	Results reported to nearest	Test reference and requirement paragraph
Raw liquid eggs or egg products for type II kind (a) only	1 pint	Pounds	2/	Bacteria gm.	3/	4.3.2 3.1
Five 10-lb. 4/ and 30-lb. cans 4/	1 can w/lid	Cans	S-1	Tin plate	0.01 lb./ base box	4.3.3 5.1.1.1 5.1.1.2
30-lb. cans 4/	1 end cover and one 4" by 4" panel from side	Cans	S-1	Base weight plate	lb/base box	4.3.4 5.1.1.2 5.1.1.2.1

1/ Each component or component characteristic, as applicable, which is not listed in this table, unless otherwise excepted, shall be tested in accordance with the applicable procedure contained in the pertinent subsidiary specifications.
2/ One sample of raw liquid eggs or egg product shall be drawn aseptically from each batch before processing until all batches making up a single lot have been sampled and composited. Cumulative sample shall be kept under 40° F. before testing daily.
3/ In accordance with referenced test procedure.
4/ Exterior can coating, when required, and can label, shall be tested in accordance with the applicable subsidiary specifications except that tests shall be performed on the same cans submitted for tinplate testing.

4.2.7 Process examination (for Military agencies). Examination shall be performed during handling and processing to determine conformance to the referenced requirements in 3.2, as concerns methods, times and temperature controls during processing and storage. Time and temperature records shall be maintained. Nonconformance to one or more requirements reflected by actual examination or by records shall be cause for rejection of involved quantity of the finished product.

4.2.8 Examination of end item. Classification of defects found during examination shall be in accordance with tables VII and VIII and 4.2.8.1 through 4.2.8.6. The examination criteria for the above-referenced tables shall be as shown in table VI. The acceptable quality levels (AQLs) for table VII shall be expressed in terms of percent defective and in terms of defects per hundred units for table VIII.

TABLE VI. End item examination criteria 1/

Table	Inspection level	Sample unit	Lot size expressed in	AQLs Major	AQLs Minor
VII	S-3	1 primary container	Primary containers	---	2.5
VIII	S-3	1 primary container	Primary containers	1.0	---

1/ Sampling shall be accomplished any time after the product has been frozen solidly to a temperature of 10° F. within a period of 60 hours.

TABLE VII. Examination for net weight 1/

Category	Defect
Minor:	
201	Net weight more than 2 percent under specified net weight (applicable to 5-pound and to 10-pound cans). 2/
202	Net weight more than 1 percent under specified net weight (applicable to 30-pound cans). 3/

1/ Lot shall be rejected if sample data indicate lot average net weight is less than specified net weight.
2/ Weigh to the nearest 1/2 ounce.
3/ Weigh to the nearest 1 ounce.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:04Z
Check the source to verify that this is the current version before use.

TABLE VIII. Examination of product characteristics 1/

Category	Defect
Major:	
151	Presence of extraneous material, e.g., shell particles, blood spots, meat spots, etc.
152	Not a sweet, clean, and bland odor (applicable to class 2 product - and not applicable for Military procurement). 2/
153	Evidence of thawing and refreezing.
154	Presence of visible amounts of egg yolk in kind(c).

1/ Presence of foreign material, e.g., metal, glass, wood, insect, insect fragments, paper and packaging materials, etc., or foreign flavors or odors, e.g., stale, strong eggy, putrid, sour, musty, metallic, etc., shall be cause for rejection of the lot.
2/ Observations made in either frozen state or when thawed.

4.2.8.1 Examination of can labeling. Examination of can labeling shall be in accordance with the examination criteria of MIL-L-1497.

4.2.8.2 Examination of can coating. Examination of can coating, when applicable, shall be in accordance with the examination criteria of TT-C-495.

4.2.8.3 External and internal examination of primary containers. External and internal examination of primary containers, shall be in accordance with the applicable examination criteria of PPP-C-29, except that the defects for springer, flipper and swell and key shall not apply. In addition, the following defect shall be included in the table of internal examination when applicable (see 5.1.1.2): Major - Interior seam coating missing or incompletely coated.

4.2.8.4 Examination of shipping containers. Examination of the filled and closed shipping container shall be in accordance with the examination criteria contained in the appendix to PPP-B-636. In addition, the following defects shall be included in the table of examination: Major - Marking missing, incorrect or illegible. Minor (1) Arrangement not as specified; (2) Containers reinforced with other than nonmetallic strapping or pressure sensitive adhesive, filament reinforced tape, as applicable. When packing for level C is required to be in accordance with 5.2.2.1, examination shall be in accordance with the aforementioned specification, except that only the defects for marking and arrangement shall apply.

4.2.8.5 Examination of storage time. Determination of compliance with requirements of 1.2 as concerns storage time shall be made by an examination of labels, storage charts, markings, or other valid documents. Product exceeding storage time limitations shall be cause for rejection of the lot.

4.2.8.6 Examination of destination temperatures. The sample unit shall be 1 primary container for the 5 and 10-pound cans and 1 shipping container for the 30-pound can. Lot size shall be expressed in terms of the sample unit, and sample size for inspection shall be the number of sample units indicated by inspection level S-2. At time of product receipt, the maximum internal temperature of the product taken shall be in accordance with the requirement in table III, item 4. Nonconformance to the referenced temperature requirement of any evidence of thawing or refreezing shall be cause for rejection of the lot.

4.2.9 Sampling procedure and acceptance criteria for testing of finished products. The finished product shall be tested for egg solids, total solids, sugar, salt, total plate count, yeast and mold count and Salmonella as specified in 3.3.2. Procedures for testing shall be in accordance with 4.3. Test requirements for Salmonella, total plate count and yeast and mold count shall be on a unit basis and on a lot-average basis for all other requirements. The sample unit for Salmonella, total plate count and yeast and mold count shall be an 8-ounce sample derived aseptically from 1 primary container. Lot size shall be expressed in terms of the sample unit. The sample size shall be the number of cans indicated by inspection level S-1. The sample for egg solids, total solids, sugar, and salt shall be a 1-pound composite derived from the number of containers used for the microbiological requirements. Samples of liquid egg product(s) sent to any Government laboratory for bacteriological or analytical testing shall be frozen solid prior to shipment and shall be in a solid frozen state when received at the laboratory. Salmonella shall be reported on a pass or fail basis. Microbiological counts shall be reported in accordance with Recommended Methods for the Microbiological Examination of Foods of the American Public Health Association. Egg solids, total solids, sugar and salt shall be reported to the nearest 0.1 percent. Nonconformance to one or more test requirements shall be cause for rejection of the lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:04Z
Check the source to verify that this is the current version before use.

4.2.10 Standby test samples. The Government reserves the right to withdraw and hold standby test samples of components or finished product or both (quantity of which shall be not more than twice that required by this specification) for inspection purposes. Samples not used will be returned to the supplier.

4.3 Tests. Test procedures and controls which differ from those specified herein may be used by the supplier if they provide a quality assurance equivalent to that specified. If the Government inspection activity determines that such procedures and controls do not provide, as a minimum, such quality assurance, the supplier will use the test procedure set forth herein. In case of dispute as to test results, the test methods specified herein will govern.

4.3.1 Chemical analyses (applicable to class 1 only). Chemical analysis shall be made in accordance with the following methods from Official Methods of Analysis of the Association of Official Agricultural Chemists, Chapter: Egg and Egg Products:

Item	Test 1/	Section	Method
1	Egg solids 2/	Total solids	Vacuum method
2	Total solids	Total solids	Vacuum method
3	Salt (chlorine)	Chlorine	Method II
4	Sugar	Dextrose and sucrose	

1/ Prepare sample in accordance with the method outlined in Recommended Methods for the Microbiological Examination of Foods of the American Public Health Association, Chapter: Eggs and Egg Products, Section: Frozen Eggs.
2/ Frozen salt yolk and frozen sugar yolk - subtract percent salt or sugar from percent total solids.

4.3.2 Microbiological analyses. The total plate count and the yeast and mold count shall be determined in accordance with the following methods from Recommended Methods for the Microbiological Examination of Foods, Chapter: Egg and Egg Products, Section: Frozen Eggs:

Item	Test	Method
1	Total count	Total count
2	Yeast and mold count	Yeast and mold

4.3.2.1 Salmonella shall be determined in accordance with the USDA procedure as outlined in USDA Laboratory Methods for Egg Products, Consumer and Marketing Service.

4.3.3 Tin coating weights. Tin coating weights shall be determined by any method specified in PPP-C-96.

4.3.4 Base plate weights. Test for base plate weights and permissible variations in lot weights shall be as specified in QQ-T-181.

4.3.5 Basis weight test. Basis weight shall be tested in accordance with method 204 of Fed. Test Method Std. No. 101.

5. PREPARATION FOR DELIVERY

5.1 Packaging. The product shall be packaged in accordance with level B or C, as specified (see 6.1).

5.1.1 Level B. The product shall be packaged in accordance with 5.1.1.1 or 5.1.1.2, as specified (see 6.1).

5.1.1.1 Five and 10-pound cans. The product shall be packaged in a new, round, full opening, slip-cover style, metal can. As specified (see 6.1), the size of the can and the net contents shall be as specified in table IX. The cans shall be made throughout from not less than commercial 0.25 pound per base box electrolytic tin plate (see 4.3.5). The inside of the can and cover shall be coated with an enamel supplied by the manufacturer for the specific product being packaged. The can and cover shall be coated overall outside with a coating conforming to type I or when specified (see 6.1) type III of TT-C-495. When specified (see 6.1), cans with or without commercial coating will be acceptable.

5.1.1.2 Thirty-pound cans. Thirty pounds of the product shall be packaged in a new, round, full opening, slip-cover style, tapered or straight side metal can. The body of the can shall be made from not less than 103-pound nominal base weight plate. The bottom shall be made from not less than 100-pound nominal base weight plate and shall be corrugated or beaded for additional

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:04Z
Check the source to verify that this is the current version before use.

rigidity and the slip covers may be made from not less than 80-pound base weight plate. The side seam shall be soldered or welded, the bottom shall be cement lined and double seamed, and the can rim shall be curled outward. When side seams are welded, the entire interior seam of the container shall be covered with enamel. The slip cover shall be snug-fitting and shall have a flange not less than 11/16 inch long with a curled edge. The can shall be made throughout from not less than commercial 0.25 pound per base box electrolytic tin plate. The inside of the can and cover shall be coated with an enamel supplied by the manufacturer for the specific product being packaged. The can and cover shall be coated overall outside as specified in 5.1.1.1.

5.1.1.2.1 Alternatively, the can may be made as specified in 5.1.1.2, except that body shall be made from not less than 107-pound nominal base weight plate, the ends may be made from 107-pound or 100-pound nominal base weight plate, but the 100-pound bottoms shall be corrugated or beaded for additional rigidity, and the bottom seams shall be compound-lined.

5.1.2 Level C. The product shall be packaged to afford adequate protection against deterioration and damage during shipment from supply source to the first receiving activity. The supplier may use his standard practice when it meets these requirements.

TABLE IX. Can sizes, net weight per can, and number and arrangement of cans in each shipping container

Can size	Net weight (pounds)	Number in cases	Length	Width	Depth
601 by 604	5	6	3	2	1
610 by 500					
702 by 804	10	4	2	2	1
914 by 1210					
or 1300	30	1	1	1	1
1000 by 1209	30	1	1	1	1
Taped can	30	1	1	1	1
Top O.D. - 1007					
Bottom O.D. - 911					
Height (overall cover on)					
1214 or 1300					

5.2 Packing. The cans of the product, in the number and arrangement specified in table IX, shall be packed on end in snug fitting shipping containers in accordance with level B or C, as specified (see 6.1).

5.2.1 Level B. The shipping container shall be a fiberboard box, constructed and closed in accordance with style RSC, V3c, V3s, or V4s of PPP-B-636.

5.2.1.1 When specified (see 6.1 and 6.2.2), the shipping container specified in 5.2.1 shall be reinforced with nonmetallic strapping or pressure sensitive adhesive, filament reinforced tape in accordance with the appendix of PPP-B-636.

5.2.2 Level C. The shipping container shall be a fiberboard box, constructed and closed in accordance with style RSC, type CF or SF, class domestic, method II closure of PPP-B-636.

5.2.2.1 When specified (see 6.1 and 6.2.3), the product shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. The shipping container shall be in accordance with Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable.

5.3 Labeling and marking.

5.3.1 Civil agencies.

5.3.1.1 Unit containers. Commercial labeling meeting the requirements of the Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder will be acceptable.

5.3.1.2 Shipping containers. Shipping containers shall be marked as specified iy individual agencies.

5.3.1.2.1 Additional marking. In addition to the marking specified in 5.3.1.2.1, the following information shall be stenciled or printed on top of the shipping container in letters not less than 1-1/2 inches high:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:04Z
Check the source to verify that this is the current version before use.

KEEP FROZEN
(0° F. or below)
THIS END UP

5.3.2 Military agencies.

5.3.2.1 Cans. Cans shall be labeled in accordance with MIL-L-1497. Information shall conform to the requirements of the Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder and shall include the following information:

Name and type of product (in letters larger than any others used for the label)

Net weight.

Name and address of manufacturer (plant location)
Date packed (day, month, year).

The following statement, except for type II, kind (a), shall be included (in letters as large as used for the name of the product):

USE FOR BAKED GOODS ONLY

5.3.2.2 Shipping containers. Shipping containers shall be marked in accordance with MIL-STD-129. Alternatively, when specified, commercial markings plus any specified markings required by the contract or order, will be acceptable. In addition, the following information shall be stenciled or printed on top of the shipping container in letters not less than 1 - 1/2 inches high:

KEEP FROZEN
(0°F. or Below)
THIS END UP

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
b) Type, kind, and class required (see 1.2).
c) Applicable levels of packaging (see 5.1).
d) Type of can coating (see 5.1.1.1).
e) When cans without commercial can coating will be acceptable (see 5.1.1).
f) Size of level B packaging required (see 5.1.1).
g) Determination of can size for 5, 10, or 30-pound container (see table IX).
(h) Applicable levels of packing (see 5.2).
i) When packing specified in 5.2.1.1 or 5.2.2.1 is required.

6.2 Military agencies.

6.2.1 Intended use. The products covered by this specification are intended for domestic and overseas use. Table grade frozen egg type II, kind (a), class 1, only, is primarily intended for preparing scrambled eggs, omelets, western sandwiches, etc., where only high quality product should be used. All other items, including types I and II, kinds (b) through (f), class 1 and 2 are intended for use in baking and cooking by Federal agencies and by suppliers in preparing subsistence items for use by the Armed Forces.

6.2.2 Packing specified in 5.2.1.1 is intended for transfer at sea operations or special Navy seas operations.

6.2.3 Packing specified in 5.2.2.1 is intended for direct shipment from the supply source to the first receiving activity for immediate use within CONUS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:04Z
Check the source to verify that this is the current version before use.

6.3 Supersession data. This specification supersedes Interim Federal Specification C-E-00230B AGR-AMS), dated August 28, 1962, and Federal Specification C-E-230A, dated November 17, 1960, and MIL-E-1037C, dated June 20, 1958, and MIL-E-35001A, dated March 1, 1963.

6.4 Destination inspection (for civil agencies). When the finished product has been inspected and passed at a point other than destination, the contract should require that the product be inspected at destination for identity, condition, and quantity only.

MILITARY CUSTODIANS:

Army - GL
Navy - SA
Air Force - 45

Review activity:

Army - MD
Navy - MC, MS
Air Force - 03
DSA-SS

Preparing activity:

AGR - C&MS

CIVIL AGENCIES INTEREST:

GSA
VA
HEW

☆ U. S. GOVERNMENT PRINTING OFFICE: 1974 - 713-154/5454

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 15 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:04Z
Check the source to verify that this is the current version before use.