MIL-A-45873(PA)
9 June 1975
SUPERSEDING
See Section 6

MILITARY SPECIFICATION

ADAPTION KIT, WH, GM, M75 WITH AUXILIARIES
PACKAGE 3 OF 4

1. SCOPE

1.1 This specification covers requirements, quality assurance provisions, and the preparation for delivery criteria for one package of the four that makes up the adaption kit and auxiliaries, less fuze and power supply for Warhead, GM, M75; entitled Adaption Kit, WH, GM, M75 with Auxiliaries Package 3 of 4, which is used with the Nike Hercules warhead section.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

MILITARY

MIL-D-48835(PA) - Destructor, Warhead, Single Point, XM13, M13, and M14.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-1168 - Lot Numbering of Ammunition.

DRAWINGS

ORDNANCE CORPS

8801762 - Packaging, Carton
8806541 - Packaging, Bag
8808338 - Packaging, Carton
8808885 - Packaging, Carton
8824889 - Container, Metal Ammunition for Adaption Kit, M75, GM, Warhead, Package 3 of 4

FSC 1135

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:02Z
Check the source to verify that this is the current version before use.

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Materials. The contractor shall furnish objective evidence (see 6.2) that the material complies with the specifications listed on the applicable drawing.

3.2 Assembly. The package 3 of 4 shall comply with all requirements specified on the drawing (dwg) 8824889, with all requirements specified herein, and with the requirements of all applicable specifications to the extent specified on the drawing and herein.

3.3 Serialization. A serial number shall be assigned to the item. Serial numbers required on these items shall be obtained by means of a letter addressed to: Commander, Picatinny Arsenal, Dover, New Jersey 07801, ATTENTION: SARPA-QA-T-M. The letter of request shall include:

a. Exact nomenclature of the item as specified on the applicable drawing.
b. Name of the contractor.
c. Contract number or procurement request order number.
d. Number of serial numbers required.

3.4 Package 3 of 4. Package 3 of 4 shall comply with all requirements specified on Drawing (dwg) 8824889, and with all requirements specified in applicable specifications.

3.5 Auxiliaries. The auxiliaries contained in package 3 of 4 shall comply with all requirements of MIL-D- (PA).

3.6 Workmanship.

3.6.1 Plastic and metal characteristics. All components shall be free from cracks, splits, cold flow, shrinkage, cold shuts, inclusions, porosity, or any similar characteristic.

3.6.2 Threads. Threads shall be full and undamaged for the entire minimum length or depth as required on the applicable drawing.

3.6.3 Burrs. Parts shall be free from burrs.

3.6.4 Foreign matter. Parts shall be free from chips, dirt, grease, rust, corrosion, or any embedded foreign material.

3.6.5 Cleaning. The cleaning method shall not be injurious to any of the parts, nor shall the parts be contaminated by the cleaning agent.

3.6.6 Electrical. Cable assemblies and wires shall be dressed in such a manner as to prevent pinching or chafing of the wire insulation. Ends of wires shall be free from burrs, sharp edges, or points. All parts shall be free from flux, chips, dirt, grease, rust or foreign material.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:02Z
Check the source to verify that this is the current version before use.

3.6.8 Stitching. Stitching shall not be missing where required. Stitching shall be free from any breaks or skipped areas. Tight stitching which breaks when the material is pulled to a flat surface or specified contour, shall be rejected.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Quality conformance inspection.

4.2.1 Lot formation.

4.2.1.1 Production lot. A lot shall consist of parts and assemblies produced by one manufacturer in one unchanged process, in accordance with the same drawing, same drawing revision, same specification and same specification revision. Drawing, specification and process changes not affecting safety, performance, storage, or interchangeability, as determined by the Government, shall not necessitate changing the lot interfix number. The criteria and procedures for the assignment of lot numbers shall be in accordance with MIL-STD-1168.

4.2.1.2 Inspection lot. A lot or batch and its formation, size, and presentation is described in MIL-STD-105, Section 5. Accordingly, a lot shall mean an inspection lot and a batch shall mean an inspection batch for the purpose of this specification. The manner in which each inspection lot or batch is to be presented and identified by the contractor, shall be designated or approved by the Government representative.

4.2.2 Product inspection examination. A sample shall be selected at random from each inspection lot in accordance with the applicable major or minor characteristic table (see Table I and Table II), and inspected for all characteristics in the applicable classification. Any characteristics in the sample found to be defective shall reject the inspection lot. Sequence for the inspection of characteristics in each classification need not be followed as long as all characteristic inspections are performed.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:02Z
Check the source to verify that this is the current version before use.

Table I
Major Characteristics

Lot Size	Sample Size	Lot Size	Sample Size	Lot Size	Sample Size	Lot Size	Sample Size
1-16	all	28-29	23	52-56	31	132-156	39
17	16	30-31	24	57-62	32	157-191	40
18	17	32-34	25	63-69	33	192-244	41
19-20	18	35-36	26	70-76	34	245-334	42
21	19	37-40	27	77-86	35	335-519	43
22-23	20	41-43	28	87-97	36	520-1120	44
24-25	21	44-47	29	98-112	37	over 1120	45
26-27	22	48-51	30	113-131	38		

Table II
Minor Characteristics

Lot Size	Sample Size	Lot Size	Sample Size	Lot Size	Sample Size	Lot Size	Sample Size
1-9	all	14-16	12	28-33	16	77-121	20
10	9	17-18	13	34-41	17	122-273	21
11	10	19-22	14	42-54	18	over 273	22
12-13	11	23-27	15	55-76	19		

4.2.2.1 Classification of characteristics (see 3.2). Critical, major and minor characteristics are defined in MIL-STD-105. Inspection shall be conducted as follows:

4.2.2.1.1 Bag, prior to sealing (package 3 of 4, dwg 8806541).

Categories	Characteristics	Method of Inspection
Critical:	None defined.	
Major:		
	101. Destructor leads improperly coiled or taped	Visual
	102. Threads damaged to the extent of preventing complete engagement in subsequent assembly	Visual
	103. Damage to any portion of the assembly which could result in failure to function or incapability of subsequent assembly (fractured fuze cord or relay cup, nut or connector fails to rotate freely, nut cup or connector missing or loose to the extent of possible detachment with little effort)	Visual

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:02Z
Check the source to verify that this is the current version before use.

104. Marking misleading or unidentifiable (incorrect, incomplete, superimposed or otherwise smeared).....Visual/Manual
105. Any component of the destructor lead assembly missing, broken, loose or disconnected.....Visual/Manual
106. Tape of the destructor lead assembly missing or improperly applied.....Visual

Minor:
201. Evidence of poor workmanship (see 3.6).....Visual

4.2.2.1.2 Bag, sealed (package 3 of 4, see dwg 8806541).

Categories	Characteristics	Method of Inspection

Critical: None defined.

Major:
101. Bag torn or perforated.....Visual
102. Bag incompletely sealed.....Visual
103. Seal mislocated.....Visual
104. Marking misleading or unidentifiable (incorrect, incomplete, superimposed or otherwise smeared).....Visual

Minor:
201. Evidence of poor workmanship (see 3.6).....Visual

4.2.2.1.3 Cartons, unsealed (package 3 of 4, see dwgs 8801762, 8808338 and 8808885).

Categories	Characteristics	Method of Inspection

Critical: None defined.

Major:
101. Bottom flaps not secure.....Visual
102. Any required packing component missing.....Visual
103. Contents improperly wrapped.....Visual

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:02Z
Check the source to verify that this is the current version before use.

104. Foreign matter in carton or on contents unless removable.....Visual
105. Retaining ring thread of destructor loading assembly damaged to the extent of preventing complete engagement in subsequent assembly.....Visual
106. Dust cap destructor loading assembly loose.....Manual
107. Body of destructor loading assembly ruptured.....Visual
108. Connector of mounting plate assembly not mounted tight and flush with shoulder.....Visual/Manual
109. Connector pins or threads of mounting plate assembly damaged.....Visual
110. Pins connectors of mounting plate assembly damaged.....Visual
111. Crack, broken or damaged potting compound of mounting plate assembly.....Visual
112. Any component of mounting plate assembly missing, loose, broken or disconnected (including screws and lock washers).....Visual/Manual
113. Handle of wrench protrudes beyond interior wall.....Visual
114. Handle of wrench visibly bent or tilted.....Visual
115. Weld of wrench inadequate (separation, looseness, porosity, ...Visual/Manual
116. Any damage to wrench which renders it unusable.....Visual
117. Marking of destructor lead assembly, destructor loading assembly, mounting plate assembly or wrench assembly misleading or unidentifiable (incorrect, incomplete, superimposed or otherwise smeared).....Visual
118. Rust or corrosion on any component parts of the destructor lead assembly, destructor loading assembly, mounting plate assembly or wrench assembly.....Visual

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:02Z
Check the source to verify that this is the current version before use.

Minor:
201. Evidence of poor workmanship (see 3.6).....Visual

4.2.2.1.4 Cartons, sealed (package 3 of 4, see dwgs 8801762, 8808338 and 8808885).

Categories	Characteristics	Method of Inspection
Critical:	None defined.	
Major:		
	101. Carton fractured, exposing contents	Visual
	102. Carton insecurely sealed	Visual
	103. Corners not blunted (as applicable)	Visual
	104. Contents loose in carton to the extent of being in jeopardy	Manual
	105. Marking misleading or unidentifiable (incorrect, incomplete, superimposed or otherwise smeared)	Visual
	106. Label missing (as required)	Visual
	107. Foreign matter on carton (that which contaminate contents unless removable)	Visual
Minor:	None defined.	

4.2.2.1.5 Bags sealed, containing sealed cartons (package 3 of 4, see dwgs 8801762, 8808338, and 8808885).

Categories	Characteristics	Method of Inspection
Critical:	None defined.	
Major:		
	101. Bag torn or perforated	Visual
	102. Bag incompletely sealed	Visual
	103. Seal mislocated	Visual
	104. Marking misleading or unidentifiable (incorrect, incomplete, superimposed or otherwise smeared)	Visual
Minor:	None defined.	

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:02Z
Check the source to verify that this is the current version before use.

4.2.2.1.6 Container, prior to sealing (package 3 of 4 see dwg 8824889).

Categories	Characteristics	Method of Inspection
Critical:	None defined.	
Major:		
101.	Package containing destructor loading assembly missing or mislocated	Visual
102.	Package containing destructor lead assembly missing or mislocated	Visual
103.	Package containing mounting plate assembly missing or mislocated	Visual
104.	Package containing wrench assembly missing or mislocated	Visual
105.	Any packing list missing or mutilated	Visual
106.	Desiccant bag missing	Visual
107.	Packing list missing or mutilated	Visual
108.	Foreign material in container unless removable	Visual
Minor:	None defined.	

4.2.2.1.7 Container, sealed (package 3 of 4, see dwg 8824889).

Categories	Characteristics	Method of Inspection
Critical:	None defined.	
Major:		
101.	Container fractured	Visual
102.	Car seal missing, broken or unsealed	Visual
103.	Cover loose	Manual
104.	Marking misleading or unidentifiable (incorrect, incomplete, superimposed or otherwise smeared)	Visual
105.	Contents loose to the extent of being in jeopardy	Manual
106.	Paint of exterior damaged exposing bare metal	Visual
Minor:	None defined.	

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:02Z
Check the source to verify that this is the current version before use.

4.2.3 Testing. Not applicable.

5. PREPARATION FOR DELIVERY

5.1 Packing and marking. Not applicable.

6. NOTES

6.1 Ordering data. Procurement documents should specify the title, number and date of this specification.

6.2 Objective evidence. Records of contractor quality control and inspections which can be verified.

6.3 Supersession data. This specification supersedes the requirements of Purchase Description PA-PD-2389 (Rev. 1) dated 12 October 1962.

Custodian:
Army - PA

Preparing activity:
Army - PA

Project No. 1135-A202

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:02Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T04:02Z
Check the source to verify that this is the current version before use.