SS-A-671c
September 8, 1966

SUPERSEDING
Int. Fed. Spec. SS-A-00671b (GSA-FSS)
April 8, 1964 and
Fed. Spec. SS-A-671a
June 20, 1941

FEDERAL SPECIFICATION

ASPHALT, LIQUID; SLOW-CURING, MEDIUM CURING, AND RAPID CURING

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 **Scope.** This specification covers liquid petroleum asphalt cutback material used in the construction and treatment of pavements.

1.2 **Classification.** Liquid petroleum asphalt shall be of the types and grades shown in table I, as specified (see 6.2):

TABLE I.

Type	Grade
SC (SLOW-CURING)	SC-70
SC (SLOW-CURING)	SC-250
SC (SLOW-CURING)	SC-800
SC (SLOW-CURING)	SC-3000
MC (MEDIUM-CURING)	MC-30
MC (MEDIUM-CURING)	MC-70
MC (MEDIUM-CURING)	MC-250
MC (MEDIUM-CURING)	MC-800
MC (MEDIUM-CURING)	MC-3000
RC (RAPID-CURING)	RC-70
RC (RAPID-CURING)	RC-250
RC (RAPID-CURING)	RC-800
RC (RAPID-CURING)	RC-3000

2. APPLICABLE DOCUMENTS

2.1 **Specifications and standards.** The following specifications and standards, of the issues in effect on date of invitation for bids form a part of this specification to the extent specified herein:

Federal Specifications:

PPP-D-729—Drums: Metal, 55-Gallon (for Shipment of Noncorrosive Material).

PPP-D-732—Drums, Metal, Reconditioned, 55-Gallon (For Shipment of Noncorrosive Material).

Federal Standard:

Fed. Std. No. 123—Marking for Domestic Shipment (Civilian Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale an a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Washington, D.C., Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, Los Angeles, and Seattle, Wash.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standard:

MIL-STD-129—Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.

2.2 **Other publications.** The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids shall apply.

American Society for Testing and Materials (ASTM) Publications:

D 140—Methods of Sampling Bituminous Materials.
D 2026—Specification for Liquid Asphalt (Slow-Curing Type).
D 2027—Specification for Liquid Asphalt (Medium-Curing Type).
D 2028—Specification for Liquid Asphalt (Rapid-Curing Type).

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race St., Philadelphia, Pa., 19103.)

Technical society and technical association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.

3. REQUIREMENTS

3.1 Liquid petroleum asphalt for specified type and grade (see 1.2 and 6.2), shall conform to ASTM D 2026, D 2027, or D 2028.

4. QUALITY ASSURANCE PROVISIONS

4.1 **Responsibility for inspection.** Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Sampling.

4.2.1 *Sampling for test.* Samples of liquid petroleum shall be according to ASTM D 140. Samples shall be stored in clean, air-tight sealed containers at a temperature of not less than 40° F., until tested.

4.3 Test.

4.3.1 *Test procedures.* All tests shall be conducted in accordance with ASTM applicable to the type and grade specified (see 1.2, 3.1, and 6.2).

4.3.2 Failure of any sample to conform to any test specified shall be the basis for rejection.

4.4 Examination of preparation for delivery. An examination will be made to determine that the packing and marking conforms to the requirements of section 5.

5. PREPARATION FOR DELIVERY

5.1 Packing shall be level A, B, or C, as specified (see 6.2).

5.1.1 *Level A or B* The asphalt shall be packed in 55-gallon drums conforming to PPP-D-729, type II, or reconditioned 55-gallon metal drums conforming to PPP-D-732, type II.

5.1.2 *Level C.* The asphalt shall be packed to insure carrier acceptance and safe delivery to destination in containers complying with the rules and regulations applicable to the mode of transportation.

5.2 Marking.

5.2.1 *Civil agencies.* In addition to markings required by the contract or order, the shipping containers shall be marked in accordance with Fed. Std. No. 123.

5.2.2 *Military activities.* In addition to markings required by the contract or order, the shipping containers shall be marked in accordance with MIL-STD-129.

6. NOTES

6.1 **Intended use.** The cutback petroleum asphalt is intended for use as primers and for the construction of surface treatments mixed in place or plant-mixed roadway wearing surfaces.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.

6.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(*a*) Title, number, and date of this specification.

(*b*) Type and grade of cutback petroleum asphalt required (see 1.2).

(*c*) Levels of packaging and packing required (see 5.1).

6.3 Supersession data.

This specification	SS-A-671a
MC-70	MC-0
	MC-1
MC-250	MC-2
MC-800	MC-3
	MC-4
MC-3000	MC-5
RC-70	RC-0
	RC-1
RC-250	RC-2
RC-800	RC-3
	RC-4
RC-3000	RC-5

Slow-curing types included in this specification were not covered by SS-A-671a.

MILITARY CUSTODIANS:

Army—MO (ERDL)

Navy—YD

Air Force—69

Review Interest:

MO, YD, 69

User Interest:

CE, QM, MR, MC, CG

MILITARY COORDINATING ACTIVITY:

Army—MO(ERDL)

Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current Federal Supply Classification Listing of DOD Standardization Documents.

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 5 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:13Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
Naval Facilities Engineering Command
Code 0432
200 Stovell Street
Alexandria, VA 22332

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.