MIL-T-62047B(AT)
AMENDMENT 3
2 September 1987
SUPERSEDING
AMENDMENT 2
4 May 1981

MILITARY SPECIFICATION

TRUCK, CARGO: 1 1/4 TON, 6x6, M561 AND
TRUCK, AMBULANCE: 1 1/4 TON, 6x6, M792

This amendment forms a part of Military Specification MIL-T-62047B(AT) dated 19 July 1968, and is approved for use by US Army Tank-Automotive Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1, under SPECIFICATIONS, FEDERAL, delete "VV-B-680" and its title.

*2.1, under SPECIFICATIONS, MILITARY, delete "MIL-T-46729" and its title and substitute:

"MIL-C-46168	- Coating Aliphatic Polyurethane, Chemical Agent Resistant.
MIL-B-46176	- Brake Fluid, Silicone Automotive All-Weather, Operational and Preservative.
MIL-C-53039	- Coating Aliphatic Polyurethane, Single Component, Chemical Agent Resistant."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:11Z
Check the source to verify that this is the current version before use.

2.1, under SPECIFICATIONS, MILITARY, MIL-E-62045, line 2, delete "103 Horsepower" and substitute: "98 Horsepower".

PAGE 2

*Add the following paragraph:

"2.2 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein (except for associated detail specifications, specification sheets or MS standards), the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained."

PAGE 5

3.4.8, line 4, delete "40° + 2°" and substitute: "34 ± 2°".

PAGE 6

*3.4.16, line 2, delete "or MIL-T-46729".

PAGE 8

3.5.5.2.1, line 4, delete "25 mph" and substitute: "19 MPH".

3.5.7.1, line 5, delete "VV-B-680" and substitute: "MIL-B-46176".

PAGE 9

*3.7.1, line 5, add "Vehicles subject to surface contamination by chemical attack shall be finish treated (topcoat) with Chemical Agent Resistant Coating (CARC) paint conforming to MIL-C-46168 and MIL-C-53039."

PAGE 21

*6.4, line 1, add heading "Definitions."

PAGE 22

6.6, under Nomenclature column, delete item *(10) in its entirety and substitute:

*(10) Stowage Kit, Mortar, 4.2 inch."

6.7.3, line 2, delete "M104A1" and substitute: "M101A1".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:11Z
Check the source to verify that this is the current version before use.

*Add the following paragraph:

"6.9 Subject term (key word) listing.

Ambulance, truck, 1 1/4 ton, 6x6
Cargo truck, 1 1/4 ton, 6x6"

NOTE: The margins of this amendment are marked with asterisks to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army - AT

Preparing activity:
Army - AT

(Project 2320-A318)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:11Z
Check the source to verify that this is the current version before use.