MILITARY SPECIFICATION SHEET

PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 2: 208Y/120 VOLT, 15 KILOWATT

This specification is approved for use by the Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the distribution panels described herein shall consist of this specification and the latest issue of MIL-P-29183.

REQUIREMENTS: The distribution panel shall be as specified herein and in accordance with tables I and II, and figures 1 and 2. Government furnished equipment shall be as specified in table III.

Physical:

Special design features: See figure 2.

(A) Weight (nominal): 75 pounds (34 kilograms).
Dimensions (maximum):
Length: 24.5 inches (623 millimeters (mm)).
Width: 18.5 inches (470 mm).
Height: 16.5 inches (419 mm).

Access panels: Not required (see MIL-P-29183).
Vertical center of gravity: 11.0 inches (280 mm).
Lifting attachments: Crane lifting attachments are not required (see MIL-P-29183). A carrying handle is required.

Electrical:

Input: 208Y/120 volt (V), 3 phase (Ø), 4 pole (P), 5 wire (W), 60 Hertz.
Bus capacity: 100 amperes (A).
Modification capability: Design provisions shall be made to accommodate in the future an additional 3P-60A main breaker and an additional MS90558C32412P connector for dual input capability.

Government part number - M29183/2

(A) denotes changes

Source: https://assist.dla.mil -- Downloaded: 202610-20T21:56Z
Check the source to verify that this is the current version before use.






FIGURE 1. Single-line wiring diagram.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T21:56Z
Check the source to verify that this is the current version before use.




A. Circular frame base

B. Trapezoid frame base



C. "A" frame base



D. Extended "A" frame base

NOTES:

1. These drawings are for reference only and illustrate some of the features required by the specification of which it is a part. It is not intended that these drawings limit the design except for the requirements specified herein.

2. Base mount type shall be similar to figure 2A, or 2B, or 2c, or 2D.

3. Carrying handle, inward sloping connector panel face(s), self-closing cover, frame base construction, and low base mount profile are required.

FIGURE 2. Distribution panel design features.

Source: https://assist.dla.mil -- Downloaded: 20260-20T21:56Z
Check the source to verify that this is the current version before use.

TABLE I. Circuits' characteristics.

Quantity	Circuit kind	Circuit breaker Pole (P) - Ampere (A)	Interface connector 1/
1	208Y/120V, 3 phase, 4P, 5W	3P-60A (Main)	Input, MS90558C32412P
2	208Y/120V, 3 phase, 4P, 5W	3P-20A	MS17346R24W10S
9	120V, 1 phase, 2P, 3W	1P-20A, GFCI type	MS17346R22W2S

1/ Connector designations are military part number for military type connectors conforming to MIL-C-22992.

TABLE II. Connector assignment and connector terminal wiring.

Circuit	Function	Connector type 1/	Phase A, black wire	Phase B, red wire	Phase C, blue wire	Neutral, white wire	Ground, green (bare) wire
1	Input	MS90558C32412P	A	B	C	N	G
3,4	Branch	MS17346R24W10S	F	B	E	A	C
5,11,12	Branch	MS17346R22W2S	B	-	-	C	A
7,8,13	Branch	MS17346R22W2S	-	B	-	C	A
9,10,14	Branch	MS17346R22W2S	-	-	B	C	A

1/ Connector designations are military part number for military type connectors conforming to MIL-C-22992.

Source: https://assist.dla.mil -- Downloaded: 20260410-20T21:56Z
Check the source to verify that this is the current version before use.

TABLE III. Government-furnished equipment.

Item	Quantity	Description	Military part number
1	1	MIL-C-22992, class L, 60A wall mount, plug, with coupling ring, connector	MS90558C32412P
2	1	Protective cover (plug) for item 1	MS90564-3C
3	9	MIL-C-22992, class R, size 22, box mount socket receptacle	MS17346R22M2S
4	9	Protective cover (cap) for item 3	MS17349M22B
5	2	MIL-C-22992, class R, size 24, box mount socket receptacle	MS17346R24M10S
6	2	Protective cover (cap) for item 5	MS17349M24B

Custodian:

Navy - YD

Review Activity:

Navy - MC

Preparing Activity:

Navy - YD

(Project 6110-N270-2)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T21:56Z
Check the source to verify that this is the current version before use.