MIL-P-29183/3A(NAVY)
24 May 1985
SUPERSEDING
MIL-P-29183/3(NAVY)
30 November 1979

# MILITARY SPECIFICATION SHEET

## PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 3: 208Y/120 VOLT, 30 KILOWATT

This specification is approved for use by the Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the distribution panels described herein shall consist of this specification and the latest issue of MIL-P-29183.

**REQUIREMENTS:** The distribution panel shall be as specified herein and in accordance with tables I and II, and figure 1. Government furnished equipment shall be as specified in table III.

**Physical:**

(A) Weight (nominal): 160 pounds (73 kilograms).
Dimensions (maximum):
Length: 40.5 inches (1029 millimeters (mm)).
Width: 32.5 inches (826 mm).
Height: 35.5 inches (902 mm).
Access panels: Not required (see MIL-P-29183).
Vertical center of gravity maximum: 21 inches (534 mm) above level ground.

**Electrical:**

Input: 208Y/120 volt (V), 3 phase (Ø), 4 pole (P), 5 wire (W), 60 Hertz.
Bus capacity: 225 amperes (A).
Modification capability: Design provisions shall be made to accommodate in the future an additional 3P-100A main breaker and an additional MS90558C44412P connector for dual input capability.

Government part number - M29183/3

(A) denotes changes



Source: https://assist.dla.mil -- Downloaded: 20261O-20T21:56Z
Check the source to verify that this is the current version before use.





FIGURE 1. Single-line wiring diagram.



Source: https://assist.dla.mil -- Downloaded: 20261O-20T21:56Z
Check the source to verify that this is the current version before use.

TABLE I. Circuits' characteristics.

| Quantity | Circuit kind | Circuit breaker Pole (P) - Ampere (A) | Interface connector 1/ |
|---|---|---|---|
| 1 | 208Y/120V, 3 phase, 4P, 5W | 3P-100A (Main) | Input MS90558C44412P |
| 4 | 208Y/120V, 3 phase, 4P, 5W | 3P-60A | MS90555C32412S |
| 2 | 208Y/120V, 3 phase, 4P, 5W | 3P-40A | MS90555C28412S |
| 2 | 208Y/120V, 3 phase, 4P, 5W | 3P-20A | MS17346R24W10S |
| 2 | 120V, 1 phase, 2P, 3W | 1P-20A, GFCI type | MS17346R22W2S |

1/ Connector designations are military part number for military type connectors conforming to MIL-C-22992.

TABLE II. Connector assignment and connector terminal wiring.

| Circuit | Function | 1/ Connector type | Phase A, black wire | Phase B, red wire | Phase C, blue wire | Neutral, white wire | Ground, green (bare) wire |
|---|---|---|---|---|---|---|---|
| 1 | Input | MS90558C44412P | A | B | C | N | G |
| 3,4,5,6 | Branch | MS90555C32412S | A | B | C | N | G |
| 7,8 | Branch | MS90555C28412S | A | B | C | N | G |
| 9,10 | Branch | MS17346R24W10S | F | B | E | A | C |
| 11 | Branch | MS17346R22W2S | B | - | - | C | A |
| 12 | Branch | MS17346R22W2S | - | B | - | C | A |

1/ Connector designations are military part number for military type connectors conforming to MIL-C-22992.



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T21:56Z
Check the source to verify that this is the current version before use.

TABLE III. Government-furnished equipment.

| Item | Quantity | Description | Military part number |
|---|---|---|---|
| 1 | 1 | MIL-C-22992, class L, 100A wall mount, plug, with coupling ring, connector | MS90558C44412P |
| 2 | 1 | Protective cover (plug) for item 1 | MS90564-7C |
| 3 | 4 | MIL-C-22992, class L, 60A, wall mount socket receptacle connector | MS90555C32412S |
| 4 | 4 | Protective cover (cap) for item 3 | MS90563-3C |
| 5 | 2 | MIL-C-22992, class L, 40A, wall mount socket receptacle | MS90555C28412S |
| 6 | 2 | Protective cover (cap) for item 5 | MS90563-1C |
| 7 | 2 | MIL-C-22992, class R, size 24, box mount socket receptacle | MS17346R24W10S |
| 8 | 2 | Protective receptacle cover for item 7 | MS17349W24B |
| 9 | 2 | MIL-C-22992, class R, size 22, box mount socket receptacle | MS17346R22W2S |
| 10 | 2 | Protective receptacle cover for item 9 | MS17349W22B |

Custodian:

Navy - YD

Review Activity:

Navy - MC

Preparing Activity:

Navy - YD

(Project 6110-N270-3)



Source: https://assist.dla.mil -- Downloaded: 202610-20T21:56Z
Check the source to verify that this is the current version before use.