MILITARY SPECIFICATION SHEET

HASP, HIGH SECURITY, SHROUDED, FOR HIGH AMD MEDIUM SECURITY PADLOCK: STYLE 2

This specification is approved for use by the Naval Facilities Engineering Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the hasp described herein shall consist of this document and the issue in effect of MIL-H-29181(YD).

REQUIREMENTS

Material - CA-6NM Casting.

The configuration, dimensions, and marking requirements applicable to style 2 hasp shall conform to US Naval Ammunition Production Engineering Center Drawing No. 0958, revision A (a miniature copy of which is presented herein as Figure 1).

Preparing activity:


Navy - YD

Project No. 5340-N070-2

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commanding Officer (156), Naval Construction Battalion Center, Port Hueneme, CA 93043, by using the self-addressed Standardization Document Improvement proposal (DD Form 1426) appearing at the end of this document or by letter.


FSC 5340

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T21:55Z
Check the source to verify that this is the current version before use.




Source: https://assist.dla.mil -- Downloaded: 2026-10-20T21:55Z
Check the source to verify that this is the current version before use.

MIL-H-29181(YD)/2



Source: https://assist.dla.mil - Downloaded: 2026-10-20T21:55Z
Check the source to verify that this is the current version before use.

MIL-H-29181(YD)/2



Source: https://assist.dla.mil -- Downloaded: 2026-10-20T21:55Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE MIL-H-29181/1 - HASP, HIGH SECURITY, SHROUDED, FOR HIGH AND MEDIUM SECURITY PADLOCK-GENERAL SPECIFICATIONS FOR.

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76 Replaces edition of 1 Jan 72 which may be used. S/N 0102-LF-001-4260

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T21:55Z
Check the source to verify that this is the current version before use.