MILITARY SPECIFICATION SHEET

PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 6: 208Y/120 VOLT, 100 KILOWATT (200 KILOWATTS WITH PARALLEL INPUTS)

This specification is approved for use by the Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring distribution panels described herein shall consist of this document and the latest issue of MIL-P-29183.

REQUIREMENTS. The distribution panel shall be as specified herein and in accordance with tables I and II, and figure 1. Government furnished equipment shall be as specified in table III.

Physical.

Nominal weight: 434 pounds (197 kilograms).
Maximum dimensions: Length: 65 inches (in) (1651 millimeters (mm)), Width: 32 in (813 mm), Height: 35 in (889 mm).
Vertical center of gravity: 20.5 $\pm$0.5 in (521 $\pm$13 mm) above level ground.
Paralleling access panel: Provisions only (see 3.8.5.2.1 of MIL-P-29183A).

Electrical.

Input: 208Y/120 volt (V), 3 phase, 4 pole (P), 5 Wire (W), 60 Hertz.
Bus capacity: 800 amperes (A).

Modification capability: Design provisions shall be made to accommodate in the future an additional 3P-400A main breaker and an additional set of input terminals for parallel input capability.

Government part number - M29183/14.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commanding Officer (Code 156), Naval Construction Battalion Center, Port Hueneme, CA 93043, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6110

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T21:59Z
Check the source to verify that this is the current version before use.

TABLE I. Circuits characteristics.

Quantity	Circuit kind	Circuit breaker Pole - Ampere	*Interface connector
1	208/120V, 3 phase, 4P, 5W	3P-400A (Main)	Input, termials
4	208/120V 3 phase, 4P, 5W	3P-100A	MS90555C44412S
10	208/120V, 3 phase, 4P, 5W	3P-60A	MS90555C32412S

* Connector designations are military part numbers for military type connectors conforming, to MIL-C-22992.

TABLE II. Connector assignment and connector terminal wiring.

Circuit	Function	*Connector type	Connector terminal wiring/color code: Phase A, black wire	Phase B, red wire	Phase C, blue wire	Neutral white wire	Ground, green (bare) wire
1	Input	Pressure type, dual terminal lugs 4/0 awg to 300 MCM	T1	T2	T3	T0	G
2	Optional input		P1	P2	P3	P0	G
3,4,5,6	Branch	MS90555C44412S	A	B	C	N	G
7, 8, 9, 10, 11, 12, 13, 14, 15, 16	Branch	MS90555C32412S	A	B	C	N	G

*Connector designations are military part numbers for military type connectors conforming to MIL-C-22992.

Source: https://assist.dla.mil -- Downloaded: 20260-20T21:59Z
Check the source to verify that this is the current version before use.

TABLE III. Government-furnished equipment.

Item	Quantity	Description	Military part number
1	4	MIL-C-22992, class L, 100A wall mount socket, receptacle	MS90555C44412S
2	4	Protective cover (cap) for item 1	MS90563-7C
3	10	MIL-C-22992, class L, 60A, wall mount socket receptacle	MS90555C32412S
4	10	Protective cover (cap) for item 3	MS90563-3C

Custodian:

Navy - YD

Preparing Activity:

Navy - YD

(Project 6110-N295)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T21:59Z
Check the source to verify that this is the current version before use.




FIGURE 1. Single-line wiring diagram.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T21:59Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE. This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commanding Officer (156)
Naval Construction Battalion Center
Port Hueneme, CA 93043

Source: https://assist.dla.mil -- Downloaded: 202610-20T21:59Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 1426

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T21:59Z
Check the source to verify that this is the current version before use.