INCH-POUND

MIL-M-38510/103E
AMENDMENT 1
13 DECEMBER 1994

MILITARY SPECIFICATION

MICROCIRCUITS, LINEAR, VOLTAGE COMPARATORS
MONOLITHIC SILICON

This amendment forms a part of MIL-M-38510/103E, dated 17 December 1993, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 3

3.1, delete and substitute the following;
"3.1 Item requirements. The individual item requirements shall be in accordance with MIL-M-38510, and as specified herein. The individual item requirements for devices marked with the "Q" certification mark shall be in accordance with MIL-I-38535 and as specified herein or as modified in the device manufacturer's Quality Management (QM) plan. The modification in the QM plan shall not effect the form, fit, or function as described herein."

PAGE 7

1/, add a new sentence which states; "For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

PAGE 11

1/, add a new sentence which states; "For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

PAGE 13

1/, add a new sentence which states; "For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

PAGE 28

FIGURE 5, delete the words "(SEE NOTE 8)" and substitute the words "(SEE NOTE 7)".

PAGE 37

4.1, delete and substitute the following;
"4.1 Sampling and inspection. Sampling inspection procedures shall be in accordance with MIL-M-38510 and methods 5004, 5005, and 5007, as applicable, of MIL-STD-883, except as modified herein. For devices marked with the "Q" certification mark, sampling and inspection procedures shall be in accordance with MIL-I-38535 or as modified in the device manufacturer's Quality Management (QM) plan. The modification in the QM plan shall not effect the form, fit, or function as described herein."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Review activities:
Source: https://assist.dla.mil -- Downloaded: 202640-21T13:17Z
Check the source to verify that this is the current version before use.
(Project 5962-0976)

PAGE 39

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

$+I_{CC}$, footnote 1/ will be renumbered as footnote 2/.

V_{OH1}, footnote 1/ will be renumbered as footnote 2/.

$V_{O(STB)}$, footnote 2/ will be renumbered as footnote 3/.

$I_{O(STB)}$, footnote 2/ will be renumbered as footnote 3/.

$\blacktriangle V_{IO}/\blacktriangle T$, footnote 3/ will be renumbered as footnote 4/.

$\blacktriangle I_{IO}/\blacktriangle T$, footnote 3/ will be renumbered as footnote 4/.

PAGE 40

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

$V_{O(STB)}$, footnote 2/ will be renumbered as footnote 3/.

$I_{O(STB)}$, footnote 2/ will be renumbered as footnote 3/.

$\blacktriangle V_{IO}/\blacktriangle T$, footnote 3/ will be renumbered as footnote 4/.

$\blacktriangle I_{IO}/\blacktriangle T$, footnote 3/ will be renumbered as footnote 4/.

PAGE 41

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

$+I_{CC}$, footnote 1/ will be renumbered as footnote 2/.

V_{OH1}, footnote 1/ will be renumbered as footnote 2/.

$V_{O(STB)}$, footnote 2/ will be renumbered as footnote 3/.

$I_{O(STB)}$, footnote 2/ will be renumbered as footnote 3/.

$\blacktriangle V_{IO}/\blacktriangle T$, footnote 3/ will be renumbered as footnote 4/.

$\blacktriangle I_{IO}/\blacktriangle T$, footnote 3/ will be renumbered as footnote 4/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T13:17Z
Check the source to verify that this is the current version before use.

PAGE 42

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

$V_{O(STB)}$, footnote 2/ will be renumbered as footnote 3/.

$I_{O(STB)}$, footnote 2/ will be renumbered as footnote 3/.

$\Delta V_{IO}/\Delta T$, footnote 3/ will be renumbered as footnote 4/.

$\Delta I_{IO}/\Delta T$, footnote 3/ will be renumbered as footnote 4/.

PAGE 43

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

$+I_{CC}$, footnote 1/ will be renumbered as footnote 2/.

V_{OH1}, footnote 1/ will be renumbered as footnote 2/.

$V_{O(STB)}$, footnote 2/ will be renumbered as footnote 3/.

$I_{O(STB)}$, footnote 2/ will be renumbered as footnote 3/.

PAGE 44

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

$V_{O(STB)}$, footnote 2/ will be renumbered as footnote 3/.

$I_{O(STB)}$, footnote 2/ will be renumbered as footnote 3/.

PAGE 45

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

t_{STRL}, footnote 2/ will be renumbered as footnote 3/.

PAGE 46

t_{STRL}, footnote 2/ will be renumbered as footnote 3/.

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

TABLE III, add new footnote "1/" which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T13:17Z
Check the source to verify that this is the current version before use.

Footnote 1/ will be renumbered as footnote 2/.

Footnote 2/ will be renumbered as footnote 3/.

Footnote 3/ will be renumbered as footnote 4/.

PAGE 47

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

$\Delta V_{IO}/\Delta T$, footnote 1/ will be renumbered as footnote 2/.

$\Delta I_{IO}/\Delta T$, footnote 1/ will be renumbered as footnote 2/.

PAGE 48

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

$\Delta V_{IO}/\Delta T$, footnote 1/ will be renumbered as footnote 2/.

$\Delta I_{IO}/\Delta T$, footnote 1/ will be renumbered as footnote 2/.

PAGES 49 through 50

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

PAGE 51

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

$\Delta V_{IO}/\Delta T$, footnote 1/ will be renumbered as footnote 2/.

$\Delta I_{IO}/\Delta T$, footnote 1/ will be renumbered as footnote 2/.

PAGE 52

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

$\Delta V_{IO}/\Delta T$, footnote 1/ will be renumbered as footnote 2/.

$\Delta I_{IO}/\Delta T$, footnote 1/ will be renumbered as footnote 2/.

PAGE 53

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T13:17Z
Check the source to verify that this is the current version before use.

PAGE 54

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

TABLE III, add new footnote "1/" which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

Footnote 1/ will be renumbered as footnote 2/.

PAGES 55 through 56

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

PAGES 57 through 58

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

V_{OL1}, footnote 1/ will be renumbered as footnote 2/.

V_{OL2}, footnote 1/ will be renumbered as footnote 2/.

V_{OL3}, footnote 1/ will be renumbered as footnote 2/.

V_{OL4}, footnote 1/ will be renumbered as footnote 2/.

I_{OS}, footnote 2/ will be renumbered as footnote 3/.

PAGE 59

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

$\Delta V_{IO}/\Delta T$, footnote 3/ will be renumbered as footnote 4/.

$\Delta I_{IO}/\Delta T$, footnote 3/ will be renumbered as footnote 4/.

PAGE 60

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

PAGE 61

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T13:17Z
Check the source to verify that this is the current version before use.

V_{OL1}, footnote 1/ will be renumbered as footnote 2/.

V_{OL2}, footnote 1/ will be renumbered as footnote 2/.

V_{OL3}, footnote 1/ will be renumbered as footnote 2/.

V_{OL4}, footnote 1/ will be renumbered as footnote 2/.

I_{OS}, footnote 2/ will be renumbered as footnote 3/.

PAGE 62

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

V_{OL1}, footnote 1/ will be renumbered as footnote 2/.

V_{OL2}, footnote 1/ will be renumbered as footnote 2/.

V_{OL3}, footnote 1/ will be renumbered as footnote 2/.

V_{OL4}, footnote 1/ will be renumbered as footnote 2/.

I_{OS}, footnote 2/ will be renumbered as footnote 3/.

I_{CEX}, relays energized column, add "12".

PAGE 63

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

$\Delta V_{IO}/\Delta T$, footnote 3/ will be renumbered as footnote 4/.

$\Delta I_{IO}/\Delta T$, footnote 3/ will be renumbered as footnote 4/.

PAGE 64

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

PAGES 65 through 66

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T13:17Z
Check the source to verify that this is the current version before use.

PAGES 65 through 66

V_{OL1}, footnote 1/ will be renumbered as footnote 2/.

V_{OL2}, footnote 1/ will be renumbered as footnote 2/.

V_{OL3}, footnote 1/ will be renumbered as footnote 2/.

V_{OL4}, footnote 1/ will be renumbered as footnote 2/.

I_{OS}, footnote 2/ will be renumbered as footnote 3/.

~~PAGE 67~~

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

PAGE 68

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

TABLE III, add new footnote "1/" which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."

Footnote 1/ will be renumbered as footnote 2/.

Footnote 2/ will be renumbered as footnote 3/.

Footnote 3/ will be renumbered as footnote 4/.

PAGE 69 through 75

TABLE III, add new footnote "1/" after the title which will state the following;
"1/ For devices marked with the "Q" certification mark, the parameters listed herein may be guaranteed if not tested to the limits specified herein in accordance with the manufacturer's QM plan."
Also, add the following sentence at the bottom of the table; "See footnote at end of table."

CONCLUDING MATERIAL

Custodians:
Army - ER
Navy - EC
Air Force - 17

Review activities:
Army - AR, MI
Navy - MC
Air Force - 19, 85, 99
DLA - ES

Civil Agency Coordinating Activity:
NASA - NA

Preparing activity:
DLA - ES

Agent:
DLA - ES

(Project 5962-1409)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T13:17Z
Check the source to verify that this is the current version before use.