
FED SUP CLASS
5355

CRANK-KNOB ASSEMBLY



SIDE VIEW SECTION A-A TOP VIEW

PART NO. MS91522-3 FIIN

NOTES:
1. All dimensions in inches.
2. Unless otherwise specified, tolerances are ±1/64 on fractions, ±.005 on decimals, and ±1° on angles.
3. On knob body, break all corners and edges to .010 radius maximum.
4. Castings shall be free of flash, sharp edges, shrink marks, and porosity.
5. The color of the line shall be type I per Specification TT-P-54 underlaid with a high-reflecting white. A protective coat of clear lacquer shall then be applied to the phosphorescent area.
6. Plus taper .002 on both dimensions.
7. Referenced specifications shall be of the issue in effect on date of invitation for bids.

REQUIREMENTS
1. Torque test not applicable.
(A) 2. First article testing shall be required in lieu of qualification. First article inspection shall consist of performing all tests including qualification tests. The sample size and allowable defects shall be in accordance with the qualification sampling and acceptance criteria of MIL-K-3926

ITEM NO.	DESCRIPTION	MATERIAL	FINISH
1	Knob body	Aluminum alloy, composition 1, per Specification QQ-A-596	Semigloss olive drab, type I, per Specification 72-53
2	Lever assembly: Arm Knob	Brass casting, composition A, per Specification QQ-B-621 Monel, class A, cold-drawn rod, per Specification QQ-N-281	Same as item 1
3	Spring	Music wire	Cadmium coating and olive drab, type II, per Specification 72-53, heat-treat to remove hydrogen embrittlement
4	Spring retainer	Cold-rolled steel, type FS 1112, per Specification QQ-S-633	Same as item 3, except do not heat-treat
5	Pin (Rollpin, or equal), 3/32 dia by 3/4 lg	Rolled, stainless, spring-steel	

(A) DENOTES CHANGE

APPROVED 15 Sep 1954 REVISED (A) 20 September 1972

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. EC Other Cust Army - EL Air Force - 11	TITLE KNOB, CONTROL, CRANK, METAL	MILITARY STANDARD MS 91522
PROCUREMENT SPECIFICATION MIL-K-3926	SUPERSEDES	Page 1 OF 3

DD FORM 1 SEP 67 672-1 COORDINATED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE (Project 5355-0100)

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:42Z
Check the source to verify that this is the current version before use.

NOTICE When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto

CUSTODIANS: EL 11 | OTHER INT.


PROCUREMENT SPECIFICATION: MIL-K-3926

SUPERSEDES

MILITARY STANDARD

KNOB, CONTROL, CRANK, METAL

MS91522



(1) KNOB BODY


FED SUP CLASS. 5355

APPROVED 15 Sep 1954 **REVISED** (A) See page 1 for changes


Source: https://assist.dla.mil -- Downloaded: 20260-23T20:42Z
Check the source to verify that this is the current version before use.

NOTICE. When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.


FED SUP CLASS.
5355




② LEVER ASSEMBLY




LEVER ARM



LEVER KNOB



③ SPRING



④ SPRING RETAINER

REVISED ④ See page 1 for changes
APPROVED 15 Sep 1954

CUSTODIANS	OTHER INT:	MILITARY STANDARD	MS91522
EL 11		KNOB, CONTROL, CRANK, METAL	
PROCUREMENT SPECIFICATION MIL-K-3926	SUPERSEDES	page 3 OF 3	

Source: https://assist.dla.mil -- Downloaded: 20261O-23T20:42Z
Check the source to verify that this is the current version before use.