A-A-50693 A
January 31, 1992

COMMERCIAL ITEM DESCRIPTION

TRUCK, AIRCRAFT CARGO LOADING-UNLOADING, WIDE BODY

The General Service Administration has authorized the use of this commercial item description.

SCOPE The new commercial truck, aircraft cargo loading-unloading, wide body herein after called aircraft loader must be capable of loading and unloading cargo from the main deck cargo doors of B747, DC10, and KC10 aircraft, the lower-lobe cargo doors of the B747 and the front lower-lobe cargo door of the DC10 or any cargo door on the above listed aircraft that will accept 88" x 108" military 463L pallets. The intended use is for loading and unloading of cargo to and from the aircraft only, not for transportation of cargo.

2. SALIENT CHARACTERISTICS. Failure of the aircraft loader to meet the above and the following salient characteristics will require rejection of the offer. The loaders shall be free from faulty construction or any defect which affects appearance, serviceability, and durability. The loaders shall be representative of the quality and workmanship found in loaders offered for new commercial sale.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to WR-ALC/LZMD, Robins AFB, GA 31098-5609, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

A. Aircraft loaders shall have a capacity of at least 40,000 pounds.

B. Aircraft loaders are capable of lifting three 88" x 108" military 463L pallets from 20 inches to 216 inches. The pallets need not be lifted simultaneously, but the loader must accommodate the three pallets at the 216 inch elevation.

C. Aircraft loaders are self propelled, diesel engine powered capable of a ground speed of 4 mph (minimum) in forward and reverse with inching control for final positioning near the aircraft. Engine shall be of common industrial design.

DISTRIBUTION STATEMENT A: Approved for public release; distribution unlimited

FSC 3930

D. Aircraft loaders shall be single operator capable in aircraft loading operations.

E. Aircraft loaders shall have cargo platform pallet transfer using electrical or hydraulic powered rollers, wheels, or retractable belts. Device shall move cargo forward and reverse at 60 feet per minute.

F. Aircraft loaders shall have the following capabilities:
    a. Rear of main platform capable of accepting over the crest wheeled axle loads of 15,000 pounds minimum
    b. Pallet side load capability from either side to be located on the rear portion of the platform.
    c. Lift speed shall be offeror's standard.

G. Aircraft loaders shall feature power steering and dynamic braking or pneumatic braking.

H. Aircraft loaders must have aircraft interface feature to prevent separation of vehicle and aircraft during on/off loading driven vehicles. Any required adapters or interface devices for use in the lower lobe or main deck door shall be included at delivery of the loader.

I. Ladder to allow access to operator's station during operation. Station to be located at aircraft end of loader.

J. Mechanical, hydraulic, or electrically operated pallet stops on both ends of cargo platform to prevent accidental offloading of pallets.

K. Fuel tank capacity sufficient to support eight hours of continuous normal operation.

L. Emergency lowering system and roll away feature if engine power is lost.

M. All controls and switches shall be weatherproof and suitable for continuous outdoor use.

N. If the loader lift system uses hydraulic cylinders, integral check valves on all lift cylinders to protect against pressure loss related platform drops.

O. Loaders offered under this specification shall comply with applicable safety requirements imposed on vehicles of this type in the commercial market.

P. The Aircraft Loaders offered must be, as of the date of award, the latest model (with minor modifications, as that term is defined in DoD FAR Supplement 252.211-7012, Paragraph K-85 of the solicitation) of an established product previously produced and sold in substantial commercial quantities (exceeding the criteria at FAR 15.804-3(f)(2)(ii)(A) for at least three years. The vehicle furnished, or earlier models of it, absent minor modifications, shall have routinely been supported with spare/repair parts which were produced or sold in the normal course of business. At the time of delivery, the contractor shall furnish the Administrative Contracting Officer with verification of compliance with these requirements.

RECLAIMED MATERIAL. The contractor shall utilize reclaimed materials to the maximum extent practical. Used, rebuilt or remanufactured components shall not be incorporated in the aircraft loader.

CONTRACTOR CERTIFICATION. The contractor shall certify that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications standards, and quality assurance practices and is the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract. NOTE TO OFFERORS: Offerors shall provide, as part of their proposals, the following information on the vehicle (or its earlier models) being offered as a commercial item:

(1) Total sales to the U.S. Government or to contractors for U.S. Government use during the three years immediately preceding the issuance date of the solicitation.
(2) Total sales of the item to the general public during the three years immediately preceding the issuance date of the solicitation.
(3) Length of time the item has been sold in the commercial marketplace.
(4) Points of contact and phone numbers of customers to which the item has been sold in the commercial marketplace.
(5) Other pertinent information necessary to determine that the item is an established commercial item.

PACKAGING, PACKING, AND MARKING. Unless otherwise provided in the contract, the loader shall be packaged in accordance with the contractor's commercial practice and packed to assure acceptance by common carrier and provide product protection against loss and damage while in transit. The following shall be required of the contractor at the time of delivery:

a. Unless otherwise specified, loaders to be painted Dark Green (FED-STD-595 COLOR 24052)
b. Unless otherwise provided in the contract, contractor shall assemble, and fully demonstrate the operation of one loader at the location specified.
c. Commercial manuals to include parts manual, and operation and maintenance manuals shall be supplied with each loader.

CUSTODIAN:
AIR FORCE - 99

PREPARING ACTIVITY:
AIR FORCE - 84

Project number: 3930-F026

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER A=A=50693A	2. DOCUMENT DATE (YYMMDD) 31 January 1992

3. DOCUMENT TITLE
Truck, Aircraft Cargo Loading=Unloading, Wide Body

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME *(Last, First, Middle Initial)*	b. ORGANIZATION	
c. ADDRESS *(Include Zip Code)*	d. TELEPHONE *(Include Area Code)* (1) Commercial (2) AUTOVON *(If applicable)*	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME David Owen	b. TELEPHONE *(Include Area Code)* (1) Commercial (912) 926=2074 (2) AUTOVON 468=2074
c. ADDRESS *(Include Zip Code)* WR=ALC/LZMD Robins AFB GA, 31098-5609	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (202) 756-2340 AUTOVON 289-2340

Source: https://assist.dla.mil -- Downloaded: [illegible]
Check the source to verify that this is the current version before use.

DD Form 1426, OCT 89 Previous editions are obsolete.

198/290