INCH-POUND

MIL-F-16377/13A(SH)
AMENDMENT 2
27 June 1990
SUPERSEDING
AMENDMENT 1
30 January 1986

MILITARY SPECIFICATION

FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 180 WATTS, 120 VOLTS, 60 HERTZ, DRIPPROOF, SYMBOLS 74, 74.1, 75 AND 75.1

This amendment forms a part of MIL-F-16377/13A(SH), dated 18 March 1982, and is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 7

* FIGURE 10: Delete and substitute:




FIGURE 10. Candlepower distribution curves for Symbols 74 and 74.1.

AMSC N/A FSC 6210
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:41Z
Check the source to verify that this is the current version before use.

PAGE 7

* FIGURE 10 (continued)

ANGLE	SYMBOLS 74, 74.1	ANGLE	SYMBOLS 74, 74.1
0	3650	65	900
5	3600	70	550
10	3500	75	250
15	3350	80	0
20	3175	85	0
25	3025	90	0
30	2800	95	0
35	2575	100	0
40	2375	105	0
45	2125	110	0
50	1850	115	0
55	1575	120	0
60	1250	125	0

Photometric test data:

Distance: 15 ft.
Plane: At right angles to long axis of fixture through geometric center of lamp.
Voltage: 115 volts, 60 Hz.
Ambient temperature: 75 F.
Lamps: Use lamps furnished with fixtures seasoned for at least 100 hours.
Ballast: Use ballast furnished with fixture.
Lamp correction: Distribution curves based on 4300 lumens per lamp.

PAGE 11

* TABLE IV: Delete and substitute:

TABLE IV. Part numbers.

Military part number M16377/13-	Item number
74	Complete fixture, Symbol 74
74.1	Complete fixture, Symbol 74.1
75	Complete fixture, Symbol 75
75.1	Complete fixture, Symbol 75.1
001	Window, clear prismatic
002	Window, red prismatic
003	Window, amber prismatic

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:41Z
Check the source to verify that this is the current version before use.

NOTE: The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and Government assumes no liability whattsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Preparing activity:
NAVY-SH
(Project 6210-N653)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:41Z
Check the source to verify that this is the current version before use.