INCH-POUND

MIL-F-16377/14A(SH)
AMENDMENT 1
2 August 1996

MILITARY SPECIFICATION SHEET

FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING 8 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT SYMBOLS 79.1, 79.2, 80.1 AND 80.2

This amendment forms a part of MIL-F-16377/14A(SH), dated 18 March 1982, and is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The attached insertable replacement pages listed below are replacements for stipulated pages. When the new pages have been entered in the document, insert the amendment as the cover sheet to the specification.

Page 6a/6b.

PAGE 7

DESIGN: Cable: Delete “10 feet of type SJO or SJT, AWG size 16, two conductor (white and black) in accordance with J-C-580.” and substitute “10 feet of type LSDHOF-3 in accordance with MIL-C-24643/3.”

PAGE 8

Table I: Lampholder: Delete "MIL-L-970/10" and substitute "UL-542". Add to "Remarks" column "SUPP. SA, FIG. SA2.1".

Table I: Startersocket: Delete "MIL-L-970/13" and substitute "UL-542". Add to "Remarks" column "SUPP. SA, FIG. SA2.4".

Preparing activity:
Navy - SH
(Project 6210-N661-08)

AMSC N/A FSC 6210

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:42Z
Check the source to verify that this is the current version before use.



FIGURE 9. Wiring diagram.

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:42Z
Check the source to verify that this is the current version before use.

THIS PAGE INTENTIONALLY LEFT BLANK

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:42Z
Check the source to verify that this is the current version before use.