INCH-POUND

MIL-F-16377/6A(SH)
AMENDMENT 2
2 August 1996

MILITARY SPECIFICATION SHEET

FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, DIRECTIONAL 16 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 149.4 AND 149.5

This amendment forms a part of MIL-F-16377/6A(SH), dated 29 July 1981, and is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

* The attached insertable pages are new pages. When the new pages have been entered in the document, insert the amendment as the cover sheet to the specification.

Page 4a/4b.

PAGE 3

Under "NOTES", delete 7 and 8, and substitute:

7. For replacement parts only, one type VI modified label shall be applied on the inside surface of curved area of window. Type VI label shall be in accordance with 3.7.4.3 of MIL-F-16377 except add "THIS SIDE FACES AREA TO BE LIGHTED".

PAGE 5

Under "DESIGN:" "Cable:" delete "10 feet, type SJ0 or SJT constructionin accordance with J-C-580 except AWG size 16, three conductors (white, black and red)." and substitute "10 feet, LSTHOF-3 in accordance with MIL-C-24643/3."

Under "DESIGN:" "Designation and marking:", delete (d) and substitute:

"(d) One type IV applied as shown on figure 2, bearing the legend "THIS SIDE FACES AREA TO BE LIGHTED".

AMSC N/A FSC 6210

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:40Z
Check the source to verify that this is the current version before use.

PAGE 6

* Table I: Lampholder: Delete "MIL-L-970/10" and substitute "UL-542". Add to "Remarks" column "SUPP. SA, FIG. SA2.1".

* Table I: Startersocket: Delete "MIL-L-970/13" and substitute "UL-542". Add to "Remarks" column "SUPP. SA, FIG. SA2.4".

The margins of this amendment are marked with an asterisk to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the require- ments of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Preparing activity:
Navy - SH
(Project 6210-N661-03)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:40Z
Check the source to verify that this is the current version before use.



FIGURE 6. Wiring diagram.

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:40Z
Check the source to verify that this is the current version before use.

THIS PAGE INTENTIONALLY LEFT BLANK

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:40Z
Check the source to verify that this is the current version before use.