(INCH-POUND)
A-A-58008A
May 21, 1996
SUPERSEDING
A-A-58008
31 August 1992

COMMERCIAL ITEM DESCRIPTION

TEST SET, TELECOMMUNICATION SYSTEM

The General Services Administration has authorized the use of this Commercial Item Description for all federal agencies.

1. SCOPE

1.1 Scope. This Commercial Item Description (CID) describes a Test Set, Telecommunications System (TTS). This CID is meant as a minimum requirement for the TTS in which only those manufacturers which meet or exceed the following requirements are qualified per this CID. This is a tone generator which is used to supply a signal to telephone wires for line testing and fault location.

2. SALIENT CHARACTERISTICS

2.1 Salient characteristics.

a. The TTS shall provide a 577.5 Hz tone which shall be compatible for use with a Western Electric 1097A noise filter and for simplexing.

b. The tone amplitude shall be of multiple levels; i.e., a lower tone for identifying wires and higher tone for locating faults.

c. The TTS shall provide a DC voltmeter with a range of 0 to 150 VDC and accuracy of +/- 2% full scale.

d. The TTS shall provide talk pair terminals and power for handset talking.

e. The TTS shall be portable and battery powered.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: The Resources and Logistics Services Division, SA-ALC/TILDD, Bldg. 171, Post C-12, 485 Quentin Roosevelt Rd., Kelly AFB, TX 78241-6524.

FSC 6625

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:58Z
Check the source to verify that this is the current version before use.

f. The TTS shall have readily accessible calibration and maintenance adjustments and MTBF shall be 2000 hours.

g. The TTS shall have a ruggedized case which is watertight when submerged to 3 ft.

2.2 Electromagnetic Interference (EMI). The TTS shall meet the EMI requirements of either:

a. MIL-STD-461 (Requirements for the Control of Electromagnetic Interference Emissions and Susceptibility), RE101 radiated emissions magnetic field 30 Hz to 50 KHz and RE102 radiated emissions electric field 10 KHz to 18 GHz.

b. DO-160 Environmental Conditions and Test Conditions for Airborne Equipment.

2.3 Function. The TTS shall perform the following tasks:

a. fault location
b. wire identification
c. balance tests

2.4 Accessories. The following accessories shall be provided with each test set:

a. talk pair test cord
b. 2-wire test cord
c. ground cord

3. REGULATORY REQUIREMENTS

3.1 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this CID, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

5. PACKAGING

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:58Z
Check the source to verify that this is the current version before use.

5.1 Packaging. Preservation, packing, and marking shall be as specified in the contract or order.

6. NOTES

6.1 Known acceptable products. The following products are known to have previously met the requirements of this CID and need not resubmit bid samples or certification. All other manufacturers must meet the requirements of this CID and submit to bid testing and certification as required.

P/N	MANUFACTURER	NSN
146A	AT&T	6625-01-095-8114

6.1.1 The following manufacturers have products which are potentially acceptable; however, they must meet the requirements of this CID and submit to bid sample testing and certification.

P/N	MANUFACTURER
8000	Western Progress
Throwmasters 102	Industrial Innovations
PL 300	Parkway Systems Engineering

6.2 Source of documents.

6.2.1 MIL-STD-461 may be obtained from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia PA 19111-5094.

6.2.2 DO-160 may be obtained from Radio Technical Commission for Aeronautics Secretariat, One McPherson Square, Suite 500, 1425 K Street NW, Washington DC 20005.

Custodian:

Air Force - 99

Preparing Activity:

Air Force - 82

Reviewing Activities:

DLA - ES
GSA - FSS

Project 6625-0817

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:58Z
Check the source to verify that this is the current version before use.