
MIL-F-26301/1B(USAF)
23 December 1974
SUPERSEDING
MIL-F-26301/1A(USAF)
3 December 1973

MILITARY SPECIFICATION SHEET

FLASHER, AIRCRAFT NAVIGATIONAL LIGHT, 115 VOLTS AC, 400 HERTZ


This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the aircraft flasher described herein shall consist of this document and the latest issue of Specification MIL-F-26301.



INCHES	MM
.003	.08
.093	2.36
.125	3.18
.196	4.98
1.125	28.58
1.250	31.75
1.375	34.93
1.500	38.10
2.500	63.50
3.000	76.20
3.500	88.90
4.250	107.95

FIGURE 1. FLASHER OUTLINE DRAWING



CIRCUIT DIAGRAM

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ± .010 (.25 mm).
4. Length and width of the heat sink are optional; however, the heat sink shall not exceed the mounting plate dimensions or interfere with the mounting holes.

(B) denotes change

FSC 5945

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T09:26Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure.

Input voltage: 115 Vac, 400 Hz.

Output rating: 4 amperes.

Temperature range:
Operating: -54 C to +105 C.
(B) Nonoperating: -54 C to +125° C.

Flash rate: 80 ±5 flashes per minute

Life: 1,000 hours.

Weight: 1.5 pounds max.

Part number: M26301/1 -01.

Supersession data: Supersedes Air Force Drawing 7136255.

Custodian:
Air Force - 85

Review activities:
Air Force - 11, 80
DSA - ES

Preparing activity:
Air Force - 85

(Project 5945-F440)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T09:26Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-F-26301/1B (USAF) Flasher, Aircraft Navigational Light, 115 Volts

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER 5945

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

C 16061

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T09:26Z
Check the source to verify that this is the current version before use.

FOLD

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEPARTMENT OF THE AIR FORCE
DoD-318

AFLC/MMGE/Standardisation
Wright-Patterson AFB OH 45433

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T09:26Z
Check the source to verify that this is the current version before use.