MIL-H-26312A (USAF)
20 December 1962

Superseding
MIL-H-26312 (USAF)
3 April 1959

MILITARY SPECIFICATION

HEADSET-MICROPHONE H-157/AIC

1. SCOPE

1.1 This specification covers one type of headset-microphone, designated Headset-Microphone H-157/AIC, which is one item of Intercommunication Set AN/AIC-10( ).

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids, form a part of this specification to the extent specified herein.

SPECIFICATIONS

Military

MIL-T-9107	Test Reports, Preparation of
MIL-P-17555	Preparation for Delivery of Electronic Equipment; Miscellaneous Equipment (Except Rotating Electrical Equipment) and Associated Repair Parts
MIL-H-26541	Headset, Electrical H-158/AIC
MIL-M-26542	Microphone, Dynamic M-87/AIC

STANDARDS

Military

MIL-STD-130	Identification Marking of U. S. Military Property

DRAWINGS

Air Force

58C12681	Headset-Microphone H-157/AIC, Assembly of

(Copies of documents required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 5965

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T09:26Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS.

3.1 Preproduction. - This specification makes provision for preproduction testing.

3.2 Standard Model. - When stated in the contract or purchase order, a model equipment, Headset-Microphone H-157/AIC, will be made available to the contractor on loan to be used as a general guide except in instances where specific improvements are detailed herein or where requirements dictate changes. The model equipment shall not be subjected to any destructive tests nor shall any part or component, with the exception of subassemblies retained by machine screws, or the like, be removed or disassembled.

3.3 Component Parts. - The headset-microphone shall consist of the following parts assembled in accordance with Drawing No. 58C12681:

1 each Headset, Electrical H-158/AIC in accordance with MIL-H-26541.
1 each Microphone, Dynamic M-87/AIC in accordance with MIL-M-26542.

3.3.1 Headset, Electrical H-158/AIC. - The design, construction, and performance requirements of Headset, Electrical H-158/AIC shall be in accordance with MIL-H-26541.

3.3.2 Microphone, Dynamic M-87/AIC. - The design, construction, and performance requirements of Microphone, Dynamic M-87/AIC shall be in accordance with MIL-M-26542.

3.4 Instruction Sheet. - An instruction sheet for maintenance and use of Headset-Microphone H-157/AIC shall be furnished with each headset-microphone when it is packaged for delivery. The instruction sheet shall be approved by the Government activity responsible for preproduction testing prior to quantity printing.

3.5 Talk-Out. - The headset-microphone shall function satisfactorily when subjected to the talk-out test specified herein.

3.6 Weight. - The weight of the headset-microphone shall not exceed 15.25 ounces.

3.7 Identification of Product. - The headset-microphone assemblies and parts shall be marked for identification in accordance with MIL-STD-130. The marking may be applied by either a metal wrap-around tag or a suitable plastic sleeve. The marking shall include the following information:

Headset-Microphone H-157/AIC
Order Number_____*_____(Government order number)
Manufacturer's Name*
*Data to be inserted by contractor

Source: https://assist.dla.mil -- Downloaded: 20260410-20T09:26Z
Check the source to verify that this is the current version before use.

3.8 Government-Loaned Property. - When provided for in the contract or purchase order, and if available, the following items will be loaned by the Government to the contractor upon his request for use in testing the headset-microphone:

Item No.	Item Description	Quantity
1	Headset-Microphone H-157/AIC (for use as a guide in designing the headset-microphone)	1
2	Telephone Jack U-92A/U	3

4. QUALITY ASSURANCE PROVISIONS.

4.1 Supplier Responsibility. - The supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own or any other inspection facilities and services acceptable to the Government. Inspection records of the examination and tests shall be kept complete and available to the Government as specified in the contract or order. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Classification of Tests. - The inspection and testing of the headset-microphone shall be classified as follows:

a. Preproduction tests. . . . . .See 4.4
b. Acceptance tests . . . . . .See 4.5

4.3 Test Conditions. - Unless otherwise specified, the headset-microphone shall be tested under the following conditions:

a. Temperature — Room ambient plus 15°C to plus 35°C
b. Pressure — Normal atmospheric
c. Humidity — Room ambient up to 90 percent

4.4 Preproduction Testing

4.4.1 Preproduction Test. - Preproduction tests on Headset-Microphone H-157/AIC are unnecessary inasmuch as preproduction tests for Headset, Electrical H-158/AIC as specified in MIL-H-26541 and preproduction tests for Microphone M-87/AIC as specified in MIL-M-26542 shall be conducted on these individual components.

4.5 Acceptance Tests. - Acceptance tests shall consist of:

a. Individual tests
b. Sampling tests

Source: https://assist.dla.mil -- Downloaded: 20260-20T09:26Z
Check the source to verify that this is the current version before use.

4.5.1 Individual Tests. - Each Headset-Microphone H-157/AIC shall be subjected to the following individual tests:

a. Component Parts Tests
b. Mechanical Inspection
c. Talk-Out Test

4.5.1.1 Component Parts Tests. - Each Headset, Electrical H-158/AIC shall be subjected to the individual tests specified in MIL-H-26541 and each Microphone, Dynamic M-87/AIC shall be subjected to the individual tests specified in MIL-M-26542.

4.5.1.2 Mechanical Inspection. - The headset-microphone shall be given a thorough mechanical inspection to determine conformance to the requirements of this specification and subsidiary specifications with respect to material mechanical detail and workmanship.

4.5.1.3 Talk-Out Test. - The telephone plug connector on the Headset-Microphone H-157/AIC shall be inserted in a Telephone Jack U-92A/U which has the earphone contacts connected to the output of an amplifier of suitable gain with the microphone contacts connected to the input of the same amplifier. During this test, the talker shall listen to his own voice to insure that the headset-microphone is functioning satisfactorily.

4.5.2 Sampling Tests. - Sampling tests shall be conducted on one percent of the Headset-Microphone H-157/AIC on order. The sampling tests shall consist of the sampling tests specified in MIL-H-26541 and MIL-M-26542 for Headset, Electrical H-158/AIC and Microphone, Dynamic M-87/AIC respectively.

4.5.2.1 Rejection and Retest. - When an item selected from a production run fails to meet the specification, no items still on hand or later produced shall be accepted until the extent and cause of failure have been determined and appropriately corrected. The contractor shall explain to the Government representative the cause of failure and the action taken to preclude recurrence. After correction, all the tests shall be repeated.

4.5.2.2 Individual tests May Continue. - For production reasons, individual tests or other sampling plans may be continued pending the investigation of a sampling test failure. But final acceptance of the items on hand or items produced later shall not be made until it is determined that all the items meet all the requirements of the specification.

4.5.3 Defects in Items Already Accepted. - The investigation of a test failure could indicate that defects may exist in items already accepted. If so, the contractor shall fully advise the procuring activity of all the defects likely to be found and the method of correcting them.

Source: https://assist.dla.mil -- Downloaded: 20260410-20T09:26Z
Check the source to verify that this is the current version before use.

4.6 Inspection of the Preservation, Packaging, Packing and Marking For Shipment and Storage.- Sample items or packs and the inspection of the preservation, packaging, packing and marking for shipment and storage shall be in accordance with the requirements of section 5, or the documents specified therein.

5. PREPARATION FOR DELIVERY

5.1 General.- The preservation and packaging, and packing and marking for shipment shall be in accordance with MIL-P-17555.

5.2 Marking.- The shipment marking nomenclature shall be Headset-Microphone H-157/AIC.

6. NOTES

6.1 Intended Use.- Headset-Microphone H-157/AIC is intended to be used as part of Intercommunication Set AN/AIC-10( ) at low altitudes to provide high intelligibility communication under the extreme noise conditions encountered in military aircraft and to provide maximum comfort and produce minimum fatigue compatible with optimum intelligibility.

6.2 Ordering Data.- Procurement documents should specify the following:

a. Title, number, and date of this specification.

b. List of interchangeable components and assemblies.

c. Selection of applicable levels of preservation and packaging, and packing.

6.3 Engineering Data.- Headset-Microphone H-157/AIC supersedes and is electrically interchangeable with Headset-Microphone H-78( )/AIC. Mechanically, no part of the H-157/AIC is interchangeable with that of the H-78( )/AIC except for Earphone H-143/AIC.

Source: https://assist.dla.mil -- Downloaded: 202610-20T09:26Z
Check the source to verify that this is the currentversion before use.

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

RONE
HEN/RJP/mw

ROAMA

GPO 826493

Source: https://assist.dla.mil -- Downloaded: 202610-20T09:26Z
Check the source to verify that this is the current version before use.