MILITARY SPECIFICATION SHEET

LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 8-INCH DIAMETER CONE)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the loudspeakers described herein shall consist of this specification and the latest issue of MIL-L-10911.





FIGURE 1A. Loudspeaker (pin cushion).

FSC 5965

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:34Z
Check the source to verify that this is the current version before use.



INCHES	MM
.003	.08
.200	5.08
.375	9.53
1.750	44.45
1.850	46.99
2.162	54.91
5.00	127.0
7.625	193.68
7.66	194.56
7.69	195.33
8.25	209.55
8.44	214.38

FIGURE 1B. Loudspeaker (round)

FIG	Part No M 10911/3	Dimensions									Maximum weight
		Y	B 1/	C(max)	Z	D(max)	E(min)	F	G(max)	K	
1 A	-02 & -03	8.44	7.625		7.69	5.00	.200			.375 ±.003	3 1/2 lb
1 B	-01 & -04	8.25		2.162	7.66	5.00	.200	1.850	1.750		1 1/2 lb

1/ Dimension B = Mounting diameter.

NOTES
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1 inch = 25.4 mm.
3. Unless otherwise specified, tolerances are ±.005 (.13 mm) for three place decimals, ±.02 (.51 mm) for two place decimals, and ±0° 30' on angles.
4. Radial mounting slots may be substituted for the circular holes indicated provided that the centerlines of the slots coincide with the centerlines of the holes and the slots include the circular holes specified.

FIGURE 1 Loudspeakers

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:34Z
Check the source to verify that this is the current version before use.




FIGURE 2. Frequency response M 10911/3-02.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:34Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Design and construction

Dimensions and configuration.

Dash number 01 and 04 See figure 1B.

Dash number 02 and 03. See figure 1A.

Testing enclosure for measuring frequency response, harmonic distortion, vibration, and shock (common to all part numbers). 14 x 14 x 7-inch test cabinet.

Power capacity·

Dash number 01 and 04. 8 watts, rms.

Dash number 02 and 03· 5 watts, rms.

Peak power capacity

Dash number 01 and 04· 11.3 watts.

Dash number 02 and 03 10 watts, rms.

Voice coil impedance·

Dash number 01 and 02. 4-8 ohms.

Dash number 03 45 ohms (8 ohms nominal).

Dash number 04 45 ohms nominal.

Voice coil size (dash number 01): .750 inch.

Frequency response range (common to all part numbers) 150 to 7,000 Hz.

Frequency response:

Dash number 01. 90 dB minimum at 1 kHz.

Dash number 02·

105 dB minimum within 150 to 1,000 Hz.
107 dB minimum within 1,000 to 7,000 Hz.

Dash number 03 and 04 95 dB minimum at 1 kHz.

Magnet type (dash number 01) Alnico V, or equal.

Magnet weight (dash number 01): 3.2 ounces.

Solderability (dash number 01). Applicable.

Shock (specified pulse) (dash number 01). Applicable.

Marking

Part number See figure 1.

Date code (dash number 01)· Applicable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:34Z
Check the source to verify that this is the current version before use.

Interchangeability: Part number M10911/3-02 is completely interchangeable with the LS-180/U.

Revision letters are not used to denote changes due to the extensiveness of the changes.

NOTE: Impedance variations may be accomplished by either the use of voice coils wound to meet the specified impedance, or the installation of impedance matching transformers providing other performance characteristics are not adversely affected.

Custodians.
Army - CR
Navy - EC
Air Force - 85

Review activities:
Army - ER
Navy - OS, SH
Air Force - 13, 11
DLA - ES

User activities.
Army - AT, AV, ME, MI, AR
Navy - AS, MC
Air Force - 17

Preparing activity
Army - CR

(Project 5965-0176-4)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:34Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS This form is provided to solicit beneficial comments which may improve this document and enhance its use DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed

NOTE This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements

DOCUMENT IDENTIFIER (Number) AND TITLE

MIL-L-10911/3B LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 8-INCH DIAMETER CONE)

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1 ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDED WORDING CHANGE

C REASON FOR RECOMMENDED CHANGE(S)

2 REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*	TELEPHONE NO
	DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:34Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO 12062 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

HQ, CECOM
ATTN: DRSEL-ED-TO
FT MONMOUTH, N.J. 07703

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T14:34Z
Check the source to verify that this is the current version before use.