
MILITARY SPECIFICATION SHEET

CONNECTOR, PLUG, MOLDED, THREE-, FOUR-, AND FIVE- CONDUCTOR

This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the molded plug described herein shall consist of this document and the latest issue of MIL-C-24231 (SHIPS).




C Denotes changes


FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:11Z
Check the source to verify that this is the current version before use.

SEALING PLUG



PLUG, SLEEVE M24231/1-010




ALL DIMENSIONS ARE IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES ARE ±1/64 INCH FOR FRACTIONS AND ± 0.005 INCH FOR DECIMALS. ANGULAR TOLERANCE IS ±1/2 DEGREE.

★ DIMENSION MAY BE INCREASED TO ACCEPT LARGER DIAMETER CABLES


SH9668-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:11Z
Check the source to verify that this is the current version before use.

COUPLING M24231/1-011



CAP, PLUG M24231/1-012



ALL DIMENSIONS ARE IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES ARE ± 1/64 INCH FOR FRACTIONS AND ± 0.005 INCH FOR DECIMALS. ANGULAR TOLERANCE IS ± 1/2 DEGREE.

SEALING PLUG ASSEMBLY
M24231/1-020

SH9668-2

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:11Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Dimensions and configuration: See figures.
2. The 3-conductor plug assembly requires three contact sockets and three lengths of sleeving.
3. The 4-conductor plug assembly requires four contact sockets and four lengths of sleeving.
4. (C) The five conductor plug assembly requires five contact sockets and five lengths of sleeving.
5. The material for the sealing plug shall be monel, class A of QQ-N-281.
6. (C) The following cable types for molded plugs installed on listed systems require that the shield be cut back with the cable sheathing rather than soldering the shield to a pin.

SYSTEM	CABLE TYPE (MIL-C-915/8)	HYD/TRANS
AN/BQA-8 SERIES	FSS-2	DT-287, DT-288, DT-333 DT-344, DT-506, DT-531 DT-513
AN/BQC-1 SERIES	DSS-3	AT-385, TR-122A, TR-122B
AN/BQR-2 SERIES	DSS-3	DT-168, DT-168A, DT-168B DT-532
AN/BQR-7 SERIES	DSS-3	DT-211, DT-211A, DT-276
AN/UQC-1 SERIES	DSS-3	AT-186A, AT-186B, AT-186C TR-193, TR-193A, TR-193B TR-230
AN/UQN-SERIES	DSS-3/4	AT-200, AT-200A, AT-200B AT-200D, AT-200C, TR-192 AT-200E, TR-192A, AT-200F
AN/UQN-1 & 4 SERIES	DSS-3/4	AT-200G, TR-192B, TR-256
AN/WQC-2/2A	DSS-3	TR-232, TR-233

Preparing activity:
Navy - SH
(Project 5935-N842-1)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:11Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SHIP ENGINEERING CENTER
CENTER BUILDING - SEC 6124
PRINCE GEORGES CENTER
HYATTSVILLE, MARYLAND 20782

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:11Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 1426 MAR — PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil - Downloaded: 2026-10-19T20:11Z
Check the source to verify that this is the current version before use.