
(D)

MILITARY SPECIFICATION SHEET

CONNECTOR, SINGLE CABLE, FOR DSS-3 CABLE

(D) This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the single cable connector described herein shall consist of this document and the latest issue of MIL-C-24231(SHIPS).



ASSEMBLY, SINGLE CABLE CONNECTOR
M24231/6-001 SYM. NO. 517.4

(D)

ALL DIMENSIONS ARE IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES ARE ± 1/64 INCH FOR FRACTIONS AND ± 0.005 INCH FOR DECIMALS. ANGULAR TOLERANCE IS ± 1/2 DEGREE.

1/ BRINELL HARDNESS READING TO BE TAKEN AT THESE POINTS.


2/ BRINELL HARDNESS READING TO BE TAKEN AT THIS FACE AT 120-DEGREE INTERVALS.

SH6673

(D) Denotes changes

FSC 5935


Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:12Z
Check the source to verify that this is the current version before use.



ASSEMBLY, SINGLE CABLE CONNECTOR BODY
M24231/6-010

SH*3873-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:12Z
Check the source to verify that this is the current version before use.




ASSEMBLY, SINGLE CABLE CONNECTOR BODY
M24231/6-010


SH9673-2

ALL DIMENSIONS ARE IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES ARE ± 1/64 INCH FOR FRACTIONS AND ± 0.005 INCH FOR DECIMALS. ANGULAR TOLERANCE IS ± 1/2 DEGREE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:12Z
Check the source to verify that this is the current version before use.




ASSEMBLY, INSERT, MOLDED
M24231/6-020




PACKING, M24231/6-012


SHS673-3



PLATE, IDENTIFICATION M24231/6-031



NUT, GLAND
M24231/6-011



RING, GLAND
M24231/6-013

ALL DIMENSIONS ARE IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES ARE ± 1/64 INCH FOR FRACTIONS AND ± 0.005 INCH FOR DECIMALS. ANGULAR TOLERANCE IS ± 1/2 DEGREE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:12Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:12Z
Check the source to verify that this is the current version before use.

FOLD

COMMANDER
NAVAL SHIP ENGINEERING CENTER
CENTER BUILDING - SEC 6124
PRINCE GEORGES CENTER
HYATTSVILLE, MARYLAND 20782

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEPARTMENT OF NAVY

DOD 316

COMMANDER
NAVAL SHIP ENGINEERING CENTER
CENTER BUILDING - SEC 6124
PRINCE GEORGES CENTER
HYATTSVILLE, MARYLAND 20782

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:12Z
Check the source to verify that this is the current version before use.