[METRIC]
A-A-1245B
March 4, 1993
SUPERSEDING
A-A-1245A
March 19, 1985

COMMERCIAL ITEM DESCRIPTION

PAPER, WRAPPING, FREEZER (PLASTIC-COATED)

The General Services Administration, Office Supplies and Paper Products Commodity Center, New York, NY 10278, has authorized the use of this Commercial Item Description in preference to Federal Specification UU-P-272.

This description covers polyethylene coated wrapping paper which is used for wrapping food.

1. **SALIENT CHARACTERISTICS:**

A. The paper shall be made from bleached chemical wood fiber treated for wet strength and coated with low density polyethylene coating. The physical characteristics shall conform to requirements found in Table 1 when tested in accordance with paragraph 4.C.(3).

Table 1

Characteristics	Requirements
Basic Paper Basis weight - 500 (60.96 x 91.44 cm)(24 x 36 in)	17.69 kg (39.0 lbs) -5%, +10%
Bursting strength	20 points, average minimum
Tearing resistance, MD	48 g (1.69 oz), average minimum
Tensile strength, MD	3.04 kg/cm (17 lb/in), avg min
Tensile strength, CD	1.79 kg/cm (10 lb/in), avg min
Polyethylene coating* Basis weight - 500 60.96 x 91.44 cm (24 x 36 in)	1.63 kg (3.6 lbs), minimum

Distribution Statement A:
Approved for public release; distribution is unlimited.

F S C 8135

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

* The polyethylene coating shall be determined by measuring the basis weight of both a coated and uncoated specimen; then, subtract the basis weight of the uncoated paper from the basis weight of the coated paper. The weight difference expresses the weight of the coating in kilograms per ream.

3. All material used in the manufacture of freezer wrapping paper shall conform to the Federal Food, Drug and Cosmetic Act; Title 21, Code of Federal Regulations; and the regulations promulgated thereunder.

C. **Dimensions**: The coated paper shall be furnished in the width and length specified with a tolerance of ±1.59 millimeters (±1/16 inch) for the width and - 1 percent, + 5 percent for the length.

D. The paper shall be smoothly and uniformly wound on a paper core, and the finished roll shall be fitted with a roll plug at each end.

E. **Workmanship**: The polyethylene-coated wrapping paper shall be clean, free from objectionable odor and all imperfections which may impair its serviceability or appearance.

2. **APPLICABLE DOCUMENTS AND DOCUMENT SOURCES**: The following documents form a part of this Commercial Item Description to the extent specified herein. Unless otherwise indicated, the issue in effect on the date of invitation for bids or request for proposal shall apply:

Federal Standard:

Fed. Std. No. 123, Marking for Domestic Shipment (Civil Agencies)

Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, Handbooks, and Commercial Item Descriptions (CIDs), as outlined under General Information in the Index of Federal Specifications, Standards and Commercial Item Descriptions. The Index, which includes cumulative bimonthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

Single copies of this Commercial Item Description, or other Commercial Item Descriptions required by activities outside the Federal Government for bidding purposes are available without charge from General Services Administration Business Servi[illegible]

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

Centers in Boston; New York; Philadelphia; Washington, D.C.; Atlanta; Chicago; Kansas City, MO; Fort Worth; Houston; Denver; Los Angeles; San Francisco; and Auburn, WA.

Federal Regulation:

Copies of the U.S. Code of Federal Regulations may be purchased with a VISA, Master Card, or prepaid check through:

Government Printing Office
Washington, D.C.
Phone: (202) 783-3238

When ordering, ask for:

Title 21, Parts 170-199
Stock Number: 869-017-00-068-0

Military Standards:

MIL-STD-105, Sampling Procedures and Tables for Inspection by Attributes

MIL-STD-129, Marking for Shipment and Storage

Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094

Public Law:

Public Law 94-580, Resource Conservation and Recovery Act, is part of U.S. Code, Title 42. Copies of the U.S. Code may be obtained through the Congressional Sales Office, U.S. Government Printing Office, Washington, D.C. 20402.

Industry Standards:

TAPPI test methods are available from TAPPI, Technology Park/ Atlanta, P.O. Box 105113, Atlanta, Georgia 30348.

3. **REGULATORY REQUIREMENT:** The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

QUALITY ASSURANCE:

A. **Responsibility for Inspection**: Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all the inspection requirements of this CID. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the Commercial Item Description, where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements (See Section 6, Ordering Data).

B. **Sampling**: All sampling shall be in accordance with MIL-STD-105.

(1) **Sampling for Visual Inspection**. A random sample of freezer wrapping paper shall be taken from each lot. The inspection level shall be S-4 with an Acceptable Quality Level (AQL) of 4.0 percent defective. The sample unit shall be one roll.

(2) **Sampling for Dimensional Inspection**. A random sample of freezer wrapping paper shall be taken from each lot. The inspection level shall be S-4 with an AQL of 4.0 percent defective. The sample unit shall be one roll.

(3) **Sampling for Tests**. A random sample of freezer wrapping paper shall be taken from each lot. The inspection level shall be S-1 with an AQL of 4.0 percent defective. The sample unit shall be one roll.

(4) **Sampling for Preparation for Delivery**. For examination of the preparation for delivery. The sample unit shall be one shipping container fully prepared for delivery, selected at random. The inspection level shall be S-2 with an AQL of 4.0 percent defective.

C. **Inspections**.

(1) **Visual Examination**. Samples taken in accordance with paragraph 4.B.1. shall be examined to verify that the superficial product requirements are in compliance with Section 1.

(2) **Dimensional Examination**. Samples taken in accordance with paragraph 4.B.2. shall be examined to verify that all dimensionally measurable product requirements are in compliance with the dimensions called for in the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

(3) Tests. Samples taken in accordance with paragraph 4.B.3. shall be subjected to the following tests to demonstrate consistency in product functionality, durability, and performance expectations.

(a) For basis weight use TAPPI test method T-410.

(b) For bursting strength use TAPPI test method T-403.

(c) For tearing resistance use TAPPI test method T-414.

(d) For tensile strength use TAPPI test method T-404.

(4) **Examination for Preparation for Delivery**. Samples taken in accordance with paragraph 4.B.4. shall be examined to determine compliance with Section 5.

5. PREPARATION FOR DELIVERY.

A. Packaging and Packing Provisions. Each roll shall be packaged to prevent loss or damage during multiple shipments, handling, and storage. Packaged freezer wrapping paper shall be packed in accordance with normal commercial practice. The packing container shall be closed to prevent accidental opening and shall be such to insure carrier acceptable and safe delivery to destination, complying with rules and regulations applicable to the mode of transportation to be used.

B. Marking.

(1) For Shipment to Civilian Agencies. In addition to any special marking required by contract or order, marking shall be in accordance with Fed. Std. No. 123. Bar Code marking is required, unless otherwise specified (See Section 6).

(2) For Shipment to Military Activities. In addition to any special markings required by the contract or order, marking shall be in accordance with MIL-STD-129. Bar Code marking is required, unless otherwise specified (See Section 6).

6. NOTES.

A. Ordering Data: Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

(1) Title, number, and date of this Commercial Item Description.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

(2) Arrangement for inspections and inspection facilities, if different than provisions under Quality Assurance.

(3) Special packaging and packing, if different than provisions in Packaging and Packing.

(4) Special marking, if different than provisions in Marking

(5) Specify, only if Bar Code marking is not required.

MILITARY INTEREST:

Military Coordinating Activity

Army - GL

Custodians

Army - GL
Air Force - 69

Review Activities

Army - MD
Air Force - 99

PREPARING ACTIVITY:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.