INCH-POUND

A-A-20085B
June 29, 1994
A-A-20085A
March 20, 1987

COMMERCIAL ITEM DESCRIPTION

MILK, DRY, NONFAT (SPRAY PROCESS); AND MILK, DRY, NONFAT, INSTANT

The U.S. Department of Agriculture has authorized the use of this Commercial Item Description.

This Commercial Item Description (CID) covers spray process nonfat dry milk and instant nonfat dry milk (single pass or agglomerated), packed in commercially acceptable containers, suitable for use by the Federal Government.

Salient characteristics.

The nonfat dry milk shall conform to the types and classes in the following list, which shall be specified, as required, in the solicitation, contract, or purchase order.

Types and classes.

Type I - Nonfat dry milk

Class 1 - Low heat
Class 2 - Medium heat
Class 3 - High heat

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Head, Food Quality Assurance Staff, Fruit and Vegetable Division, Agricultural Marketing Service, U.S. Department of Agriculture, Room 2506, South Building, P.O. Box 96456, Washington, DC 20090-6456.

FSC 8910

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:32Z
Check the source to verify that this is the current version before use.

Type II - Nonfat dry milk, fortified with Vitamins A and D

Class 1 - Low heat
Class 2 - Medium heat
Class 3 - High heat

Type III - Instant nonfat dry milk

Type IV - Instant nonfat dry milk, fortified with Vitamins A and D

Finished product.

The nonfat dry milk shall be U.S. Extra Grade as defined in the United States Standards for Grades of Nonfat Dry Milk (Spray Process) (7 CFR 58).

The instant nonfat dry milk shall be U.S. Extra Grade as defined in the United States Standards for Instant Nonfat Dry Milk (7 CFR 58). If lactose is used to aid in the instantizing process, the amount of lactose shall be the minimum required to produce the desired effect, but in no case shall exceed 2.0 percent of the weight of the nonfat dry milk.

The nonfat dry milk and instant nonfat dry milk (Types I and III) shall comply with the Federal Food and Drug Administration's (FDA) Standard of Identity (21 CFR 131.125). The nonfat dry milk, fortified with Vitamins A and D and instant nonfat dry milk, fortified with Vitamins A and D (Types II and IV) shall comply with FDA's Standard of Identity (21 CFR 131.127) unless otherwise stated.

The heat classification of nonfat dry milk or instant nonfat dry milk and fortified nonfat dry milk or fortified instant nonfat dry milk shall be determined according to DA Instruction No. 918-RL, Instructions for Resident Grading Quality Control Service Programs and Laboratory Analysis.

Contractor's certification.

By submitting an offer, the contractor certifies that the Type I, Type II, Type III, and/or Type IV product offered meets the specified salient characteristics and requirements of this CID; conforms to the producer's own specifications and standards, including Type I, Type II, Type III, and/or Type IV product characteristics, manufacturing procedures, quality control procedures, and storage and handling practices; has a national or regional distribution from storage facilities located within the United States, its territories, or possessions; and is sold on the commercial market. The Government reserves the right to determine proof of such conformance prior to the first delivery from point of origin and any time thereafter, up to and

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:32Z
Check the source to verify that this is the current version before use.

including delivery at final destination, as may be necessary to determine conformance with the provisions of the contract.

Regulatory requirements.

The delivered Type I, Type II, Type III, and/or Type IV product shall conform with all applicable Federal and State mandatory requirements and regulations relating to the preparation, packaging, labeling, storage, distribution, and sales of the Type I, Type II, Type III, and/or Type IV product within the commercial marketplace. Delivered Type I, Type II, Type III, and/or Type IV product shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

Quality assurance.

Prior to award of contract, the plant which manufactures the nonfat dry milk or instant nonfat dry milk, and the plant which packages the nonfat dry milk or instant nonfat dry milk shall be approved by the Dairy Grading Branch, Dairy Division, Agricultural Marketing Service, U.S. Department of Agriculture (USDA). Approved plants must satisfactorily meet the requirements contained in the General Specifications for Dairy Plants Approved for USDA Inspection and Grading Service (7 CFR Part 58) and shall be eligible for listing in the publication, Dairy Plants Surveyed and Approved for USDA Grading Service. The Dairy Grading Branch will determine the quality of the nonfat dry milk or instant nonfat dry milk according to the applicable standards. The Type I, Type II, Type III, and/or Type IV product shall be examined or analyzed in accordance with applicable provisions in this CID, and when applicable, the United States Standards for Condition of Food Containers currently in effect on the date of solicitation.

Preservation, packaging, packing, labeling, and marking.

The nonfat dry milk or instant nonfat dry milk shall be preserved, packaged, packed, labeled, and case marked in accordance with good commercial practice. Commercial labeling and packaging, as may be augmented by the solicitation, contract, or purchase order, shall be acceptable. Shipping containers shall comply with the National Motor Freight Classification or Uniform Freight Classification, as applicable.

For Department of Defense procurements.

The finished packaged Type I, Type II, Type III, and/or Type IV product shall be free from foreign material, sediment, and shall be salmonella negative in a 400 gram sample, when tested in accordance with DA Instruction No. 918-RL, Instructions for Resident Grading Quality Control Service Programs and Laboratory Analysis.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:32Z
Check the source to verify that this is the current version before use.

Unless otherwise specified, the nonfat dry milk and instant nonfat dry milk (single pass) shall not be more than 60 days old from date of drying until delivery at the first receiving location; except nonfat dry milk and instant nonfat dry milk (single pass) packed in cans shall not be more than 90 days old.

The instant nonfat dry milk (agglomerated) shall not be more than 60 days old from date of instantizing until delivery at the first receiving location and the nonfat dry milk used in its manufacture shall not be more than 30 days old at time of instantizing.

The following requirements are applicable when specified by the contracting officer.

TABLE I. Packaging and packing requirements

Classification	Net weight (pounds/kilograms)		Package	Number per shipping box
Type I	4	1.814	603 x 700 can	6
	5	2.268	bag	6
	50	22.680	bag	---
Type II	4	1.814	603 x 700 can	6
Type III	5	2.268	bag	6
Type IV	1	0.455	401 x 508 or 401 x 411 can 1/	24
	3	1.361	603 x 700 can 1/	6
	4	1.814	box with overwrap	6

1/ Single pass instant, only.

A. Commercial packaging. Product shall be packaged in accordance with good commercial practice in package sizes specified in Table I.

B. Commercial packing. Cans, boxes, or 5-pound (2.268 kg) bags of the number specified in Table I, shall be packed in fiberboard boxes complying with National Motor Freight Classification or Uniform Freight Classification. Fifty pound (22.680 kg) bags shall comply with the applicable freight classification.

C. Export packaging.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:32Z
Check the source to verify that this is the current version before use.

Cans - Product shall be packaged into open-top style, round, metal cans with a soldered (lead-free) or welded side seam and compound-lined, double-seamed ends. The cans shall be made throughout from not less than 0.25 pound electrolytic tinplate per base box. The cans shall have a sufficient baseplate weight and temper to protect the product during shipment and storage. The cans shall be coated overall on the outside with a coating conforming to Type I, or when specified, Type III of Federal Specification TT-C-495.

Boxes - Product shall be packaged in paperboard cartons which shall be completely overwrapped with a moisture vapor barrier material.

Bags - Product packaged in a multiwall paper shipping bag shall have a polyethylene liner to serve as a moisture vapor barrier. Product packaged in 5-pound (2.268 kg) quantities shall be packaged in heat sealed multiwall barrier bags incorporating as one of the laminates, 0.00035 aluminum foil.

D. Export packing. Cans, boxes, or 5-pound (2.268 kg) bags shall be packed in a snug-fitting fiberboard box conforming to style RSC, grade V3c, V3s, or V4s of ASTM D 5118. Each shipping container shall be closed and reinforced with nonmetallic strapping or pressure-sensitive adhesive, filament-reinforced tape in accordance with the ASTM D 1974.

E. Unit loads (commercial and export). Shipping containers shall be arranged in unit loads in accordance with MIL-L-35078. When unit loads are strapped, the strapping shall be limited to nonmetallic strapping, except for Type II, Class F loads.

F. Labeling (commercial and export). Commercial labeling shall be in accordance with good commercial practice and shall be in compliance with the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder. In addition, the following information shall appear:

Types I and II. The lid or side panel of each container for Type I or Type II milk shall have the following information:

Nonfat Dry Milk
Recommended Directions for Use
(Low or Medium Heat, For Beverage or Cooking)
(High Heat, For Baking)

Step 1. Add 13 ounces (3 cups) of nonfat dry milk to 1-1/4 quarts of cool water. Stir the milk with a wire whip until all the nonfat dry milk is dissolved.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:32Z
Check the source to verify that this is the current version before use.

Step 2. Add an additional 2-1/2 quarts of cool water and stir. Refrigerate before serving as a beverage.

Yield: Approximately 1 gallon reconstituted skim milk.

Note: After reconstitution, prepared milk must be refrigerated and treated like fresh milk.

Types III and IV. The lid or side panel of each container for Type III or Type IV milk shall have the following information:

Nonfat Dry Milk (Instantized)
Recommended Directions for Use
(For Beverage or Cooking)

Step 1. Add 13 ounces (4-1/3 to 5-1/3 cups - see Note) of instant nonfat dry milk to 1-1/4 quarts of cool water. Stir the milk with a wire whip until all the instant nonfat dry milk is dissolved.

Step 2. Add an additional 2-1/2 quarts of cool water and stir. Refrigerate before serving as a beverage.

Yield: Approximately 1 gallon reconstituted skim milk.

Note: Since volume measurements vary between the single pass and agglomerated product, instant nonfat dry milk should be weighed rather than measured, if possible.

After reconstitution, prepared milk must be refrigerated and treated like fresh milk.

G. Marking (commercial and export). Marking of shipping containers and unit loads shall be in accordance with MIL-STD-129.

Notes.

Purchaser shall specify:

- Product type(s) and class(es).
- Package size.
- Labeling requirements, if different from good commercial practice.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:32Z
Check the source to verify that this is the current version before use.

For Department of Defense procurements additionally specify:

- Packaging and packing.
- Unit load.
- When can coating conforming to Type III of Federal Specification TT-C-495 is required for export packaging.

Purchaser may specify:

- Test weight.
- Bulk density of the product.
- That USDA is to perform a Condition of Food Containers inspection.
- A vitamin fortification level higher than that contained in the Standard of Identity.
- The maximum age of the product at time of delivery.
- Plastic over-cover.

Sources of documents.

Sources of information for nongovernmental documents are as follows:

Copies of the National Motor Freight Classification may be obtained from:

National Motor Freight Traffic Association, Inc., Agent
National Motor Freight Classification
American Trucking Associations, Inc., Traffic Department
2200 Mill Road
Alexandria, VA 22314

Copies of the Uniform Freight Classification may be obtained from:

Uniform Classification Committee, Agent
Uniform Freight Classification
Uniform Classification Committee, Suite 1120
222 South Riverside Plaza
Chicago, IL 60606

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:32Z
Check the source to verify that this is the current version before use.

Copies of ASTM D 5118, Practice for Fabrication of Fiberboard Boxes and ASTM D 1974, Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Shipping Containers may be obtained from:

ASTM
1916 Race Street
Philadelphia, PA 19103-1187

Sources of information for governmental documents are as follows:

Applicable provisions of the Federal Food, Drug, and Cosmetic Act are contained in 21 CFR Parts 1 to 199. This three-volume set may be purchased from:

Superintendent of Documents
U.S. Government Printing Office
Washington, DC 20402-0001

Credit card (MasterCard or Visa) purchases may be made by calling the Superintendent of Documents on (202) 783-3238.

Copies of the United States Standards for Condition of Food Containers are available from:

Chairperson
Condition of Container Committee
Agricultural Marketing Service
U.S. Department of Agriculture
Room 2506, South Building
P.O. Box 96456
Washington, DC 20090-6456

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:32Z
Check the source to verify that this is the current version before use.

Copies of the General Specifications for Dairy Plants Approved for USDA Inspection and Grading Service, Dairy Plants Surveyed and Approved for USDA Grading Service, United States Standards for Grades of Nonfat Dry Milk (Spray Process), United States Standards for Instant Nonfat Dry Milk, and DA Instruction No. 918-RL, Instructions for Resident Grading Quality Control Service Programs and Laboratory Analysis are available from:

Dairy Standardization Branch
Dairy Division
Agricultural Marketing Service
U.S. Department of Agriculture
Room 2750, South Building
P.O. Box 96456
Washington, DC 20090-6456

Copies of Loads, Unit: Preparation of Semiperishable Subsistence Items; Clothing, Personal Equipment and Equipage; General Specification For (MIL-L-35078) and Marking for Shipment and Storage (MIL-STD-129) are available from:

Standardization Documents Order Desk
Building 4, Section D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Civil agencies and other interested parties may obtain copies of this CID and the Federal Specification for Coatings, Exterior, for Tinned Food Cans (TT-C-495) from:

General Services Administration
Specifications Unit (3FB-WS)
Room 6654
7th and D Streets, SW
Washington, DC 20407

Military activities should submit requests for copies of this CID to:

Standardization Documents Order Desk
Building 4, Section D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:32Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Military Coordinating Activity

Army - GL

- FV

Custodians

Army - GL
Navy - SA
DA
Air Force - 35

Review Activities

Army - MD, QM
Navy - MC
DLA - SS

CIVIL AGENCY COORDINATING ACTIVITIES:

DOJ - BOP
HHS - NIH, IHS
VA - OSS
USDA

PREPARING ACTIVITY:

USDA -

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:32Z
Check the source to verify that this is the current version before use.