A-A-50123
June 25, 1987

COMMERCIAL ITEM DESCRIPTION

TRUCKS , HAND, 4 SHELVES, STAINLESS STEEL

The General Services Administration has authorized the use of this commercial item description in preference to type II of MIL-D-43047.

1. SALIENT CHARACTERISTICS

1.1 Design and construction. The truck shall consist of a frame, four shelves, four casters, and either a single peripheral bumper or four corner bumpers. The truck shall be of the knockdown type with the second and third shelves adjustable without the use of hand tools. The truck shall have a rated capacity of 800 pounds uniformly distributed over the four shelves. The shelves shall be 59-1/2 inches ± 1/2 inch long by 24-1/2 inches ± 1/2 inch wide. The overall truck length shall not exceed 61-1/2 inches and the overall truck width shall not exceed 31-1/2 inches. The overall height shall be 62 inches ± l\2 inch. Shelf surfaces shall be flat with equally spaced slots, holes, or other openings. The truck shall be able to withstand a uniformly distributed static load of 1000 pounds for ten minutes without weld failure, parts separation, metal tearing breakage, or noticeable permanent deformation. In addition, the truck, uniformly loaded with 800 pounds, shall be capable of being rolled over a 1/8-inch obstacle at the rate of 2 miles per hour without any of the deficiencies noted above.

1.2 Materials and components. The truck shall be fabricated from 300 series stainless steel. Threaded fasteners shall be stainless steel, nickel plated carbon steel or chromium plated carbon steel.

1.2.1 Casters. All four casters shall be of the swivel type and shall be a minimum of 5 inches in diameter. All wheel treads shall be made from a vinyl or rubber-like material that will provide quiet operation on hard surfaces.

1.2.2 Bumpers. Trucks shall be equipped with a bumper or bumpers to protect walls from impact in any direction. Bumpers shall be capable of being replaced and shall be made from a resilient nonmarking material. Two caster wheels shall be provided with locking type brakes.

1.3 Codes and standards. The hand trucks shall conform to the requirements of National Sanitation Foundation Standard No. 2.

FSC 3920

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T08:39Z
Check the source to verify that this is the current version before use.

1.4 Data-name plates (Government unique requirement see 4.4). The hand trucks shall be furnished with a data name plate in accordance with the applicable requirements of MIL-STD-130 except the requirements for: (a) Methods of applying, (b) Identification tags, (c) Information not required and (d] Optional marking information shall not apply. The data plates shall be made of minimum 20 gauge corrosion-resisting metal and attached to the trucks by rivets, screws or welding in such a manner as to meet the applicable National Sanitation Foundation sanitary requirements for this equipment. The plate shall contain the following information which_shall be stamped, engraved or applied by photosensitive means:

National Stock Number
Procurement Instrument Identification Number
Specification Data
Manufacturer's Name, Address and Telephone Number
Supplier's Name, Address and Telephone Number (List only if different from Manufacturer)
Manufacturer's Model Number
Government Approved Manual Number (see 4.2)

Each plate shall be placed so that it is readily visible to the operator during normal operating use and so as to not adversely affect the life and utility of the item.

1.5 Workmanship. The trucks shall be completely clean, free of breaks, scratches, sharp edges, burrs, slivers, and other defects affecting life, serviceability, or appearance. There shall be no evidence of rust or corrosion.

2. QUALITY ASSURANCE

2.1 Certification. The contractor shall certify that the product offered meets the salient characteristics of the description and conforms to the producer's own drawings, spcifications, standards and quality assurance practices, and is the same as the product offered for sale in the commercial marketplace, except for those additional requirements/characteristics specified herein. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3. PACKAGING

3.1 Commercial packaging and packing. Each item shall be cleaned, preserved, packaged, packed and unitized in accordance with ASTM D 3951.

3.2 Export packaging. Each truck shall be cleaned, preserved and cushioned to protect against corrosion, deterioration and physical damage during shipping and storage. Assembly hardware and casters shall be packaged in a fiberboard box conforming to type CF or SE, class domestic, style optional of PPP-B-636.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

3.3 Export packing. Each truck with its parts package shall be packed in a cleated-plywood box conforming to overseas type, style optional of PPP-B-601. The truck shall be blinked, braced, or anchored to prevent movement or damage while in transit. Each box shall be closed and strapped in accordance with the appendix of PPP-B-601. When specified (see 4.2), shipping containers shall be palletized in accordance with MIL-STD-147.

3.4 Labeling (commercial and export). Commercial labeling shall be acceptable.

3.5 Marking (commercial and export). Marking of shipping container and unit load shall be in accordance with MIL-STD-129.

4. NOTES

4.1 Intended use. The trucks are intended for use in military hospitals and troop messes for transporting clean and dry pots and pans.

4.2 Ordering data.

a. Title, number, and date of this document.
b. Government approved manual number (see 1.4).
c. When palletization is required (see 3.3).

4.3 Sources of information for nongovernment association documents.

NSF Standard No. 2 - National Sanitation Foundation, 3475 Plymouth Road, P.O. Box 1468, Ann Arbor, Michigan 48106.

ASTM D 3951 - American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.

4.4 Government unique requirements. Whenever "(Government unique requirements)" is included in the title of a paragraph under "salient characteristics" it is meant that the requirement is something that is not normally offered to the commercial marketplace by the manufacturer.

MILITARY INTERESTS:

Custodians

Army - GL
Air Force - 99

Review activities

Army - MD, ME, TS
Air Force - 84
DGA - GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - GL

project No. 3920-0172

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:39Z
Check the source to verify that this is the current version before use.