INCH-POUND

A-A-50134A
November 5, 1992
SUPERSEDING
A-A-50134
September 28, 1987

COMMERCIAL ITEM DESCRIPTION

HANDCART, GROCERY, HANDICAPPED

The General Services Administration has authorized the use of this commercial item description.

1. CLASSIFICATION

1.1 Classification. This commercial item description covers one type and size of grocery handcart for handicapped persons.

2. SALIENT CHARACTERISTICS

2.1 Design and construction. The handcart shall be designed for use by a wheelchair bound patron. The handcart shall be equipped with a detachable metal bar that shall have provisions for fastening the handcart to the arm of the wheelchair. The bar shall be a minimum of 30 inches long and feature an adjustable clamp to accommodate the patron at varying distances from the front of the wheelchair. The bar shall be designed to be conveniently stored inside the handcart basket when not in use to save on storage space. The handcart frame shall be constructed of heavy gauge tubular steel with an attached, nonremovable, upper, close-mesh, heavy gauge wire basket. The handcart shall be nickel-chrome plated with baked on acrylic coating. The basket shall be reinforced with a minimum of four horizontal bands of heavy gauge steel wire, shall have a raised edge on the side facing the patron to prevent merchandise from falling out, and shall have a minimum capacity of 5,500 cubic inches. The handcart shall have a lower grill type tray for storing a purse or fragile or bulky items.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Commander, U.S. Army Natick Research, Development, and Engineering Center, ATTN: SATNC-UXT, Natick, MA 01760-5017.

AMSC N/A FSC 7290

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

2.2 Casters. The handcart shall have two 5-inch minimum diameter rear rigid casters and two 5-inch minimum diameter front swivel casters.

2.3 Dimensions. The overall approximate dimensions of the handcart shall be 32 inches long by 24 inches wide by 44 inches high.

3. QUALITY ASSURANCE

3.1 Certification. The contractor shall certify, and maintain substantiating evidence, that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.2 Metric product. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

3.3 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

4. PACKAGING

4.1 Packaging, packing, and marking for military agencies. The handicapped operated grocery hand cart shall be packaged, packed, and marked in accordance with the domestic or overseas requirements of ASTM D 3951.

4.2 Civil agencies. The packaging, packing and marking shall be as specified in the contract or order.

5. NOTES

5.1 Intended use. The handicapped grocery handcart provides a means of transporting food items and sundry products to checkout counters in self-service stores.

5.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

5.3 Sources of documents.

5.3.1 Sources of Government documents. Copies of military and federal documents are available from:

Standardization Documents Order Desk
Building 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

5.3.2 Source for nongovernment documents.

ASTM D 3951 - Standard Practice for Commercial Packaging, is available from:

The American Society for Testing and Materials (ASTM)
1916 Race Street
Philadelphia, PA 19103-1187

MILITARY INTERESTS:

Custodian

Army - GL

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - GL

Project 7290-0052

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.