INCH-POUND

A-A-50136A
February 12, 1992
SUPERSEDING
A-A-50136
October 23, 1987

COMMERCIAL ITEM DESCRIPTION

BAG, MONEY

The General Services Administration has authorized the use of this Commercial Item Description in preference to MIL-B-2340.

1. CLASSIFICATION

1.1 Classification. This commercial item description covers one type of commercial money bag that comes in colors as specified (see 2.1.6 and 5.2).

2. SALIENT CHARACTERISTICS

2.1 Design and construction. The design and construction of the money bag shall be as specified herein. The bag shall be constructed of any of the specified materials and shall have a handle or carrying strap. The bag shall have a key operated tamper proof security system, and a minimum interior capacity of 1,300 to 3,000 cubic inches.

2.1.1 Body. The body may be fabricated from water repellent, puncture resistant cotton duck, nylon duck, texturized nylon duck, neoprene, genuine or artificial leather, urethane, vinyl, polyester, or a combination of these materials. The cotton duck and natural fabrics shall have a minimum weight of 18 ounces per square yard. The synthetic fabrics shall have a minimum weight of 12 ounces per square yard.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Commander, U.S. Army Natick Research, Development, and Engineering Center, ATTN: STRNC-UXT, Natick, MA 01760-5017.

AMSC N/A FSC 8460

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

2.1.2 Handle or carrying strap. The handle or carrying strap may be fabricated from leather, heavy duty webbing (natural or synthetic fiber), molded plastic, vinyl, or corrosion resistant metal. The handle or carrying strap shall be capable of supporting a minimum weight of 30 pounds.

2.1.3 Thread. The thread may be nylon, polyester, or cotton of a sufficient size and strength for the intended applications. The thread shall show "good" fastness to weathering.

2.1.4 Hardware. The metal hardware made up of locks, rivets, staples, snap fasteners, metal frames, buckles, bell studs, and rings shall be finished to prevent corrosion and shall be of adequate strength and design to function properly over the life of the end item.

2.1.5 Security closure system. The money bag shall incorporate a closure mechanism which will provide tamper proof security when closed and locked, and will require a key to open. Two keys shall be provided with each bag. The closure system shall provide for easy loading when in the open position.

2.1.6 Color. The color shall be in accordance with commercially available bag colors and shall be as specified in the contract or purchase order (see 5.2).

2.1.7 Size and dimensions. The money bag shall have a minimum secured interior capacity of 1,300 to 3,000 cubic inches. Maximum and minimum dimensions are as follows:

Characteristic	Dimensions (inches) Maximum*	Minimum*
Height (including handle)	36	16
Length	26	14
Width	16	6

* NOTE: Capacity requirements shall govern. Use of all maximum or all minimum dimensions will not meet capacity requirements.

3. QUALITY ASSURANCE

3.1 Certification. The contractor shall certify, and maintain substantiating evidence, that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

3.2 Visual examination. Lots of bags shall be inspected in accordance with MIL-STD-105. The inspection level shall be II, and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 6.5. The lot size shall be expressed in units of bags. The sample size shall be one bag. The bag shall be examined for the following defects: defects in design, material, construction, or workmanship; any component full, tight, or twisted; open seam; any size hole, cut, or tear; any spot or stain clearly noticeable; keys missing.

3.3 Dimensional examination. The finished end items shall be examined without damaging or disassembling the end items specified. Any dimension not within the specified tolerance shall be classified as a defect. The lot size shall be expressed in units of bags. The sample unit shall be one bag. The inspection level shall be S-3, and the AQL, expressed in terms of defects per hundred units, shall be 2.5.

3.4 Metric product. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

3.5 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

4. PACKAGING

4.1 Packaging. Each money bag with keys placed inside shall be folded and preserved and packed in accordance with ASTM D 3951.

4.2 Packing. Six money bags, packaged as specified above, shall be packed in accordance with ASTM D 3951.

4.3 Palletization. When specified (see 5.2), money bags, packed as specified, shall be palletized on a 4-way entry pallet in accordance with load type Ia of MIL-STD-147. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means C and D, or film bonding means F or G, in accordance with MIL-STD-147, or as specified in the contract or purchase order.

4.4 Marking. In addition to any special markings required by the contract or purchase order, unit packs, shipping containers, and palletized unit loads shall be marked in accordance with MIL-STD-129 or ASTM D 3951, as applicable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

5. NOTES

5.1 Intended use. The money bag is intended to provide a secure means of transporting cash, securities, or documents by courier.

5.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this document.
b. Color required (see 2.1.6).
c. When palletization is required (see 4.3).

5.3 Sources of documents.

5.3.1 Sources of Government documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Building 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

5.3.2 Sources for nongovernment association documents.

ASTM D 3951 - Standard Practice for Commercial Packaging, is available from:

The American Society for Testing and Materials (ASTM)
1916 Race Street
Philadelphia, PA 19103-1187

MILITARY INTERESTS:

Custodians

Army - GL
Navy - NU
Air Force - 99

Review Activities

Air Force - 45, 82
DLA - CT

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - GL

Project 8460-0080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.