INCH-POUND
A-A-50145A
December 13, 2021
SUPERSEDING
A-A-50145
April 20, 1988

COMMERCIAL ITEM DESCRIPTION

CLOTH, SHEETING, COTTON, AND POLYESTER/COTTON, WHITE

The General Services Administration has authorized the use of this Commercial Item Description (CID) for all Federal Agencies. This CID is to be used in preference to Type II, white of Federal Specification CCC-C-430.

1. SCOPE. This document covers the requirements for a white sheeting cloth made of 100 percent cotton or a polyester-cotton blend.

2. CLASSIFICATION. The cloth shall be available in the following types and classes and counts:

2.1 Types.

Type I - Cotton, 100 percent
Count - 140 yarns per inch
Count - 128 yarns per inch

Type II - Polyester/Cotton blend
Count - 122 yarns per inch - undyed
Count - 177 yarns per inch

2.2 Classes.

Class 1 - Unshrunk
Class 2 - Shrunk

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data that may improve this document should be sent to: Attn: DLA Troop Support, 700 Robbins Avenue, Philadelphia, PA 19111-5096. Since contact information can change, verify the currency of the address information using Acquisition Streamlining and Standardization Information System (ASSIST) online database https://assist.dla.mil.

FSC 8305

DISTRIBUTION STATEMENT A. Approved for public release. Distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

3. SALIENT CHARACTERISTICS

3.1 Material.

3.1.1 Type I. The Type I cloth shall be made from carded, drawn and spun 100 percent cotton.

3.1.2 Type II. The Type II cloth shall be made from a blend of polyester and cotton. The blend shall contain a minimum of 30 percent cotton.

3.2 Weave. The Type I and II cloth shall be a plain weave construction.

3.3 Color. The cloth shall be bleached white.

3.4 Physical requirements. The finished Type I and Type II, Class 1 and 2, cloth shall conform to the physical requirements specified in Table I when tested in accordance with the test methods specified in Table I.

TABLE I. Physical requirements.

Characteristic	Type I (Class 1 and 2)		Type II (Class 1 and 2)		Test Method
	140 count	128 count	122 count (undyed)	177 count	
Weight, oz./yd^2, (min.)	4.2	4.0	3.5	3.5	ASTM D3776/D3776M, Option C
Total yarns per inch (min.)	140	128	122	177	ASTM D3775
Yarns per inch 1/					ASTM D3775
Warp	74	70	66	97	
Filling	69	63	56	80	
Breaking strength, pounds, (min.)					ASTM D5034
Warp	60	55	50	60	
Filling	60	55	50	60	
Dimensional change, (%) (Class 2 only) (max.)					AATCC TM135, (3)(IV)(Aiii)
Warp	3.0	3.0	3.0	3.0	
Filling	3.0	3.0	3.0	3.0	

1/ A total minus tolerance of 6 yarns per inch for the 122 and 128 counts, 7 yarns per inch for the 140 count, and 8 yarns per inch for the 177 count, in either the warp and /or filling direction, is permitted, provided there is a total of not less 122, 128, 140 and 177 yarns per inch, respectively.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

3.3 Length and put-up. For Government procurements only, unless otherwise specified (see 6.2), the cloth shall be furnished in continuous lengths, each length not less than 50 yards. Each length shall be put-up full width on a roll as specified in 5.1.

3.4 Fiber identification. Each roll of finished cloth shall be labeled or ticketed for fiber content in accordance with the 16 CFC Part 303 Rules and Regulations under the Textile Fiber Products Identification Act. (see 7.1.2)

3.5 Workmanship. The finished cloth shall conform to the quality of the product established by this document. The occurrence of defects shall not exceed the contractor's own quality assurance standards and the quality assurance standards defined by the technical data in the bid package.

4. REGULATORY REQUIREMENTS. Unless otherwise specified, the offeror/contractor is encouraged to use recovered, recycled, bio based, and environmentally preferable materials to the maximum extent practicable, in accordance with paragraph 23.403, 23.404(b) of the Federal Acquisition Regulation FAR, or the sustainable acquisition of EO 13693; as applicable. (See 7.1.3).

5. PRODUCT CONFORMANCE PROVISIONS.

5.1 Product conformance. The cloth shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product that is offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance.

5.2 Market acceptability. The finished cloth must have been sold to the government or commercial market.

5.3 Inspection procedures. Sampling for inspection shall be conducted in accordance with ASQ/ANSI Z1.4 - Sampling Procedures and Tables for Inspection of Attributes (see 7.2.2).

5.4 Visual examination. The finished cloth shall be examined for the defects listed below as defined in ASTM D3990.

Material	Any hole, cut, or tear. Puckered, wrinkled or creased/pleated material. Class 2 not shrunk.
Label	Label missing, incorrect, or illegible. Required information missing from the label.
Packaging	Not packaged in accordance with the contract or purchase order.

5.5 Acceptance criteria. Acceptance criteria shall be as specified in the contract or purchase order (see 7.5).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

6. PACKAGING. Preservation, packing and marking shall be as specified in the contract or purchase order (see 7.5).

7. NOTES.

7.1 Source of Government documents.

7.1.1 Copies of Government documents are available online at https://quicksearch.dla.mil.

7.1.2 16 CFC Part 303 Rules and Regulations under the Textile Fiber Products Identification Act and the Wool Products Labeling Act are available online at https://www.ftc.gov.

7.1.3 EPA and EO 13693 information are available online at https://www.epa.gov.

7.2 Source of non-Government documents.

7.2.1 AATCC test methods are available online at https://aatcc.org.

7.2.2 ASQ/ANSI Z1.4 – Sampling Procedures and Tables for Inspection of Attributes are available online at https://asq.org.

7.2.3 ASTM Standards are available online at https://www.astm.org.

7.3 Intended use. The cloth shall be used in for making sheets, pillowcases, and mattress covers.

7.4 Certificate of compliance. The contracting activity may select to accept a certificate of compliance for stated requirement.

7.5 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this commercial item description.
b. Type, class and count of cloth required (see 2.1).
c. Length put-up other than specified (see 3.3).
d. Product conformance (see 5.1).
e. Acceptance criteria (see 5.5).
f. Packaging requirements (see 6.).

7.6 Key words.

Bed sheets
Mattress cover
Pillowcases

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

7.7 Superseding information. The types and counts covered by this CID replace the items covered by CCC-C-430 as indicated below. The designation is the same for both documents.

CID A-A-10145	CCC-C-430
Type I, 140 count	Type II, Style A
Type I, 128 count	Type II, Style B
Type II, 122 count (undyed)	Type II, Style G (bleached only)
Type II, 177 count	Type II, Style D (bleached only)

MILITARY INTERESTS:

CIVIL AGENCY COORDINATING ACTIVITY:
GSA-FAS

Custodians:
Army - GL
Navy - NU
Air Force - 11

Preparing Activity:
DLA - CT

(Project 8305-2022-006)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using ASSIST Online database at https://assist.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.