
MILITARY SPECIFICATION SHEET

CONNECTOR SET, HEADER ASSEMBLY, 72-PIN


The complete requirements for procuring the header assembly described herein shall consist of this document and the latest issue of MIL-C-22249(SHIPS)




FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.

INSERT ASSEMBLY
M22249/13-2




VIEW A




Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.


CONTACT PIN ARRANGEMENT
M22249/13-2



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.

POLARIZING BUSHING
M22249/13-3






Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.

HEADER BODY
M22249/13-1

METAL STAMP OR ENGRAVE 0° & 180° ON BOTH SIDES OF BODY (AS SHOWN)
METAL STAMP COMPARTMENT SIDE AS SHOWN
ALL STAMPING TO BE 1/8 HIGH CHARACTERS.



Preparing activity:
Navy - SH
(Project 5935-N517-14)

☆ U. S. GOVERNMENT PRINTING OFFICE: 1988-301-519/5419

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.