
MILITARY SPECIFICATION SHEET

CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, COMPARTMENT SIDE

The complete requirements for procuring the plug assembly described herein shall consist of this document and the latest issue of MIL-C-22249(SHIPS)




PLUG ORIENTATION: 3 O'CLOCK

FSC 5935


Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.

INSERT ASSEMBLY - 138 PIN
COMPARTMENT SIDE
M22249/14-2




Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.


PLUG BODY
M22249/14-1



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.

PLUG BODY (M22249/14-1)
END VIEW







VIEW-AA

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.


END BELL
M22249/14-3



FERRULE
M22249/14-6




GROMMET
M22249/14-7




Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.


CABLE STUFFING TUBE
M22249/14-4



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.

CABLE CLAMP
M22249/14-5





DEVELOPED LENGTH: $4\frac{59}{64}$

Preparing activity:
Navy - SH
(Project 5935-N517-15)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.