
MILITARY SPECIFICATION SHEET

CONNECTOR SETS, PLUG ASSEMBLY, 15-PIN MISSILE SIDE

The complete requirements for procuring the plug assembly described herein shall consist of this document and the latest issue of MIL-C-22249(SHIPS)




PLUG ORIENTATION : 12 O'CLOCK

FSC 5935


Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:34Z
Check the source to verify that this is the current version before use.

PLUG BODY
M22249/2-1



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:34Z
Check the source to verify that this is the current version before use.


CABLE SLEEVE
M22249/2-2



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:34Z
Check the source to verify that this is the current version before use.

INSERT ASSEMBLY
MISSILE SIDE - 15 CONTACT
M22249/2-3

CONTACT SIZE	CONTACT NO.	REAR END ACCOMMODATES
16	1THRU12	#16SIZE CONDUCTOR CRIMP TERMINAL
4	13THRU15	3,#8 SIZECONDUCTORS SOLDER POT TERMINAL



Preparing activity:
Navy - SH
(Project 5935-N517-3)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:34Z
Check the source to verify that this is the current version before use.