
MILITARY SPECIFICATION SHEET

CONNECTOR SETS, PLUG ASSEMBLY, 44-PIN, MISSILE SIDE

The complete requirements for procuring the plug assembly described herein shall consist of this document and the latest issue of MIL-C-22249(SHIPS)




PLUG ORIENTATION: 3 O'CLOCK

FSC 5935


Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:35Z
Check the source to verify that this is the current version before use.

PLUG BODY
M22249/5-1




Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:35Z
Check the source to verify that this is the current version before use.


PLUG BODY M22249/5-1
END VIEW



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:35Z
Check the source to verify that this is the current version before use.

CABLE SLEEVE (MOLDED)
M22249/5-2








O-RING GROOVE DETAIL

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:35Z
Check the source to verify that this is the current version before use.

INSERT ASSEMBLY
MISSILE SIDE
M22249/5-3







DETAIL OF SOCKET REAR

Preparing activity:
Navy - SH
(Project 5935-N517-6)

☆ U. S. GOVERNMENT PRINTING OFFICE: 1968-301-519/5426

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:35Z
Check the source to verify that this is the current version before use.