
MILITARY SPECIFICATION SHEET

CONNECTOR SETS, HEADER ASSEMBLY 44-PIN

- ->


The complete requirements for procuring the header assembly described herein shall consist of this document and the latest issue of MIL-C-22249(SHIPS).



FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:35Z
Check the source to verify that this is the current version before use.

HEADER INSERT ASSEMBLY
M22249/6-2




ALL PIN LOCATION DIMENSIONS ARE
SYMETRICAL ABOUT BOTH CENTER LINES

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:35Z
Check the source to verify that this is the current version before use.


HEADER BODY
M22249/6-1

METAL STAMP 0° & 180° ON BOTH SIDES OF BODY (AS SHOWN)
METAL STAMP COMPARTMENT SIDE AS SHOWN
ALL STAMPING TO BE 1/8 HIGH CHARACTERS




Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:35Z
Check the source to verify that this is the current version before use.

JAM NUT
M22249/6-4





POLARIZING BUSHING
M22249/6-3



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:35Z
Check the source to verify that this is the current version before use.

PROTECTIVE COVER
M22249/6-5





Preparing activity:
Navy - SH
(Project 5935-1517-7)

☆ U. S. GOVERNMENT PRINTING OFFICE: 1981-301-519/5421

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:35Z
Check the source to verify that this is the current version before use.