
MILITARY SPECIFICATION SHEET

CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, COMPARTMENT SIDE

The complete requirements for procuring the plug assembly described herein shall consist of this document and the latest issue of MIL-C-22249(SHIPS)




PLUG ORIENTATION : 12 O'CLOCK

FSC 5935


Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.

PLUG BODY
M22249/9-1




Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.

PLUG BODY (M22249/9-1)
END VIEW



#36 (.1065 DIA.) DRILL 1/4 DEEP
BOTTOM TAP #6-32 NC-2B THREAD
3/16 DEEP 2 PLACES AS SHOWN



DRILL #21 (.159 DIA.) .250 +.005 -.000 DEEP
BOTTOM TAP #10-32 NF-2B THREADS 3/16 DEEP
3 HOLES EQUALLY SPACED AS SHOWN ON A 2 11/32 D.B.C.

Preparing activity:
Navy - SH
(Project 5935-N517-10)

☆ U. S. GOVERNMENT PRINTING OFFICE: 1968-301-519/5510

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:36Z
Check the source to verify that this is the current version before use.