MIL-A-51383A(EA)
12 September 1985
SUPERSEDING
MIL-A-51383(EA)
17 July 1974

MILITARY SPECIFICATION

ALARM, CHEMICAL AGENT, AUTOMATIC: PORTABLE, ABCA-M8

This specification is approved for use by U.S. Army Armament, Munitions and Chemical Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers one type of alarm assembly.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Standards. The following standards form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

2.1.2 Technical data package lists (TDPL). The following technical data package lists form a part of this specification to the extent specified herein. Unless otherwise specified, the issues shall be those in effect on the date of the solicitation.

: Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed: to: Commander, U.S. Army Armament, Munitions and Chemical Command, ATTN: AMSMC-TDC-S (A), Aberdeen Proving Ground, MD 21010-5423 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter. :

FSC 6665

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:58Z
Check the source to verify that this is the current version before use.

TECHNICAL DATA PACKAGE LISTS

U.S. ARMY ARMAMENT, MUNITIONS AND CHEMICAL COMMAND

CHEMICAL RESEARCH AND DEVELOPMENT CENTER

TDPL 5-15-8803 - Alarm, Chemical Agent, Automatic; Portable, Manpack, ABCA-M8.

(Copies of standards and technical data package lists required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting activity.)

2.2 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein (except for associated detail specifications, specification sheets or MS standards), the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 Materials and components.

3.1.1 Materials. All materials cited on TDPL 5-15-8803 or on the subsidiary drawings shall conform to the specifications listed thereon, or to the specific characteristics set forth on the drawings.

3.1.2 Components. All components of the alarm assembly shall conform to the specifications and drawings listed on TDPL 5-15-8803 and subsidiary drawings.

3.2 Assembly. The alarm assembly shall be assembled in accordance with Drawing 5-15-8803.

3.3 Workmanship. The packaged and packed alarm shall be free from foreign matter (dirt, grease or oil) and damage (cuts, tears, rips or punctures) which could affect its intended use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:58Z
Check the source to verify that this is the current version before use.

4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material.

4.2 Quality conformance inspection.

4.2.1 Lotting. A lot shall consist of the alarm assemblies offered for acceptance at one time.

4.2.2 Sampling for examination. Sampling shall be conducted in accordance with MIL-STD-105.

4.2.3 Inspection procedure.

4.2.3.1 For examination. Sample alarm assemblies and the level A packaging shall be examined in accordance with the classification of defects (4.2.3.2) and MIL-STD-105.

4.2.3.2 Classification of defects.

(a) Packaging inspection (section 5).

Categories	Defects
Critical:	None defined
Major:	AQL 2.5 percent defective
101	Components not preserved and packaged as specified
102	Component packaging marking missing or incorrect
103	Component missing
104	Packing method incorrect
105	Wood box not as specified
106	Internal cushioning or bracing missing or not as specified
107	Packing marking missing or incorrect
108	Workmanship (3.3)

5. PACKAGING

5.1 Packaging, level A.

5.1.1 Components.

5.1.1.1 Detector unit, M43. The detector unit shall be packaged in accordance with Drawing 5-15-6567.

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:58Z
Check the source to verify that this is the current version before use.

5.1.1.2 Alarm unit, M42. The alarm unit shall be packaged in accordance with Drawing 5-15-6568.

5.2 Packing, level A. The M8 alarm shall be packed in accordance with Drawing 5-15-6566.

5.3 Marking. The alarm packed as specified in 5.2 shall be marked in accordance with Drawing 5-15-6564.

6. NOTES

6.1 Intended use. The alarm covered by this specification is intended to detect and warn of presence of certain chemical agents.

6.2 Ordering data. Acquisition documents should specify the title, number, and date of this specification.

6.3 Componenet specifications. Component specifications for the alarm assembly are:

Alarm Unit, M42	-	MIL-A-51384(EA)
Detector Unit, M43	-	MIL-D-51389(EA)
Mounting Kit, M228	-	MIL-M-51393(EA)
Mounting Kit, M182	-	MIL-M-51394(EA)
Power Supply, M10	-	MIL-P-51395(EA)
Refill Kit, M229	-	MIL-R-51397(EA)

6.4 International interest. Certain provisions of this specification are the subject of international standardization agreement QSTAG 251. When amendment, revision, or cancellation of this specification is proposed which will modify the international agreement concerned, the preparing activity will take appropriate action through international standardization channels including departmental standardization offices to change the agreement or make other appropriate accommodations.

Custodian:

Army - EA

Preparing activity:

Army - EA

Project No. 6665-A481

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:58Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions — Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-A-51383A(EA)	ALARM, CHEMICAL AGENT, AUTOMATIC: PORTABLE, ABCA-M8

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)*:

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* — Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* — Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* — Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

(FOLD ON THIS FORM, CUT ALONG THIS LINE.)

Source: https://assist.dla.mil -- Downloaded: 202640-22T20:58Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use submitting comments and suggestions for improvements. All users of military standardization documents are invited to provi suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, a mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, v too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

NO POSTAG
NECESSAR
IF MAILED
IN THE
UNITED STAT

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 4966 Alexandria, VA

POSTAGE WILL BE PAID BY

Commander
U.S. Army Armament, Munitions and Chemical Command
ATTN: AMSMC-TDC-S (A)
Aberdeen Proving Ground, MD 21010-5423

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:58Z
Check the source to verify that this is the current version before use.