MIL-C-50850B(AR)
5 January 1984
SUPERSEDING
MIL-C-50850A(PA)
17 June 1974

MILITARY SPECIFICATION

CHARGE, DEMOLITION: M118
PARTS FOR AND LOADING, ASSEMBLING AND PACKING

This specification is approved for use by the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers quality assurance provisions and preparation for delivery for parts and loading, assembling and packing of charge, Demolition: M118. (See 6.6)

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications and standards. Unless otherwise specified (see 6.1), the following specifications and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-P-116	-	Preservation, Methods of.
MIL-A-48078	-	Ammunition, Standard Quality Assurance Provisions, General Specification For.

STANDARDS

MILITARY

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Center, Attn. DRSMC-QA, Dover, New Jersey 07801 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40
Check the source to verify that this is the current version before use.

2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this specification to the extent specified herein.

DRAWINGS (See 6.5)

US ARMY ARMAMENT RESEARCH AND DEVELOPMENT CENTER

8876128	-	Box, Wirebound, Packing, Ammunition, for Charge, Demolition: M118.
9204247	-	Charge, Demolition: M118.
9234986	-	Box, Fiberboard, Packing, Ammunition, for Holder, Blasting Cap, M8.

(Copies of specifications, standards, handbooks, drawings, and publications required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

2.2 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence.

3. REQUIREMENTS

3.1 Material. Materials shall be in accordance with the applicable drawings, specifications and standards.

3.2 Parts. All parts shall comply with applicable drawings, specifictions and standards.

3.3 Demolition charge assemblies. The demolition charge assemblies shall comply with all requirements specified on Drawing (Dwg.) 9204247, all asociated drawings, and with all requirements specified in applicable specifications and standards.

3.4 First article inspection. This specification contains technical provisions for first article inspection. Requirements for the submission of first article samples by the contractor shall be as specified in the contract.

3.5 Workmanship. All parts and assemblies shal be fabricated, loaded and assembled in a thorough, workmanlike manner. Assemblies shall be free of holes, tears, separations, punctures, stains, weak spots, dirt, grease, rust and other foreign matter. After assembling all external surfaces shall be free from explosive. The cleaning method used shall not be injurious to any parts, nor shall the parts be contaminated by the cleaning agents. All required marking shall be neat and sharply defined.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection and standard quality assurance provisions. Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.3).

b. Quality conformance inspection (see 4.4).

4.3 First article inspection.

4.3.1 Submission. The contractor shall submit a first article sample as designated by the Contracting Officer for evaluation in accordance with provisions of 4.3.2. The first article sample shall consist of the following items in sample quantities as indicated below and Table I.

Part Description	Drawings	Quantity
Charge, Demolition: M118	9204247	50

4.3.2 Inspections to be performed. See MIL-A-48078 and Table I specified herein.

4.3.3 Rejection. See MIL-A-48078.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

TABLE I. First article inspection.

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-50850B (AR)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
	Charge, Demolition: M118	1 OF 1	9204247
			NEXT HIGHER ASSEMBLY: --

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	Examination for Defects	50	--	3.3	4.4.2.3
	Composition of explosive	-	--	3.1	Certification (See 6.3)

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

4.4 Quality conformance inspection.

4.4.1 Inspection lot formation. Inspection lots shall comply with the lot formation provisions of MIL-A-48078. In addition, each inspection lot shall contain:

a. Parts of one lot interfix number from one manufacturer.

b. Flexible explosive from not more than two lots from one manufacturer.

c. Blasting cap holder: M8 of one lot interfix number from one manufacturer.

4.4.2 Examination. See MIL-A-48078.

a. Sampling plans. Unless otherwise specified in the Classification of Defects and Tests Tables, sampling plans and procedures for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-50850B (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.1	Charge Assembly Flex-X, 1/2 lb.				9204245
					NEXT HIGHER ASSEMBLY 9204247
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Pressure tape improperly applied, peeling, wrinkled or missing		0.40%	3.2	Visual
102	Explosive damaged (cracked, broken, chipped edge)		0.40%	3.2	Visual
Minor					
201	Length		0.65%	3.2	Gage
202	Width		0.65%	3.2	Gage
203	Marking incorrect color, misleading, unidentifiable or missing		0.65%	3.2	Visual
204	Poor workmanship		1.0%	3.5	Visual

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-50850B(AR)

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.2	Container, Flexible Explosive		9204246
			NEXT HIGHER ASSEMBLY
			9204247

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Bag or seal fails when loaded		0.40%	3.2	Manual (See dwg. note)
102	Width		0.40%	3.2	Gage
103	Color incorrect		0.40%	3.2	Visual
104	Seal missing or incomplete		0.40%	3.2	Visual
Minor					
201	Poor workmanship		1.0%	3.5	Visual

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-50850B (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.3	Charge, Demolition: M118				9204247
					NEXT HIGHER ASSEMBLY --
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Explosive charge	--	-	3.1	Certification (See 6.3)
102	Weight of demolition charge assembly, max.		0.40%	3.3	Balance
103	Sealing clip loose or missing		0.40%	3.3	Manual/Visual
104	Flexible sheets improperly assembled in container, or missing		0.40%	3.3	Visual
105	Charge container loose or damaged (seal separating, puncture, tear, hole, weak spot)		0.40%	3.5	Visual
106	Explosive charge assembly missing		0.40%	3.3	Visual
Minor					
201	Marking incorrect, unidentifiable or missing		0.65%	3.3	Visual
202	Poor workmanship (excl. 105 above)		1.0%	3.5	Visual

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-50850B (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.4	Box, Fiberboard, Packing				9234986
					NEXT HIGHER ASSEMBLY
					8876128
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major	None defined				
Minor					
201	Contents loose		0.65%	3.2	Manual
202	Sealing strip torn, badly wrinkled, or fails to seal box completely		0.65%	3.2	Visual
203	Box torn, cut or punctured		0.65%	3.2	Visual
204	Blasting cap holder missing		0.65%	3.2	Visual
205	Marking incorrect, unidentifiable, or missing		0.65%	3.2	Visual
206	Poor workmanship		1.0%	3.5	Visual

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-50850B (AR)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.5	Sealed Barrier Bag	1 OF 1	9234986
			NEXT HIGHER ASSEMBLY: 8876128

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major		Note A			
101	Heat seal test		-	3.2	Note A
102	Seal improper or incomplete		0.40%	3.2	Visual
103	Waterproofness destroyed by rip, hole, tear, puncture, or separation of heat seal		0.40%	3.2	Visual
Minor					
201	Marking incorrect, unidentifiable, or missing		0.65%	3.2	Visual
202	Poor workmanship		1.0%	3.5	Visual

NOTES: A. Sampling acceptance criteria and test procedure shall be as specified in MIL-P-116.

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-50850B (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.6	Box, Wirebound, Packing (prior to sealing)				8876128
					NEXT HIGHER ASSEMBLY
					--
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Carton containing blasting cap holders missing		0.40%	3.2	Visual
102	Incorrect number of demolition charge assemblies		0.40%	3.2	Visual
Minor					
201	Contents loose fit (filler packing material insufficient)		0.65%	3.2	Manual
202	Poor workmanship		1.0%	3.5	Visual

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-50850B (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.7	Box, Wirebound, Packing (sealed)				8876128
					NEXT HIGHER ASSEMBLY
					--
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Hardware or strapping loose, broken or missing		0.40%	3.2	Manual/Visual
102	Box damaged to the extent that contents are exposed or liable to become exposed		0.40%	3.2	Visual
Minor					
201	Contents loose (when box is tilted)		0.65%	3.2	Manual
202	Metallic seal unsealed, improperly positioned or missing		0.65%	3.2	Visual
203	Marking incomplete, incorrect, illegible or missing		0.65%	3.2	Visual
204	Poor workmanship		1.0%	3.5	Visual

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

4.4.3 Testing. Testing is described in the First Article and Quality Conformance Inspection Tables.

4.4.4 Inspection equipment. The inspection equipment required to perform the inspections and tests prescribed in this specification is identified in the "Paragrah Reference/Inspection Method" column in the tables starting with paragraph 4.4.2.1. The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract. See Se tion 6 of MIL-A-48078 and 6.2 herein.

4.5 Methods of inspection. There are no tests required in this section.

5. PACKAGING

5.1 Level A. Blasting cap holder, M8, shall be packaged in accordance with Dwg. 8876128.

5.1.2 Package charge. Demolition M118 and the M8 holders in accordance with Dwg. 9234986.

5.2 Level B. Level B packaging shall be the same as level A.

5.3 Level C. Level C packaging shall be the same as Level A.

5.4 Marking. Marking shall be in accordance with drawings 8876128 and 9234986.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. See MIL-A-48078.

6.2 Submission of inspection equipment designs for approval. (See MIL-A-48078). Equipment designs shall be submitted as required to: Commander, U.S. Army Armament Research and Development Center, ATTN: DRSMC-QAT-I(D), Dover, New Jersey 07801. Request letter of submittal should state contractor, contract number, specification number, item nomenclature, and classification of defects and tests paragraph number.

6.3 Certification. Unless otherwise specified by the Contracting Officer, certification shall be submitted by the contractor in accordance with Data Item Description DI-R-1724 (Tailored) cited on the DD Form 1423 for the contract. Distribution shall include: Commander, ARDC, ATTN: DRSMC-QAT-M(D), Dover, NJ 07801.

(Copies of data items description required by the contractor in connection with specific acquisition functions should be obtained from the procuring activity or as directed by the contracting officer).

6.4 Data cards. (See MIL-A-48078). Distribution of data cards shall include the address specified in 6.3).

6.5 Drawings. Drawings listed in Section 2 of this specification under the heading US Army Armament Research and Development Center (ARDC) may also include drawings prepared by, and identified as, US Army Armament Research and Development Command, Edgewood Arsenal, Frankford Arsenal, Rock Island Arsenal or Picatinny Arsenal drawings. Technical data originally prepared by these activites are now under the cognizance of ARDC.

6.6 International standardization agreement. Certain portions of this specification are the subject of international standardization agreement (STANAG No. 2818). When amendment, revision, or cancellation of this specification is proposed which will affect or violate the international agreement concerned, the preparing activity will take appropriate reconciliation action through international standardization channels including departmental standardization offices, if required.

6.7 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue, due to the extensiveness of the changes.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1375-A272)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:40Z
Check the source to verify that this is the current version before use.