MILITARY SPECIFICATION

INDICATOR, POSITION ALU-4/A, HORIZONTAL STABILIZER

This amendment forms a part of MIL-I-27672B(USAF), dated 3 September 1987, and is approved for use by the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense

PAGE 1

Delete 2 1 1 entirely and add "Specifications, standards, and handbooks The following specifications, standards, and handbooks form a part of this document to the extent specified herein Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6 2) "

Under SPECIFICATIONS, Federal, delete "PPP-B-601" and "PPP-B-636" entirely Add "PPP-B-1672, Boxes, Shipping, Reusable With Cushioning "

Under SPECIFICATIONS, Military, add "MIL-B-121, Barrier Materials, Greaseproofed, Waterproofed, Flexible "

In the "Beneficial comments" Block, line three, delete "MMEDO" and add "TICLA "

PAGE 2

Under STANDARDS, Federal, add "FED-STD-101, "Test Procedures For Packaging Materials "

Under STANDARDS, Military, delete "MIL-STD-794" entirely and add "MIL-STD-2073-1, DOD Material Procedures For Development And Application Of Packaging Requirements "

Delete paragraph that begins with "(Unless otherwise indicated, copies of federal and military specifications " entirely and add "(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Document Order Desk, Bldg 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094) "

Delete 2 2 entirely

PAGE 9

Delete section 5 entirely and add

"5 PACKAGING

5 1 Preservation Preservation shall be level "A" or "C" as specified (see 6 2)

DISTRIBUTION STATEMENT A Approved for public release distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:39Z
Check the source to verify that this is the current version before use.

5 1 1 Preservation-packaging Unless otherwise specified by the contracting activity, item shall be packaged in Quantity Unit Pack (QUP) of one each Each item will be provided a preservation method IC-1 in accordance with MIL-P-116

5 1 2 Cleaning Item shall be cleaned in accordance with MIL-P-116 C-1 process

5 1 3 Drying Immediately after cleaning, the item shall be dried following any one or combination of the drying procedures listed in MIL-P-116 The drying procedures employed shall not be injurious to the item

5 1 4 Level A Item shall be preserved in accordance with MIL-P-116 and MIL-STD-2073-1 to provide a method IC-1

5 1 5 Level C Item shall be individually preserved in a manner that will afford adequate protection against corrosion, deterioration, and physical damage during shipment from the supply source to the first receiving activity as specified in MIL-P-116 and MIL-STD-2073-1

5 2 Packing Packing shall be level "A," "B," or "C" as specified (see 6 2)

5 2 1 Container-cushioning Unit container requirements shall conform to MIL-B-121, barrier material, unless otherwise specified by the contracting activity Unit containers shall be large enough to allow for application of cushioning/wrap material, of sufficient density and thickness, to protect the unit container from punctures Intermediate/shipping containers shall be large enough to allow for the application of sufficient cushioning material, between the unit container and intermediate/shipping container Cushioning material shall be of sufficient density and thickness to ensure shock transmission does not exceed peak values in G's established for the item

5 2 2 Level A Fiberboard containers do not meet Level "A" container criteria

5 2 3 Level B Item will be preserved as specified in 5 1 and shall be packed in exterior containers conforming to PPP-B-1672, weather-resistant unless otherwise specified by the contracting activity Exterior container shall be uniform shape, size, and minimum tare and cube, consistent with the protection required Closure shall be in accordance with appropriate PPP-B-1672 procedure and contracting activity

5 2 4 Level C Item will be packed in such a manner that will afford adequate protection against physical damage during direct domestic shipment from the supply source to the first receiving activity These packs shall conform to MIL-STD-2073-1

5 3 Marking Unit, intermediate, and exterior containers shall be marked in accordance with special markings required by the contracting activity and MIL-STD-129

5 4 Inspection and test Test of methods of preservation shall be accomplished in accordance with section 4 of MIL-P-116 to ensure compliance with section 5 of this specification Packaging tests shall be conducted in accordance with rough handling as specified in FED-STD-101 "

Under "6 NOTES" add "(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory)"

Under 6 2 Delete line 1 entirely and add "Acquisition requirements Acquisition documents must specify the following "

After 6 2 c Add "(d) Issue of DODISS to be cited in the solicitation and if required the specific issue of individual documents referenced (see 2 1) "

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:39Z
Check the source to verify that this is the current version before use.

Custodian
AIR FORCE -99

Reviewer activities
AIR FORCE -11

Preparing activity
AIR FORCE -71

Project number
6610-F395

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:39Z
Check the source to verify that this is the current version before use.