MIL-I-27680C(AV)
AMENDMENT 2
30 September 1986
SUPERSEDING
MIL-I-27680C(AV)
AMENDMENT 1
26 November 1979

MILITARY SPECIFICATION

INDICATOR, ATTITUDE, ARU-12/A, REMOTE

This amendment forms a part of Military Specification MIL-I-27680C(AV), dated 9 February 1973, and is approved for use within the U.S. Army Aviation Systems Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1, under SPECIFICATIONS, Federal: Delete:

QQ-P-416 Plating, Cadium (Electrodeposited).

2.1, under SPECIFICATIONS, Federal: Add:

PPP-B601 Boxes, Wood, Cleated Plywood
PPP-B636 Box, Shipping, Fiberboard
PPP-B-665 Box, Paperboard, Metal Edge and Components

2.1, under STANDARDS, Federal: Add:

FED-STD-376 Preferred Metric Units For General Use by The Federal Government

Add boxed paragraph to bottom center of page

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: U.S. Army Aviation Systems Command, ATTN: AMSAV-ELSS, 4300 Goodfellow Boulevard, St. Louis, MO 63120-1798, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6610

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:42Z
Check the source to verify that this is the current version before use.

2.1, under STANDARDS, Military: Delete:

MIL-STD-794 Parts and Equipment, Procedures for Packaging and packing of

PAGE 2

Add: This paragraph:

2.2 Other publications. The following document(s) form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted shall be those listed in the issue of the DODISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS shall be the issue of the nongovernment documents which is current on the date of the solicitation.

American Society For Testing and Materials

*ASTM D3951 Commercial Packaging, Standard Practice for.

*DOD Adapted.

(Application for copies should be addressed to the American Society For Testing and Materials, 1916 Race Street, Philadelphia, PA 19103)

Add this paragraph:

2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein (except for associated detail specifications, specification sheets or MS standards), the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained.

PAGE 5

3.4.8.4, delete this paragraph in its entirety.

PAGE 15

4.4, first sentence, delete and substitute: Qualification tests of indicator shall consist of all tests specified herein, plus the first article test of MIL-P-116 whenever Levels A or B packaging are specified.

PAGE 24

4.6.24.1, second sentence, delete and substitute: This MTBF which is the upper test limit (θo) shall be demonstrated with a discremination ratio $\frac{\theta o}{\theta_1}$ of 2... (remaining words unchanged).

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:42Z
Check the source to verify that this is the current version before use.

4.6.24.5, subparagraph a. delete and substitute:

a. Upper test limit.

Section 5. delete and substitute:

5. PACKAGING

5.1 Packaging--Indicators shall be packaged Level A, B or C, as specified (see 6.2).

5.1.1 Level A--Each indicator shall be packaged Method III of MIL-P-116 in a snug-fitting fiberboard box conforming to W6c or W6s of PPP-B-636.

5.1.1.1 Intermediate Packsging--Unit packages shall be placed in metal-stayed paperboard boxes conforming to PPP-B-665. The intermediate package shall not exceed forty pounds, 1.5 cubic feet, or have more than one dimension exceeding sixteen inches. It shall not be required if the total quantity being shipped would result in a single intermediate package.

5.1.2 Level B--Each indicator shall be packaged Method III of MIL-P-116 in a snug-fitting fiberboard box conforming to domestic class of PPP-B-636.

5.1.2.1 Intermediate Packaging--Intermediate packaging shall be the same as for Level A.

5.1.3 Level C Indicators shall be given physical and mechanical protection in accordance with ASTM D3951.

5.2 Packing--Indicators, packaged per 5.1, shall be packed Level A, B or C, as specified (see 6.2).

5.2.1 Level A--Indicators shall be be packed in snug-fitting, wood-cleated, plywood containers conforming to Overseas Type PPP-B-601.

5.2.2 Level B--Indicators shall be packed in snug-fitting fiberboard containers conforming to V3s, V3c, V4s, or V15c of PPP-B-636.

5.2.3 Level C--Indicators shall be packed in accordance with ASTM D3951

5.3 Marking--In addition to any special requirements of the contract or order, unit, intermediate and exterior containers for Levels A or B shipment shall be marked in accordance with MIL-STD-129. Level C packages and packs may be marked for shipment in accordance with ASTM D3951.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:42Z
Check the source to verify that this is the current version before use.

6.3 Fourth sentence delete and substitute:

The activity responsible for Qualified Products List is U.S. Army Aviation Systems Command, ATTN: AMSAV-ELSS, 4300 Goodfellow Boulevard, St. Louis, MO 63120-1798.

Add Paragraph 6.7:

6.7 METRICATION: To meet the DOD objective of complete metrication of Standardization Documents the following conversation factors will be used until such time as a parallel metric specification is developed.

6.7.1. Length. To convert inches (in) to millimeters (mm), multiply inch value by 25.4

6.7.2 Weight. To convert pounds (lbs) to kilograms (Kgs), multiply the number of pounds by 0.454 g.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army - AV

Preparing Activity:
Army - AV

Project No. 6610-A117

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T12:42Z
Check the source to verify that this is the current version before use.