MILITARY SPECIFICATION SHEET

HOLDER, (ENCLOSURE), CRYSTAL, TYPE HC-30/U

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the crystal holder described herein shall consist of this document and the latest issue of Military Specification MIL-H-10056.

INACTIVE FOR NEW DESIGN






FIGURE 1. Type HC-30/U crystal holder (enclosure).


PSC 5955



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:25Z
Check the source to verify that this is the current version before use.




BULB




ASSEMBLY OF PARTS AFTER SEALING

TYPE HC-30/U CRYSTAL HOLDER (ENCLOSURE)

| INCHES | MM | INCHES | MM |
|---|---|---|---|
| .001 | .03 | .473 | 12.01 |
| .002 | .05 | .500 | 12.70 |
| .005 | .13 | .562 | 14.26 |
| .016 | .41 | .620 | 15.75 |
| .020 | .51 | .694 | 17.63 |
| .040 | 1.02 | .704 | 17.88 |
| .062 | 1.57 | .725 | 18.43 |
| .093 | 2.36 | .750 | 19.05 |
| .125 | 3.18 | .832 | 21.13 |
| .172 | 4.37 | .909 | 23.09 |
| .186 | 4.72 | 1.500 | 38.10 |
| .188 | 4.78 | 1.777 | 45.14 |
| .280 | 7.11 | 2.375 | 60.33 |
| .333 | 8.46 | 2.500 | 63.50 |
| .336 | 8.53 | 2.679 | 68.05 |
| .375 | 9.53 | 3.500 | 88.90 |
| .438 | 11.13 | | |

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ±.005 (.13 mm).

FIGURE 1. Type HC-30/U crystal holder (enclosure) - Continued.



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:25Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Materials: See figure 1.

NATO guidance style number 16.

Custodians:
Army - EL
Navy - EC
Air Force - 84

Review activities:
Army - MI, MU, SM,
Navy - SH
Air Force - 11, 80
DSA - ES

User activities:
Army -
Navy - AS, CG, MC, OS
Air Force - 17, 19, 84

Civil agency:
DCG

Preparing activity:
Army - EL

Agent:
DSA - ES

(Project 5955-0405-10)

☆ U. S. GOVERNMENT PRINTING OFFICE: 1975-603-115/4128



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:25Z
Check the source to verify that this is the current version before use.