
MILITARY SPECIFICATION SHEET

HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-27/U

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the crystal holder described herein shall consist of this document and the latest issue of Military Specification MIL-H-10056.




BASE ASSEMBLY

FIGURE 1. Type HC-27/U crystal holder (enclosure).

FSC 5955

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:25Z
Check the source to verify that this is the current version before use.



ADDITIVE DIMENSIONS OF PARTS EXCEEDS FINAL HEIGHT WHEN SEALED. APPROX .020 REDUCTION DUE TO MELTING OF GLASS.

ASSEMBLY OF PARTS AFTER SEALING.

INCHES	MM	INCHES	MM
.001	.03	.213	5.41
.002	.05	.223	5.66
.005	.13	.238	6.05
.008	.20	.255	6.48
.010	.25	.293	7.44
.015	.38	.321	8.15
.020	.51	.352	8.94
.025	.64	.425	10.80
.035	.89	.486	12.34
.040	1.02	.620	15.75
.050	1.27	.630	16.00
.095	2.41	.700	17.78
.110	2.79	.728	18.49
.175	4.45	.757	19.23
		.775	19.69

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ±.005 (.13 mm).
4. The pin undercut can be omitted.

FIGURE 1. Type HC-27/U crystal holder (enclosure) - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:25Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Materials: See figure 1.

NATO preferred style number 13.

Custodians:
Army - EL
Navy - EC
Air Force - 84

Review activities:
Army - MI, MU, SM,
Navy - SH
Air Force - 11, 80
DSA - ES

User activities:
Army -
Navy - AS, CG, MC, OS
Air Force - 17, 19, 84

Civil agency:
DCS

Preparing activity:
Army - EL

Agent:
DSA - ES

(Project 5955-0405-11)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:25Z
Check the source to verify that this is the current version before use.