MILITARY SPECIFICATION SHEET

HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-28/U

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the crystal holder described herein shall consist of this document and the latest issue of Military Specification MIL-H-10056.





FIGURE 1. Type HC-28/U crystal holder (enclosure).

FSC 5955

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:25Z
Check the source to verify that this is the current version before use.



INCHES	MM	INCHES	MM
.001	.03	.223	5.66
.002	.05	.238	6.05
.005	.13	.255	6.45
.008	.20	.293	7.44
.010	.25	.321	8.15
.015	.38	.352	8.94
.020	.51	.486	12.34
.025	.64	.620	15.75
.035	.89	.630	16.00
.050	1.27	.700	17.78
.095	2.41	.728	18.49
.110	2.79	.757	19.23
.175	4.45	1.340	34.04
.213	5.41	1.526	38.76
		1.720	43.69

ADDITIVE DIMENSIONS OF PARTS EXCEEDS FINAL HEIGHT WHEN SEALED. APPROX .020 REDUCTION DUE TO MELTING OF GLASS.

ASSEMBLY OF PARTS AFTER SEALING

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. The pin undercut can be omitted.

FIGURE 1. Type HC-28/U crystal holder (enclosure) - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:25Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Materials: See figure 1.

Custodians:
Army - EL
Navy - EC
Air Force - 84

Review activities:
Army - MI, MU, SM, SL
Navy - SH
Air Force - 11, 80
DSA - ES

User activities:
Army -
Navy - AS, CG, MC, OS
Air Force - 17, 19, 84

Civil agency:
DCG

Preparing activity:
Army - EL

Agent:
DSA - ES

(Project 5955-0405-12)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:25Z
Check the source to verify that this is the current version before use.