MIL-H-10056/17A
6 January 1975
SUPERSEDING
MIL-H-10056/17
6 June 1966

MILITARY SPECIFICATION SHEET

HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-11A/U

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the crystal holder described herein shall consist of this document and the latest issue of Military Specification MIL-H-10056.

INACTIVE FOR NEW DESIGN





FIGURE 1. Type HC-11A/U crystal holder (enclosure).

FSC 5955

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:25Z
Check the source to verify that this is the current version before use.



PER QQ-C-585, COMPOSITION NO.6 ANNEALED SOFT TEMPER

INCHES	MM	INCHES	MM
.007	.18	.150	3.81
.010	.25	.190	4.83
.015	.38	.416	10.57
.016	.41	.455	11.56
.030	.76	.500	12.70
.050	1.27	.578	14.68
.060	1.52	.640	16.26
.062	1.57	1.120	28.45
.093	2.36	1.165	29.59
.125	3.18	1.220	30.99
		1.282	32.56

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ±.005 (.13 mm).
4. 1.120 (28.45 mm) dimension may vary ±.005 (.13 mm) beyond .150 (3.81 mm) dimension.
5. Starting material thickness is .010 ±.001.

FIGURE 1. Type HC-11A/U crystal holder (enclosure) - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:25Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Materials: See figure 1. After assembling, base assembly (pin and frame) shall be hot-tin-dipped or electro-tin-plated in accordance with type 1 finish of MIL-P-14072.

Custodians:
Army - EL
Navy - EC
Air Force - 84

Review activities:
Army - MI, MU, SM, SL
Navy - SH
Air Force - 11, 80
DSA - ES

User activities:
Army -
Navy - AS, CG, MC, OS
Air Force - 17, 19, 84

Civil agency:
OCG

Preparing activity:
Army - EL

Agent:
DSA - ES

(Project 5955-0405-13)

☆ U. S. GOVERNMENT PRINTING OFFICE: 1975-603-115/4193

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:25Z
Check the source to verify that this is the current version before use.