MILITARY SPECIFICATION SHEET

HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-32/U

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the crystal holder described herein shall consist of this specification and the latest issue of MIL-H-10056.





FIGURE 1. Type HC-32/U crystal holder (enclosure).

© denotes changes

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:26Z
Check the source to verify that this is the current version before use.

FSC 5955



PER QQ-C-585 COMPOSITION
NO. 6 ANNEALED SOFT TEMPER

INCHES	MM	INCHES	MM
.001	.03	.065	1.65
.002	.05	.072	1.83
.003	.08	.080	2.03
.005	.13	.140	3.56
.006	.15	.150	3.81
.007	.18	.175	4.44
.008	.20	.202	5.13
.010	.25	.225	5.72
.015	.38	.238	6.05
.020	.51	.275	6.99
.025	.64	.530	13.46
.030	.76	.555	14.10
.040	1.02	.625	15.88
.050	1.27	.640	16.26

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ±.005 (.13 mm).
4. .530 (13.46 mm) dimension may vary ±.005 (.13 mm) beyond .150 (3.81 mm) dimension.
5. Starting material thickness is .010 ±.001.
6. The pin undercut can be omitted.

FIGURE 1. Type HC-32/U crystal holder (enclosure) - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:26Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Materials: See figure 1. After assembling, base assembly (pin and frame) shall be hot-tin-dipped or electro-tin-plated in accordance with type I finish of MIL-F-14072.

Workmanship: Bottom flange surface to be smooth and free of tool marks and scratches.

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities:
Army - MI, AR, SM
Navy - SH
Air Force - 11, 99
DLA - ES

User activities:
Army -
Navy - AS, CG, MC, OS
Air Force - 17, 19

Civil agency:
DCG

Agent:
DLA - ES

Preparing activity:
Army - ER

(Project 5955-0602-1)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:26Z
Check the source to verify that this is the current version before use.