MILITARY SPECIFICATION SHEET

HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-17/U

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the crystal holder described herein shall consist of this document and the latest issue of Military Specification MIL-H-10056.

INACTIVE FOR NEW DESIGN





FIGURE 1. Type HC-17/U crystal holder (enclosure).


FSC 5955

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:24Z
Check the source to verify that this is the current version before use.



COVER

PER QQ-C-585 COMPOSITION
NO. 6 ANNEALED SOFT TEMPER



ASSEMBLY BEFORE SEALING

INCHES	MM	INCHES	MM
.001	.03	.065	1.65
.002	.05	.070	1.78
.003	.08	.093	2.36
.005	.13	.132	3.35
.007	.18	.150	3.81
.008	.20	.285	7.24
.010	.25	.315	8.00
.015	.38	.345	8.76
.017	.43	.437	11.10
.018	.46	.486	12.34
.020	.51	.720	18.29
.030	.76	.750	19.05
.050	1.27	.775	19.69

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ±.005 (.13 mm).
4. .720 (18.29 mm) dimension may vary ±.005 (.13 mm) beyond .150 (3.81 mm) dimension.
5. Compression type seal.
6. Starting material thickness is .010 ±.001.
7. The pin undercut can be omitted.

FIGURE 1. Type HC-17/U crystal holder (enclosure) - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:24Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Materials: After assembling, base assembly (pin and frame) shall be hot-tin-dipped or electro-tin-plated in accordance with type 1 finish of MIL-F-14072.

Custodians:
Army - EL
Navy - EC
Air Force - 84

Review activities:
Army - MI, MU, SM,
Navy - SH
Air Force - 11, 80
DSA - ES

User activities:
Army -
Navy - AS, CG, MC, OS
Air Force - 17, 19, 84

Civil agency:
DCG

Preparing activity:
Army - EL

Agent:
DSA - ES

(Project 5955-0405-7)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:24Z
Check the source to verify that this is the current version before use.