METRIC

MIL-DTL-83538/9B
2 June 2008
SUPERSEDING
MIL-DTL-83538/9A
24 December 1998

DETAIL SPECIFICATION SHEET

CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, ADAPTER, ACCESSORY, LAUNCHER RECEPTACLE FOR MIL-STD-1760 APPLICATIONS (METRIC)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-83538.




FIGURE 1. Accessory adapter launcher receptacle.

AMSC N/A

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:10Z
Check the source to verify that this is the current version before use.

Accessory shell size	A Accessory thread	Accessory thread torque (newton-meters)	B dia ± 0.13 (.005) (inch equivalents in parentheses)	C number of teeth
09	M12x1.0-6g 0.100R	11.3 ± 1.1	8.18 (.332)	12
11	M15x1.0-6g 0.100R	11.3 ± 1.1	11.18 (.440)	16
13	M18x1.0-6g 0.100R	17.0 ± 1.7	14.20 (.559)	20
15	M22x1.0-6g 0.100R	17.0 ± 1.7	18.19 (.716)	24
17	M25x1.0-6g 0.100R	22.6 ± 2.3	21.18 (.834)	28
19	M28x1.0-6g 0.100R	22.6 ± 2.3	24.18 (.952)	32
21	M31x1.0-6g 0.100R	28.3 ± 2.8	27.18 (1.070)	36
23	M34x1.0-6g 0.100R	28.3 ± 2.8	30.18 (1.188)	40

mm	Inches	mm	Inches	mm	Inches	mm	Inches
0.64	0.025	3.56	0.140	5.21	0.205	34.67	1.365
0.89	0.035	3.68	0.145	11.81	0.465	34.93	1.375
0.100	0.004	3.81	0.150	12.32	0.485	37.84	1.489
1.00	0.04	4.95	0.195	28.58	1.125	38.04	1.497
3.18	0.125						

NOTES:

1. Dimensions are in millimeters.
2. Inch equivalents are given for information only.

FIGURE 1. Accessory adapter launcher receptacle - Continued.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:10Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configurations: See figure 1.

This accessory adapter mates with MIL-DTL-83538/4.

Part or Identifying Number (PIN) example:



QUALIFICATION: This adapter shall be in accordance with the requirements of MIL-DTL-83538. The following details and exceptions shall apply:

Group A: Visual and mechanical examination (100% inspection).

Group B: Not Applicable.

Qualification and group C: Two test samples consisting of two MIL-DTL-83538/9 adapters and two MIL-DTL-83538/4 mating connectors shall be required for stand alone qualification. However, if the manufacturer is in the process of qualifying MIL-DTL-83538/4, then one test sample is required. Testing shall be performed in the following sequence:

Visual and mechanical examination.

Salt spray followed by accessory thread strength. Manufacturers that are qualifying this adapter cover as a stand alone accessory shall conduct salt spray, accessory thread strength and post test examination in accordance with MIL-DTL-83538. For initial qualification, manufacturers that are qualifying MIL-DTL-83538/4 receptacles concurrently with MIL-DTL-83538/9 adapter covers shall supply an adapter and connector pair and perform testing in accordance with the qualification requirements and test sequence of MIL-DTL-83538/4.

For group C, twenty-four month periodic testing, one MIL-DTL-83538/9 adapter and one MIL-DTL-83538/4 receptacle shall be required. Testing shall consist of visual and mechanical, salt spray, accessory thread strength and post test examination.

Changes from the previous issue: Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Referenced documents. In addition to MIL-DTL-83538, this document references the following:

MIL-DTL-83538/4
MIL-STD-1760

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:10Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army – CR
Navy – AS
Air Force – 85
DLA – CC

Preparing activity:
DLA – CC

Review activities:
Army – AR, MI
Navy – EC, MC, OS
Air Force – 19, 99

(Project 5935–2007-048)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change. You should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:10Z
Check the source to verify that this is the current version before use.